

60.59 User Guide. The charts in KZC 60.62 contain the basic zoning regulations that apply in Planned Area 6B, including sub-zones. Use these charts by reading down the left hand column entitled Use. Once you locate the use in which you are interested, read across to find the regulations that apply to that use.

**Section 60.60**

**Zone  
PLA6B**

**Section 60.60 – GENERAL REGULATIONS**

The following regulations apply to all uses in this zone unless otherwise noted:

1. Refer to Chapter 1 KZC to determine what other provision of this code may apply to the subject property.
2. If any portion of a structure is adjoining a low density zone, then either:
  - a. The height of that portion of the structure shall not exceed 15 feet above average building elevation, or
  - b. The horizontal length of any facade of that portion of the structure which is parallel to the boundary of the low density zone shall not exceed 50 feet.

See KZC 115.30, Distance Between Structures/Adjacency to Institutional Use, for further details.  
(Does not apply to Detached Dwelling Unit uses).

ATTACHMENT B  
ZONING-00022

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 60.62	USE ↓ REGULATIONS ↑	Required Review Process	Lot Size	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
				REQUIRED YARDS (See Ch. 115)			Lot Coverage	Height of Structure				
				Front	Side	Rear						
.010	Detached Dwelling Unit	None	3,600 sq. ft.	20'	5', but 2 side yards must equal at least 15'.	10'	70%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 30' above building elevation. See Spec. Reg. 5.	E	A	2.0 per unit.	<ol style="list-style-type: none"> <li>For this use, only one dwelling unit may be on each lot regardless of lot size.</li> <li>Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use.</li> </ol>
.020	Detached, Attached or Stacked Dwelling Units	None	3,600 sq. ft. per dwelling unit.	20'	5', but 2 side yards must equal at least 15'. See Spec. Reg. 3.	10' See Spec. Reg. 4.	70%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 30' above building elevation. See Spec. Reg. 5.	D	A	1.7 per unit.	<ol style="list-style-type: none"> <li>Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use.</li> <li>Chapter 115 KZC contains regulations regarding common recreational space requirements for this use.</li> <li>The side yard may be reduced to zero feet if the side of the dwelling unit is attached to a dwelling unit on an adjoining lot. If one side of a dwelling unit is so attached and the opposite side is not, the side that is not attached must provide a minimum side yard of five feet.</li> <li>The rear yard may be reduced to zero feet if the rear of the dwelling unit is attached to a dwelling unit on an adjoining lot.</li> <li>Where the 25-foot height limitation results solely from an adjoining low density zone occupied by a school that has been allowed to increase its height to at least 30 feet, then a structure height of 30 feet above average building elevation is allowed.</li> </ol>
.030	Office Use	None	7,200 sq. ft.	20'	5', but 2 side yards must equal at least 15'.	10'	70%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 30' above building elevation. See Spec. Reg. 5.	C	D	If a Medical, Dental, or Veterinary office, then 1 per each 200 sq. ft. of gross floor area. Otherwise, 1 per each 300 sq. ft. of gross floor area.	<ol style="list-style-type: none"> <li>The following regulations apply to veterinary offices only:                             <ol style="list-style-type: none"> <li>May only treat small animals on the subject property.</li> <li>Outside runs and other outside facilities for the animals are not permitted.</li> <li>Site must be designed so that noise from this use will not be audible off the subject property. A certification to this effect, signed by an Acoustical Engineer, must be submitted with the development permit application.</li> </ol> </li> <li>Ancillary assembly and manufacture of goods on the premises of this use are permitted only if:                             <ol style="list-style-type: none"> <li>The ancillary assembled or manufactured goods are subordinate to and dependent on this use.</li> <li>The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other office uses.</li> </ol> </li> </ol>

**60.69** User Guide. The charts in KZC 60.72 contain the basic zoning regulations that apply in Planned Area 6D, including sub-zones. Use these charts by reading down the left hand column entitled Use. Once you locate the use in which you are interested, read across to find the regulations that apply to that use.

**Section 60.70**

**Zone  
PLA6D**

**Section 60.70 – GENERAL REGULATIONS**

The following regulations apply to all uses in this zone unless otherwise noted:

1. Refer to Chapter 1 KZC to determine what other provision of this code may apply to the subject property.
2. If any portion of a structure is adjoining a low density zone, then either:
  - a. The height of that portion of the structure shall not exceed 15 feet above average building elevation, or
  - b. The horizontal length of any facade of that portion of the structure which is parallel to the boundary of the low density zone shall not exceed 50 feet.

See KZC 115.30, Distance Between Structures/Adjacency to Institutional Use, for further details  
(Does not apply to Detached Dwelling Unit uses).

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
Section 60.72	USE REGULATIONS	Required Review Process	Lot Size	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
				REQUIRED YARDS (See Ch. 115)			Lot Coverage	Height of Structure				
				Front	Side	Rear						
.010	Detached Dwelling Unit	None	3,600 sq. ft.	20'	5', but 2 side yards must equal at least 15'.	10'	60%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 30' above average building elevation. See Spec. Reg. 6.	E	A	2.0 per unit.	<ol style="list-style-type: none"> <li>For this use, only one dwelling unit may be on each lot regardless of lot size.</li> <li>Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use.</li> </ol>
X .020	Detached, Attached or Stacked Dwelling Units	If less than 3,600 sq. ft. of lot area per unit, then Process I, Chapter 145. Otherwise, None. See Special Regulation 2.	3,600 sq. ft. with at least 1,800 sq. ft. per unit.	20'	5', but 2 side yards must equal at least 15'. See Spec. Reg. 4.	10' See Spec. Reg. 5.	60%	If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 30' above average building elevation. See Spec. Reg. 6.	D		1.7 per unit.	<ol style="list-style-type: none"> <li>Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use.</li> <li>If proposed development contains less than 3,600 square feet of lot area per unit, the following right-of-way improvements shall be required on rights-of-way which serve the subject property. The improvements shall extend from State Street to the eastern boundary of the subject property/ frontage on the right-of-way.                             <ol style="list-style-type: none"> <li>On 2nd Avenue South, 3rd Avenue South, and 5th Avenue South: 20 feet of paved surface, six-inch vertical curb on each side, five-foot sidewalk on north side adjacent to curb and two-foot utility strip on each side. In addition, right-of-way dedication on 5th Avenue South will be required as necessary to install these improvements.</li> <li>On 4th Avenue South: 24 feet of paved surface, six-inch vertical curb on each side, five-foot sidewalk on north side adjacent to curb and five-foot six-inch utility strip on each side.</li> </ol> </li> <li>Chapter 115 KZC contains regulations regarding common recreational space requirements for this use.</li> <li>The side yard may be reduced to zero feet if the side of the dwelling unit is attached to a dwelling unit on an adjoining lot. If one side of a dwelling unit is so attached and the opposite side is not, the side that is not attached must provide a minimum side yard of five feet.</li> <li>The rear yard may be reduced to zero feet if the rear of the dwelling unit is attached to a dwelling unit on an adjoining lot.</li> <li>Where the 25-foot height limitation results solely from an adjoining low density zone occupied by a school that has been allowed to increase its height to at least 30 feet, then a structure height of 30 feet above average building elevation is allowed.</li> </ol>