

CHAPTER 25 XX – PROFESSIONAL OFFICE RESIDENTIAL (PR) ZONES MARKET STREET CORRIDOR 1 (MSC1) AND MARKET STREET CORRIDOR 4 (MSC4) ZONES

25.05 User Guide.

The charts in KZC ~~25.10~~ contain the basic zoning regulations that apply in ~~each PR 8.5, PR 5.0, PR 3.6, PR 2.4 and PR 1.8~~ the MSC1 and MSC4 zones of the City. Use these charts by reading down the left hand column entitled Use. Once you locate the use in which you are interested, read across to find the regulations that apply to that use.

**Section
25.08**



Section **25.08** – GENERAL REGULATIONS

The following regulations apply to all uses in this zone unless otherwise noted:

1. Refer to Chapter 1 KZC to determine what other provisions of this code may apply to the subject property.
2. If any portion of a structure is adjoining a low density zone, then either:
 - a. The height of that portion of the structure shall not exceed 15 feet above average building elevation, or
 - b. The horizontal length of any facade of that portion of the structure which is parallel to the boundary of the low density zone shall not exceed 50 feet.See KZC 115.30, Distance Between Structures/Adjacency to Institutional Use, for further details.
3. ~~Some development standards or design regulations may be modified as part of the design review process. See Chapters 92 and 142 KZC for requirements. The required yard of a structure abutting Lake Washington Boulevard or Lake St. S. must be increased two feet for each one foot that structure exceeds 25 feet above average building elevation (does not apply to Public Park uses).~~
4. ~~If the property is located south of NE 85th Street between 124th Avenue and 120th Avenue, to the extent possible, the applicant shall save existing viable significant trees within the required landscape buffers separating nonresidential development from adjacent single-family homes.~~

ATTACHMENT 2 (4/07)
MSC: ZON 07-00007

USE ZONE CHART

Section 25-10

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS													
Section 25-10	USE ↓ REGULATIONS →	Required Review Process	MINIMUMS			MAXIMUMS		Lot Coverage	Height of Structure	Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)
			Lot Size	REQUIRED YARDS (See Ch. 115)									
				Front	Side	Rear							
.010	Detached Dwelling Units	None	8,500 sq. ft. if PR-8-5 zone, 5,000 sq. ft. if PR-5-0 zone, otherwise 3,600 sq. ft.	10' in MSC4, otherwise 20'	5' but 2 side yards must equal at least 15'.	10'	70%	If adjoining a low density zone other than RSX , then 25' above average building elevation. Otherwise, 30' above average building	E	A	2.0 per dwelling unit.	<ol style="list-style-type: none"> For this use, only one dwelling unit may be on each lot regardless of lot size. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use. 	

USE ZONE CHART

Section 25.10

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
.020	Detached, Attached or Stacked Dwelling Units	Within the NE 86th Street Subarea, D.R., Chapter 142 KZC. Otherwise, none.	8,500 sq. ft. if PR-8.5 zone, 5,000 sq. ft. if PR-5.0 zone, otherwise 3,600 sq. ft. with a density as established on the Zoning Map. See Spec. Reg. 1 for density requirements.					elevation.	D		1.7 per unit.	<ol style="list-style-type: none"> Minimum amount of lot area per dwelling unit is as follows: <ol style="list-style-type: none"> In PR 8.5 zones, the minimum lot area per unit is 8,500 sq. ft. In PR 5.0 zones, the minimum lot area per unit is 5,000 sq. ft. In PR 3.6 MSC1 zones, the minimum lot area per unit is 3,600 sq. ft. In PR 2.4 zones, the minimum lot area per unit is 2,400 sq. ft. In PR 1.8 MSC4 zone zones west of Market Street, the minimum lot area per unit is 3,600 sq. ft., and east of Market Street the minimum lot area per unit is 1,800 sq. ft. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use. If the subject property contains four or more units, then it must contain at least 200 sq. ft. per unit of common recreational space usable for many activities. This required common recreational open space must have the following minimum dimensions: <ol style="list-style-type: none"> For four to 20 units, the open space must be in one or more pieces each having at least 800 sq. ft. and having a length and width of at least 25 feet. For 21 units or more, the open space must be in one or more pieces having a length and width of at least 40 feet. The required common recreational open space may be reduced to 150 sq. ft. per unit if permanent outdoor furniture, pool, cooking facilities, playing equipment, and/or a recreation building are provided in the common open space. The City shall determine if these outdoor provisions provide comparable recreational opportunities as would the open space that is reduced, based on the number of residents that they would serve at one time. Also, the required minimum dimension for the open space containing these outdoor provisions may also be reduced in proportion to the reduced open space area.

USE ZONE CHART

Section 25.10

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
.030	Office Uses	Within the NE 85th Street Subarea, D.R., Chapter 142 KZC. Otherwise, none.	None	10' in MSC4, otherwise 20'	5' but 2 side yards must equal at least 15'.	10'	70%	If adjoining a low density zone other than RSX , then 25' above average building elevation. Otherwise, 30' above average building elevation.	C	D	If medical, dental or veterinary office, then one per each 200 sq. ft. of gross floor area. Otherwise one per each 300 sq. ft. of gross floor area.	<ol style="list-style-type: none"> The following regulations apply to veterinary offices only: <ol style="list-style-type: none"> May only treat small animals on the subject property. Outside runs and other outside facilities for the animals are not permitted. Site must be designed so that noise from this use will not be audible off the subject property. A certification to this effect, signed by an acoustical engineer, must be submitted with the development permit application. <u>Prior to issuance of a development permit, documentation must be provided by a qualified acoustical consultant, for approval by the Planning Official, verifying that the expected noise to be emanating from the site adjoining any residentially zoned property complies with the standards set forth in WAC 173-60-040(1) for a Class B source property and a Class A receiving property.</u> <u>Not permitted in any development containing dwelling units.</u> Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: <ol style="list-style-type: none"> The ancillary assembled or manufactured goods are subordinate to and dependent on this use. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other office uses.

USE ZONE CHART
Section 25.10

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
.040	Development- Containing- Stacked-or- Attached-Dwelling Units-and-Office- Uses-See-Spec- Reg-1.	Within the- NE 85th- Street- Subarea,- D.R.,- Chapter 142- KZC. Otherwise,- none.	3,600-sq- ft.-with-a- residenti- al-density as- establi- ed-on-the Zoning- Map-See Spec- Reg-2.	20'	5'-but-2 side- yards- must- equal- at-least 15'	10'	70%	If-adjoining-a- low-density- zone-other-than- RSX, then 25'- above-average- building- elevation. Otherwise, 30'- above-average- building- elevation.	G	D	See-KZC- 105.25.	<ol style="list-style-type: none"> 1. A veterinary office is not permitted in any development containing dwelling units. 2. Minimum amount of lot area per dwelling unit is as follows: <ol style="list-style-type: none"> a. In PR 8.5 zones, the minimum lot area per unit is 8,500 square feet. b. In PR 5.0 zones, the minimum lot area per unit is 5,000 square feet. c. In PR 3.6 zones, the minimum lot area per unit is 3,600 square feet. d. In PR 2.4 zones, the minimum lot area per unit is 2,400 square feet. e. In PR 1.8 zones, the minimum lot area per unit is 1,800 square feet. 3. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use. 4. If the subject property contains four or more units, then it must contain at least 200 square feet per unit of common recreational space usable for many activities. This required common recreational open space must have the following minimum dimensions: <ol style="list-style-type: none"> a. For four to 20 units, the open space must be in one or more pieces each having at least 800 square feet and having a length and width of at least 25 feet. b. For 21 units or more, the open space must be in one or more pieces having a length and width of at least 40 feet. The required common recreational open space may be reduced to 150 square feet per unit if permanent outdoor furniture, pool, cooking facilities, playing equipment, and/or a recreation building are provided in the common open space. The City shall determine if these outdoor provisions provide comparable recreational opportunities as would the open space that is reduced, based on the number of residents that they would serve at one time. Also, the required minimum dimension for the open space containing these outdoor provisions may also be reduced in proportion to the reduced open space area. 5. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: <ol style="list-style-type: none"> a. The ancillary assembled or manufactured goods are subordinate to and dependent on this use. b. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other office uses.

USE ZONE CHART

Section 25.10

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
.050	Restaurant, or Tavern, or Fast Food Restaurant. See Special Reg. # 2.	Within the NE 85th Street Subarea, D.R., Chapter 142 KZC. Otherwise, Process 1, Chapter 145 KZC.	8,500-sq-ft. if PR-8.5 zone, otherwise 7,200-sq-ft.	10' in MSC4, otherwise 20'	5' but 2 side yards must equal at least 15'.	10'	70%	If adjoining a low density zone other than RSX , then 25' above average building elevation. Otherwise, 30' above average building elevation.	B	E	1 per each 100 sq. ft. floor area.	<p>1. This use is <u>limited to 4000 sq ft maximum, not permitted in a PR-3.6 zone located in the NE 85th Street Subarea.</u></p> <p>2. <u>Fast Food restaurants are not permitted, except those which:</u></p> <ul style="list-style-type: none"> • <u>Do not include drive-in or drive-through facilities; and</u> • <u>Primarily prepare and serve specialty nonalcoholic beverages, such as coffee, tea, juices, or sodas, or specialty snacks, such as ice cream, frozen yogurt, cookies, sandwiches, or popcorn, for consumption on or near the premises. Fast food restaurants allowed under this provision may also engage in the sale of related products such as coffee beans, mugs, and coffee makers in support of or ancillary to the beverages or snacks listed above; and</u> • <u>Provide one outdoor waste receptacle for every eight parking stalls.</u> <p>3. <u>Prior to issuance of a development permit, documentation must be provided by a qualified acoustical consultant, for approval by the Planning Official, verifying that the expected noise to be emanating from the site adjoining any residentially zoned property complies with the standards set forth in WAC 173-60-040(1) for a Class B source property and a Class A receiving property.</u></p>
.060	Grocery Store, Drug Store, Laundromat, Dry Cleaners, Barber Shop, or Shoe Repair Shop. <u>Any retail establishment, other than those specifically listed, limited or prohibited in this zone, selling goods or providing services, including banking and related financial services.</u>			10' on each side.							1 per each 300 sq. ft. floor area.	<p>1. <u>This use is not permitted in a PR-3.6 zone located in the NE 85th Street Subarea.</u></p> <p>1. <u>The following uses are not permitted in this zone:</u></p> <ul style="list-style-type: none"> • <u>Vehicle service stations.</u> • <u>Automotive service centers.</u> • <u>Uses with drive-in facilities or drive-through facilities.</u> • <u>Retail establishments providing storage services unless accessory to another permitted use.</u> • <u>Retail establishments involving the sale, service or repair of automobiles, trucks, boats, motorcycles, recreational vehicles, heavy equipment and similar vehicles.</u> • <u>Storage and operation of heavy equipment, except delivery vehicles associated with retail uses.</u> • <u>Storage of parts unless conducted entirely within an enclosed structure.</u> <p>2. <u>May not be located above the ground floor of a structure. Prior to issuance of a development permit, documentation must be provided by a qualified acoustical consultant, for approval by the Planning Official, verifying that the expected noise to be emanating from the site adjoining any residentially zoned property complies with the standards set forth in WAC 173-60-040(1) for a Class B source property and a Class A receiving property.</u></p> <p>3. <u>Gross floor area cannot exceed 32,000 square feet.</u></p> <p>4. <u>Ancillary assembly and manufacture of goods on the premises of this</u></p>

USE ZONE CHART

Section 25.10

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS											
											<p><u>use are permitted only if:</u></p> <p><u>a. The assembled or manufactured goods are directly related to and are dependent upon this use, and are available for purchase and removal from the premises.</u></p> <p><u>b. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other retail uses.</u></p>
.070	Funeral Home or Mortuary										<p>1. This use is not permitted in a PR-3.6 zone located in the NE-85th Street Subarea.</p>
.080	Church									<p>1 for every 4 people based on maximum occupancy load of any area of worship. See Spec. Reg. 1.</p>	<p>1. No parking is required for day-care or school ancillary to this use.</p>
.090	School or DayCare Center	<p>Within the NE-85th Street Subarea, D.R., Chapter 142 KZC.</p> <p>Otherwise, none.</p> <p>If this use is adjoining a low density</p>	<p>8,500 sq. ft. if PR-8.5 zone, otherwise 7,200 sq. ft.</p>	<p>If this use can accommodate 50 or more students or children, then:</p> <p>50' 50' on 50' each side</p> <p>If this use can accommodate 13 to 49 students or children, then:</p>	70%	<p>If adjoining a low density zone other than RSX, then 25' above average building elevation. Otherwise, 30' above average building elevation. See Spec. Reg.</p>	D	B	<p>See KZC 105.25.</p>	<p>1. A six-foot-high fence is required only along the property lines adjacent to the outside play areas.</p> <p>2. Structured play areas must be set back from all property lines as follows:</p> <p>a. Twenty feet if this use can accommodate 50 or more students or children.</p> <p>b. Ten feet if this use can accommodate 13 to 49 students or children.</p> <p>3. An on-site passenger loading area must be provided. The City shall determine the appropriate size of the loading area on a case-by-case basis, depending on the number of attendees and the extent of the abutting right-of-way improvements. Carpooling, staggered</p>	

USE ZONE CHART

Section 25.10

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS										
		zone, then Process I, Chapter 145-KZC.		10' in MSC4, otherw ise 20'	20' on each side	20'	7.			<p>loading/unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on nearby residential uses.</p> <p>4. May include accessory living facilities for staff persons.</p> <p>5. To reduce impacts on nearby residential uses, hours of operation of the use may be limited and parking and passenger loading areas relocated.</p> <p>6. These uses are subject to the requirements established by the Department of Social and Health Services (WAC Title 388).</p> <p>7. For school use, structure height may be increased, up to 35 feet, if:</p> <ul style="list-style-type: none"> a. The school can accommodate 200 or more students; and b. The required side and rear yards for the portions of the structure exceeding the basic maximum structure height are increased by one foot for each additional one foot of structure height; and c. The increased height is not specifically inconsistent with the applicable neighborhood plan provisions of the Comprehensive Plan; and d. The increased height will not result in a structure that is incompatible with surrounding uses or improvements. <p><i>This special regulation is not effective within the disapproval jurisdiction of the Houghton Community Council.</i></p> <p>8. For a Mini-School or Mini-Day-Care Center use, electrical signs shall not be permitted and the size of signs may be limited to be compatible with nearby residential uses.</p> <p>89. These uses are subject to the requirements established by the Department of Social and Health Services (WAC Title 388).</p>

USE ZONE CHART
Section 25.10

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS													
-100	Mini-School or Mini-Day-Care	Within the NE 86th Street Subarea, D.R., Chapter 142 KZC. Otherwise, none.	8,500-sq-ft. if PR-8.5 zone, 7,200-sq-ft. if PR-7.2 zone, 5,000-sq-ft. if PR-5.0 zone, otherwise 3,600 sq. ft.	10' in MSC4, otherwise 20'	5' but 2 side yards must equal at least 15'.	10'	70%	If adjoining a low density zone other than RSX , then 25' above average building elevation. Otherwise, 30' above average building elevation.	E	B	See KZC 105.25.	<ol style="list-style-type: none"> 1. A six-foot-high fence is required along the property lines adjacent to the outside play areas. 2. Structured play areas must be set back from all property lines by five feet. 3. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way improvements. 4. To reduce impacts on nearby residential uses, hours of operation of the use may be limited and parking and passenger loading areas relocated. 5. Electrical signs shall not be permitted. Size of signs may be limited to be compatible with nearby residential uses. 6. May include accessory living facilities for staff persons. 7. These uses are subject to the requirements established by the Department of Social and Health Services (WAC Title 388). 	
-110	Assisted Living Facility								D	A	1.7 per independent unit. 1 per assisted living unit.	<ol style="list-style-type: none"> 1. A facility that provides both independent dwelling units and assisted living units shall be processed as an assisted living facility. 2. If a nursing home use is combined with an assisted living facility use in order to provide a continuum of care for residents, the required review process shall be the less intensive process between the two uses. 2.3. For density purposes, two assisted living units shall constitute one dwelling unit. Total dwelling units may not exceed the number of stacked dwelling units allowed on the subject property. Through Process IIB, Chapter 152 KZC, up to 1 1/2 times the number of stacked dwelling units allowed on the property may be approved if the following criteria are met: <ol style="list-style-type: none"> a. Project is of superior design, and b. Project will not create impacts that are substantially different than would be created by a permitted multifamily development. 3.4. The assisted living facility shall provide usable recreation space of at least 100 square feet per unit, in the aggregate, for both assisted living units and independent dwelling units, with a minimum of 50 square feet of usable recreation space per unit located outside. 4.5. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities, and activities associated with this use. 	

USE ZONE CHART

Section 25.10

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS													
.120	Convalescent Center or Nursing Home	Within the NE 85th Street Subarea, D.R., Chapter 142 KZC. Otherwise, Process 1, Chapter 145 KZC.	8,500 sq. ft. if PR-8.5 zone, otherwise 7,200 sq. ft.	<u>10' in MSC4, otherwise 20'</u>	10' on each side	10'	70%	If adjoining a low density zone other than RSX , then 25' above average building elevation. Otherwise, 30' above average building elevation.	C	B	1 for each bed.	1. If a nursing home use is combined with an assisted living facility use in order to provide a continuum of care for residents, the required review process shall be the less intensive process between the two uses.	
.130	Public Utility		None		20' on each side	20'			A		See KZC 105.25.		
.140	Government Facility Community Facility				10' on each side	10'			C See Spec. Reg. 2.				<ol style="list-style-type: none"> 1. Site design must minimize adverse impacts on surrounding residential neighborhoods. 2. Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on the nearby uses.
.150	Public Park	Development standards will be determined on case-by-case basis. See Chapter 49 KZC for required review process.											

CHAPTER ~~40-XX~~ – NEIGHBORHOOD BUSINESS (BN) ZONES MARKET STREET CORRIDOR 2 (MSC2)

~~40.05~~—User Guide.

The charts in KZC ~~40.10~~ contain the basic zoning regulations that apply in ~~each of~~ the ~~BN- MSC2~~ zones of the City. Use these charts by reading down the left hand column entitled Use. Once you locate the use in which you are interested, read across to find the regulations that apply to that use.

**Section
40.08**



Section ~~40.08~~ – GENERAL REGULATIONS

The following regulations apply to all uses in this zone unless otherwise noted:

1. Refer to Chapter 1 KZC to determine what other provisions of this code may apply to the subject property.
2. If any portion of a structure is adjoining a low density zone, then either:
 - a. The height of that portion of the structure shall not exceed 15 feet above average building elevation, or
 - b. The horizontal length of any facade of that portion of the structure which is parallel to the boundary of the low density zone shall not exceed 50 feet in width.

See KZC 115.30, Distance Between Structures Regarding Maximum Horizontal Facade Regulation, for further details.

~~3. Some development standards or design regulations may be modified as part of the design review process. See Chapters 92 and 142 KZC for requirements. 3. The required yard of a structure abutting Lake Washington Blvd. or Lake Street South must be increased two feet for each one foot that structure exceeds 25 feet above average building elevation (does not apply to Public Park uses).~~

ATTACHMENT 3 (4/07)
MSC: ZON 07-0007

USE ZONE CHART

Section 40.10

Section 40.10		DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS										
		Required Review Process	MINIMUMS			MAXIMUMS		Landscape Category (See Ch. 95)	Sign Category (See Ch. 100)	Required Parking Spaces (See Ch. 105)	Special Regulations (See also General Regulations)	
			Lot Size	REQUIRED YARDS (See Ch. 115)			Lot Coverage					Height of Structure
USE ↓	REGULATIONS →		Front	Side	Rear							
.010	<u>Any retail establishment, other than those specifically listed, limited or prohibited in this zone, selling goods or providing services, including banking and related financial services. Retail Establishment Selling Groceries and Related Items</u>	<u>None D.R., Chapter 142 KZC.</u>	None	20'	10' on each side	10'	80%	If adjoining a low density zone other than RSX , then 25' above average building elevation. Otherwise, 30' above average building elevation.	B	D	1 per each 300 sq. ft. of gross floor area.	<ol style="list-style-type: none"> Gross floor area for this use may not exceed 10,000<u>2,000</u> square feet. Access from drive-through facilities must be approved by the Public Works Department. Drive-through facilities must be designed so that vehicles will not block traffic in the right-of-way while waiting in line to be served. <p><u>2. The following uses are not permitted in this zone:</u></p> <ul style="list-style-type: none"> <u>Vehicle service stations.</u> <u>Automotive service centers.</u> <u>Uses with drive-in facilities or drive-through facilities, except those existing as of June 15, 2007.</u> <u>Retail establishments providing storage services unless accessory to another permitted use.</u> <u>Retail establishments involving the sale, service or repair of automobiles, trucks, boats, motorcycles, recreational vehicles, heavy equipment and similar vehicles.</u> <u>Storage and operation of heavy equipment, except delivery vehicles associated with retail uses.</u>

USE ZONE CHART
Section 40.10

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS											
.020	Retail Establishment Selling Drugs, Books, Flowers, Liquor, Hardware Supplies, Garden Supplies or Works of Art										<ul style="list-style-type: none"> • <u>Storage of parts unless conducted entirely within an enclosed structure.</u> <p>3. A delicatessen, bakery, or other similar use may include, as part of this use, accessory seating if:</p> <ol style="list-style-type: none"> The seating and associated circulation area does not exceed more than 10 percent of the gross floor area of this use; and It can be demonstrated to the City that the floor plan is designed to preclude the seating area from being expanded.
.030	Retail Variety or Department Store										<p>4. <u>Ancillary assembly and manufacture of goods on the premises of this use are permitted only if:</u></p> <ol style="list-style-type: none"> <u>The assembled or manufactured goods are directly related to and are dependent upon this use, and are available for purchase and removal from the premises.</u> <u>The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other retail uses.</u> <p>5. <u>Prior to issuance of a development permit, documentation must be provided by a qualified acoustical consultant, for approval by the Planning Official, verifying that the expected noise to be emanating from the site adjoining any residentially zoned property complies with the standards set forth in WAC 173-60-040(1) for a Class B source property and a Class A receiving property.</u></p>
.040	Retail Establishment Providing Banking and Related Financial Services										<ol style="list-style-type: none"> <u>Gross floor area for this use may not exceed 10,000 square feet.</u> <u>Access from drive-through facilities must be approved by the Public Works Department. Drive-through facilities must be designed so that vehicles will not block traffic in the right-of-way while waiting in line to be served.</u> <u>Ancillary assembly and manufactured goods on the premises of this</u>

USE ZONE CHART
Section 40.10

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS

.050	Retail-Establishment-Providing-Laundry, Dry-Cleaning, Barber, Beauty or Shoe-Repair Services												use are permitted only if: a. The assembled or manufactured goods are directly related to and are dependent upon this use, and are available for purchase and removal from the premises. b. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other retail uses.
.060	Restaurant-Restauranter, Tavern or Fast Food Restaurant (see Special Reg. # 2.												1 per each 100 sq. ft. of gross floor area.
.070	Private Lodge or Club												B 1 per each 300 sq. ft. of gross floor area.
.080	Vehicle-Service-Station	Process-IIA, Chapter 150.	22,500-sq.-ft.	40'	15'-on-each-side-See-Spec-Reg-3.	15'	80%	If adjoining a low-density zone other than RSX, then 25' above average building elevation.	A	D	See KZC-105.25.		1. Hours of operation may be limited to reduce impact on residential areas. 2. May not be more than two vehicle service stations at any intersection. 3. Gas pump islands may extend 20 feet into the front yard. Canopies or covers over gas pump islands may not be closer than 10 feet to any property line. Outdoor parking and service areas may not be closer than 10 feet to any property line. See KZC 115.105, Outdoor Use.

(Revised 4/07)

USE ZONE CHART
Section **40.10**

		DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS									
		Activity and Storage, for further regulations.									
.090	Office Use	None <u>D.R., Chapter 142 KZC.</u>	None	20'	5', but 2 side yards must equal at least 15'.	20'		Otherwise, 30' above average building elevation. If adjoining a low density zone, then 25' above average building elevation. Otherwise, 30' above average building elevation.	C		<p>If a Medical, Dental or Veterinary office, then one per each 200 sq. ft. of gross floor area. Otherwise one per each 300 sq. ft. of gross floor area.</p> <p>1. The following regulations apply to veterinary offices only: a. May only treat small animals on the subject property. b. Outside runs and other outside facilities for the animals are not permitted. c. Site must be designed so that noise from this use will not be audible off the subject property. A certification to this effect, signed by an Acoustical Engineer, must be submitted with the development permit application. <u>c. Prior to issuance of a development permit, documentation must be provided by a qualified acoustical consultant, for approval by the Planning Official, verifying that the expected noise to be emanating from the site adjoining any residentially zoned property complies with the standards set forth in WAC 173-60-040(1) for a Class B source property and a Class A receiving property.</u></p> <p>2. Ancillary assembly and manufacture of goods on the premises of this use are permitted only if: a. The ancillary assembled or manufactured goods are subordinate to and dependent on this use. b. The outward appearance and impacts of this use with ancillary assembly or manufacturing activities must be no different from other office uses.</p>
.100	Stacked Dwelling Unit. See Special Regulation 1.			Same as the regulations for the ground floor use. See Special Regulation 1.				A	1.7 per <u>Per</u> unit.	<p>1. This use may not be located on the ground floor of a structure.</p> <p>2. Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities and activities associated with this use.</p>	

USE ZONE CHART

Section 40.10

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
-110	Church	None <u>D.R., Chapter 142 KZC.</u>	None	20'	10' on each side	10'	80%	If adjoining a low density zone other than RSX , then 25' above average building elevation. Otherwise, 30' above average building elevation.	C	B	1 for every 4 people based on maximum occupancy load of any area of worship. See also Special Reg. 2.	<ol style="list-style-type: none"> 1. May include accessory living facilities for staff persons. 2. No parking is required for day-care or school ancillary to this use.
	School or Day-Care Center			<p>If this use can accommodate 50 or more students or children, then:</p> <p>50' 50' on each side 50'</p> <p>If this use can accommodate 13 to 49 students or children, then:</p>	If adjoining a low density zone other than RSX , then 25' above average building elevation. Otherwise, 30' above average building elevation. See Spec. Reg.	D		See KZC 105.25.	<ol style="list-style-type: none"> 1. A six-foot-high fence is required only along the property lines adjacent to the outside play areas. 2. Hours of operation may be limited to reduce impacts on nearby residential uses. 3. Structured play areas must be setback from all property lines as follows: <ol style="list-style-type: none"> a. 20 feet if this use can accommodate 50 or more students or children. b. 10 feet if this use can accommodate 13 to 49 students or children. 4. An on-site passenger loading area must be provided. The City shall determine the appropriate size of the loading areas on a case-by-case basis, depending on the number of attendees and the extent of the abutting right-of-way improvements. Carpooling, staggered 			

USE ZONE CHART
Section **40.10**

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS												
				20'	20' on each side	20'		8.				<p>loading/unloading time, right-of-way improvements or other means may be required to reduce traffic impacts on nearby residential uses.</p> <p>5. The location of parking and passenger loading areas shall be designed to reduce impacts on nearby residential uses.</p> <p>6. May include accessory living facilities for staff persons.</p> <p>7. These uses are subject to the requirements established by the Department of Social and Health Services (WAC Title 388).</p> <p>8. For school use, structure height may be increased, up to 35 feet, if:</p> <p>a. The school can accommodate 200 or more students; and</p> <p>b. The required side and rear yards for the portions of the structure exceeding the basic maximum structure height are increased by one foot for each additional one foot of structure height; and</p> <p>c. The increased height is not specifically inconsistent with the applicable neighborhood plan provisions of the Comprehensive Plan.</p> <p>d. The increased height will not result in a structure that is incompatible with surrounding uses or improvements.</p> <p><i>This special regulation is not effective within the disapproval jurisdiction of the Houghton Community Council.</i></p>
130	Mini-School or Mini-Day-Care	None D.R., Chapter 142 KZC.	None	20'	5', but 2 side yards must equal at least 15'.	10'	80%	If adjoining a low density zone other than RSX , then 25' above average building elevation. Otherwise, 30' above average building elevation.	D	B	See KZC 105.25.	<p>1. A six-foot-high fence is required along the property lines adjacent to the outside play areas.</p> <p>2. Hours of operation may be limited by the City to reduce impacts on nearby residential uses.</p> <p>3. Structured play areas must be setback from all property lines by five feet.</p> <p>4. An on-site passenger loading area may be required depending on the number of attendees and the extent of the abutting right-of-way improvements.</p> <p>5. The location of parking and passenger loading areas shall be designed to reduce impacts on nearby residential uses.</p> <p>6. May include accessory living facilities for staff persons.</p> <p>7. These uses are subject to the requirements established by the Department of Social and Health Services (WAC Title 388).</p>

USE ZONE CHART

Section 40.10

		DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS											
-140	Assisted Living Facility See Spec. Reg. 3.			Same as the regulations for the ground floor use. See Spec. Reg. 3.				A	1.7 per independent unit. 1 per assisted living unit.	1. A facility that provides both independent dwelling units and assisted living units shall be processed as an assisted living facility. 2. If a nursing home use is combined with an assisted living facility use in order to provide a continuum of care for residents, the required review process shall be the least intensive process between the two uses. 2.3: This use may not be located on the ground floor of a structure. 3.4: Chapter 115 KZC contains regulations regarding home occupations and other accessory uses, facilities, and activities associated with this use.			
	-150			Convalescent Center or Nursing Home	20'	10' on each side	10'	80%	If adjoining a low density zone other than RSX , then 25' above average building elevation. Otherwise, 30' above average building elevation.	C	B	1 for each bed.	1. If a nursing home use is combined with an assisted living facility use in order to provide a continuum of care for residents, the required review process shall be the least intensive process between the two uses.
	-160			Public Utility		20' on each side	20'			A		See KZC 105.25.	1. Landscape Category A or B may be required depending on the type of use on the subject property and the impacts associated with the use on the nearby uses.
	-170			Government Facility Community Facility		10' on each side	10'			C See Spec. Reg. 1			

USE ZONE CHART
Section 40.10

DIRECTIONS: FIRST, read down to find use...THEN, across for REGULATIONS							
.180	Public Park	See Special Regulations 1 and 2.	None	<p style="color: red;">Will be determined on case-by-case basis.</p> <p style="color: red;"><u>Development standards will be determined on case-by-case basis. See Chapter 49 KZC for required review process.</u></p>	-	B	<p style="color: red;">See KZC-105.25.</p> <p style="color: red;">1. Except as provided for in Special Regulation 2 below, any development or use of a park must occur consistent with a Master Plan. A Master Plan shall be reviewed through a community review process, established by the Parks and Community Services Director, which shall include at a minimum:</p> <p style="color: red;">a. One formal public hearing, conducted by the Parks Board, preceded by appropriate public notice;</p> <p style="color: red;">b. The submittal of a written report on the proposed Master Plan from the Parks Board to the City Council, containing at least the following:</p> <ol style="list-style-type: none"> 1) A description of the proposal; 2) An analysis of the consistency of the proposal with adopted Comprehensive Plan policies, including the pertinent Park and Recreation Comprehensive Plan policies; 3) An analysis of the consistency of the proposal with applicable developmental regulations, if any; 4) A copy of the environmental record, if the proposal is subject to the State Environmental Policy Act; 5) A summary and evaluation of issues raised and comments received on the proposed Master Plan; and 6) A recommended action by the City Council. <p style="color: red;">c. City Council review and approval. The City Council shall approve the Master Plan by resolution only if it finds:</p> <ol style="list-style-type: none"> 1) It is consistent with all applicable development regulations and, to the extent there is no applicable development regulation, the Comprehensive Plan; and 2) It is consistent with the public health, safety, and welfare. <p style="color: red;">In addition to the features identified in KZC 5.10.505, the Master Plan shall identify the following:</p> <ol style="list-style-type: none"> a. Location, dimensions, and uses of all active and passive recreation areas; b. Potential users and hours of use; c. Lighting, including location, hours of illumination, lighting intensity, and height of light standards; d. Landscaping; e. Other features as appropriate due to the character of the neighborhood or characteristics of the subject property. <p style="color: red;">2. Development and use of a park does not require a Master Plan under this code if it will not involve any of the following:</p> <ol style="list-style-type: none"> a. Lighting for outdoor nighttime activities;

(Revised 4/07)