NE 132nd Street Roadway Master Plan

Pre- Annexation

Traffic Analysis Report

City of Kirkland

February 2008

Prepared for
City of Kirkland
123 5th Avenue
Kirkland, WA 98033

Prepared by

Mirai
Transportation
Planning &
Engineering

Mirai Transportation Planning & Engineering

KPG
SEATTLE · TACOMA

KPG Inc.

NE 132nd Street Roadway Master Plan

Pre-Annexation

Traffic Analysis Report

Prepared for

City of Kirkland
123 5th Avenue
Kirkland, Washington 98033

Prepared by

Mirai Transportation Planning and Engineering
11410 NE 122nd Way, Suite 320
Kirkland, Washington 98034-6927
(425) 820-0100

In association with

KPG
753 9th Ave N
Seattle, Washington, 98109
(206) 286-1640

February 2008

Table of Contents

Executive Summary 1
- Purpose 1
- Background 1
- Recommendations 1
  - Priorities for Implementation 3

Introduction 4

Existing Conditions 5
- Roadway System 5
- Bicycle System 9
- Pedestrian System 9
- Transit System 12
- Collisions 15
- Traffic Analysis 18
  - Current Traffic Volumes 18
  - AM Peak Hour Conditions 19
  - PM Peak hour Conditions 19

Future Conditions 25
- Year 2030 Forecasts: Travel Demand Modeling 25
- Totem Lake Corridor Growth 26
  - Totem Lake East-West Corridor Analysis 31

Future Baseline Conditions 34

Roadway Alternatives 40
- Enhanced Three-Lane Roadway Alternative 40
- Five-Lane Roadway Alternative 44
- Corridor Analysis Comparisons 47
  - Travel Time 47
  - Queue Lengths 47
  - Concurrency Analysis 47
  - Congestion 50

Conclusions and Recommendations 51
- Conclusions 51
- Recommendations 51
  - Priorities for Implementation 53

List of Tables

Table 1. King County Metro Transit Service 14
Table 2. Growth between 2005 and 2030 in the Study Area 25
Table 3. Annualized Average Growth between 2005 and 2030 in Percentage 25

List of Figures

Figure 1. Existing Roadway Configuration and Intersection Control 7
Figure 2. Existing Speed Limit and Intersection Control 8
Figure 3. Street Classification 10
Figure 4. 2005 Average Weekday Daily Traffic 11
Figure 5. Crosswalk and Transit Facility Locations 13
Figure 6. Total Number and Type of Collisions 16
Figure 7. Average Number of Collisions per Year 17
Figure 8. 2007 AM Peak Hour Turning Movement Volumes 21
Figure 9. 2007 AM Peak Hour Operations 22
Figure 10. 2007 PM Peak Hour Turning Movement Volumes 23
Figure 11. 2007 PM Peak Hour Operations 24
Figure 12. Forecast PM Peak Hour Traffic Growth from 2005 to 2030 27
Figure 13. Select Link Analysis for Westbound Trips along NE 132nd Street East of I-405 28
Figure 14. Select Link Analysis for Northbound Trips along I-405 South NE 116th Street 29
Figure 15. Comparison of 2005 and 2030 Forecast PM Peak Hour Volumes 30
Figure 16. Forecast 2030 PM Peak Hour Volume Change from a 3-Lane to 5-Lane NE 132nd Street 32
Figure 17. Forecast 2030 PM Peak Hour Volume Change from a 5-Lane to 7-Lane NE 124th Street 33
Figure 18. WSDOT Proposed I-405 Half Interchange at NE 132nd Street 35
Figure 19. 2030 PM Peak Hour Turning Movement Volumes – Baseline Conditions 36
Figure 20. 2030 PM Peak Hour Operations – Baseline Conditions 37
Figure 21. 2014 PM Peak Hour Turning Movement Volumes – Baseline Conditions 38
Figure 22. 2014 PM Peak Hour Operations – Baseline Conditions 39
Figure 23. 2030 PM Peak Hour Operations – Enhanced Three-Lane Roadway 41
Figure 24. 2030 PM Peak Hour Operations – Enhanced Three-Lane Roadway, Without Right-turn Pockets at 108th Avenue NE and 132nd Avenue NE 42
Figure 25. 2014 PM Peak Hour Operations – Enhanced Three-Lane Roadway 43
Figure 26. 2030 PM Peak Hour Turning Movement Volumes – Five-Lane Roadway 45
Figure 27. 2030 PM Peak Hour Operations – Five-Lane Roadway 46
Figure 28. PM Peak Hour Travel Time Comparison for NE 132nd Street (100th Ave – 132nd Ave NE) 48
Figure 29. NE 132nd Street Intersection Peak Hour Queue Length Comparison 49