

**TABLE 6.3.1.C
GRASS SEED MIXES SUITABLE FOR BIOFILTRATION SWALE TREATMENT AREAS***

MIX 1		MIX 2	
75–80 percent	Tall or Meadow Fescue	60–70 percent	Tall Fescue
10–15 percent	Seaside Creeping Bentgrass or Colonial Bentgrass	10–15 percent	Seaside Creeping Bentgrass or Colonial Bentgrass
5–10 percent	Redtop	10–15 percent	Meadow Foxtail
		6–10 percent	Alsike Clover
		1–5 percent	Marshfield Big Trefoil
		1–6 percent	Redtop

NOTE: All percentages are by weight.

TABLE 6.3.1.D FINELY-TEXTURED PLANTS TOLERANT OF FREQUENT SATURATED SOIL CONDITIONS OR STANDING WATER

GRASSES		WETLAND PLANTS	
Water Foxtail	<i>Alopercurus geniculatus</i>	Sawbeak Sedge	<i>Carex stipata</i>
Shortawn Foxtail	<i>Alopercurus aequalis</i>	Spike Rush	<i>Eleocharis palustris</i>
Bentgrass	<i>Agrosits spp.</i>	Slender Rush	<i>Juncus tenuis</i>
Spike Bentgrass	<i>A. exarata</i>	Grass-leaf Rush	<i>Juncus marginatus</i>
Redtop	<i>A. alba or gigantea</i>		
Colonial Bentgrass	<i>A. tenuis or capillaris</i>		
Mannagrass	<i>Glyceria spp.</i>		
Western	<i>G. occidentalis</i>		
Northern	<i>G. borealis</i>		
Slender-Spiked	<i>G. leptostachya</i>		
Rough-Stalked Bluegrass	<i>Poa trivialis</i>		
Velvet Grass	<i>Holcus mollis</i>		

CITY OF KIRKLAND

PLAN NO. CK-D.25A



SWALE SEED MIX
FOR CK-D.25