

CITY OF KIRKLAND

CKC TO RCC REGIONAL CONNECTOR WILLOWS ROAD NE
JOB NO. 02-20-PW CIP No. CNM0081

ADDENDUM No. 1 TO THE PLANS, SPECIFICATIONS, PROPOSAL AND CONTRACT

Issued This Date: Thursday, February 6, 2020
Bid Opening: **Unchanged – February 12, 2020**
Place of Opening: City Hall, Council Chambers

Notice to All Plan holders:

This Addendum No. 1, containing the following revisions, additions, deletions, and/or clarifications is hereby made part of the Plan and Contract Documents for the above-named project. Bidders shall take this Addendum into consideration when preparing and submitting their bids and it shall be attached to the Contract Documents.

Contractors shall acknowledge receipt of this Addendum in the place provided on Proposal Page 6. Failure to do so may disqualify the Bidder from consideration of its bid.

All other requirements of the contract documents remain in effect.

CONTRACT DOCUMENTS:

Item 1:

Location: Plans, Sheet 35, Soldier Pile Wall Schedule

Description:


- Delete Minimum Embedment column per attached plan revision sheet. These values were based on the projected retained height assumed in the design and were not intended to be provided. Wall plans, profiles, and quantities are not affected.
- Revise Pile Stations and Offsets per attached plan revision sheet. Wall plans, profiles, and quantities are not affected.
- Abbreviation "TOS" is Top of Steel, as indicated in the legend on Sheet 34.

Item 2:

Location: Special Provisions, Section 9-29.6(1), Steel Light and Signal Standards

Description: Under the heading "Steel Light Standards", in the first paragraph, delete the reference to City of Kirkland Standard Plan CK-TS.08 and 4-anchor bolt configuration. The paragraph is revised to read: *Light standards shall be furnished and installed per the Plans and WSDOT Standard Plan J- 28.10.*

Sincerely,




Marius Eugenio Jr., P.E., Project Engineer



Rod Steitzer, P.E., Capital Project Manager

Attachment: Revised Plan Sheet 35 – Soldier Pile Wall Schedule



T:\138 Series - KPG\138.71 Kirkland CKC to RCC & 128th Sidewalk\Drawings\Structural\S-5.dwg 12/17/2019 9:40 AM

PILE SCHEDULE

WALL 3A

PILE NO	PILE SIZE	STA	OFFSET	TOS EL (FT)	TOP OF SHAFT EL (FT)	BOTTOM OF COATING MIN LF (FROM TOS)	MIN EMBED (FT)	APPROX SHAFT LENGTH (FT)	APPROX WIDE FLANGE LENGTH (FT)	REMARKS
P3-1	W16x36	28+18.92	26.37' RT	58.8600	57.97	7.50		11.90	12.25	
P3-2	W16x36	28+28.92	26.37' RT	58.90	56.45	8.50		13.30	15.25	
P3-3	W16x40	28+36.92	26.37' RT	59.36	56.71	10.50		17.10	19.25	
P3-4	W16x40	28+44.92	26.37' RT	59.98	56.94	10.50		16.71	19.25	
P3-5	W16x40	28+52.92	26.37' RT	60.12	56.85	10.50		16.48	19.25	
P3-6	W16x40	28+60.86	25.88' RT	60.25	57.05	10.50		16.55	19.25	
P3-7	W16x40	28+68.84	25.35' RT	60.36	57.28	10.50		16.68	19.25	
P3-8	W16x40	28+76.82	24.81' RT	60.48	57.52	10.50		16.79	19.25	
P3-9	W16x40	28+84.80	24.28' RT	60.60	57.97	10.50		17.12	19.25	
P3-10	W16x40	28+92.79	23.75' RT	60.75	58.49	10.50		17.49	19.25	
P3-11	W16x40	29+00.77	23.22' RT	60.94	58.87	10.50		17.69	19.25	
P3-12	W16x40	29+08.75	22.68' RT	61.13	59.22	10.50		17.85	19.25	
P3-13	W16x67	29+16.73	22.15' RT	61.31	59.68	11.50		22.12	23.25	
P3-14	W16x67	29+24.72	21.62' RT	61.50	60.11	11.50		22.36	23.25	
P3-15	W16x67	29+32.70	21.09' RT	61.72	60.54	11.50		22.57	23.25	
P3-16	W16x67	29+40.68	20.56' RT	61.98	60.98	11.50		22.75	23.25	

WALL 3C

P3-21	W16x36	34+17.06	20.37' RT	79.24	78.42	6.50		10.93	11.25	
P3-22	W16x36	34+25.06	20.37' RT	79.36	77.29	6.50		9.67	11.25	
P3-23	W16x36	34+33.06	20.37' RT	79.48	76.81	7.50		10.08	12.25	
P3-24	W16x36	34+41.06	20.37' RT	79.61	76.83	7.50		9.97	12.25	
P3-25	W16x36	34+49.06	20.37' RT	79.73	76.46	7.50		9.49	12.25	
P3-26	W16x36	34+57.06	20.37' RT	79.85	75.94	7.50		8.84	12.25	
P3-27	W16x36	34+65.06	20.37' RT	79.97	75.78	8.50		11.57	15.25	
P3-28	W16x40	34+73.06	20.37' RT	80.12	74.93	9.50		13.56	18.25	
P3-29	W16x40	34+81.06	20.37' RT	80.30	75.03	9.50		13.48	18.25	
P3-30	W16x40	34+89.06	20.37' RT	80.48	75.24	9.50		13.51	18.25	
P3-31	W16x40	34+97.06	20.37' RT	80.66	76.72	9.50		14.81	18.25	
P3-32	W16x40	35+04.73	23.29' RT	80.67	77.33	9.50		15.41	18.25	
P3-33	W16x36	35+10.70	28.92' RT	80.67	77.39	8.50		12.47	15.25	

PILE SCHEDULE (CONTINUED)

WALL 4

PILE NO	PILE SIZE	STA	OFFSET	TOS EL (FT)	TOP OF SHAFT EL (FT)	BOTTOM OF COATING MIN LF (FROM TOS)	MIN EMBED (FT)	APPROX SHAFT LENGTH (FT)	APPROX WIDE FLANGE LENGTH (FT)	REMARKS
P4-1	W16x40	35+66.62	24.71' RT	83.74	82.08	9.50		17.09	18.25	
P4-2	W16x40	35+74.60	25.24' RT	84.22	82.77	9.50		17.30	18.25	
P4-3	W16x40	35+82.59	25.78' RT	84.75	81.27	10.50		16.27	19.25	
P4-4	W16x40	35+90.57	26.31' RT	85.29	80.12	10.50		14.58	19.25	
P4-5	W16x40	35+98.55	26.84' RT	85.82	78.76	10.50		12.69	19.25	
P4-6	W16x67	36+04.99	26.87' RT	86.25	77.75	11.50		15.25	23.25	
P4-7	W16x67	36+10.98	26.87' RT	86.62	77.85	11.50		14.98	23.25	
P4-8	W16x67	36+18.78	26.88' RT	87.25	78.90	11.50		15.40	23.25	
P4-9	W16x67	36+26.56	26.88' RT	87.85	80.09	11.50		15.99	23.25	
P4-10	W16x40	36+34.35	26.88' RT	88.52	80.81	10.50		12.04	19.25	
P4-11	W16x40	36+42.13	26.87' RT	89.20	81.93	10.50		12.48	19.25	
P4-12	W16x40	36+49.92	26.87' RT	89.92	84.34	10.50		14.17	19.25	
P4-13	W16x40	36+57.70	26.87' RT	90.64	86.36	10.50		15.47	19.25	
P4-14	W16x40	36+65.49	26.87' RT	91.37	88.62	10.50		17.00	19.25	
P4-15	W16x40	36+72.91	24.69' RT	92.12	92.03	10.50		19.66	19.25	

WALL 5

PILE NO	PILE SIZE	STA	OFFSET	TOS EL (FT)	TOP OF SHAFT EL (FT)	BOTTOM OF COATING MIN LF (FROM TOS)	MIN EMBED (FT)	APPROX SHAFT LENGTH (FT)	APPROX WIDE FLANGE LENGTH (FT)	REMARKS
P5-1	W16x36	37+35.65	23.89' RT	99.82	98.30	6.50		10.23	11.25	
P5-2	W16x36	37+43.27	25.62' RT	100.79	98.95	6.50		9.91	11.25	
P5-3	W16x36	37+48.86	26.93' RT	101.51	99.21	6.50		9.45	11.25	
P5-4	W16x36	37+54.44	28.28' RT	102.23	98.92	8.50		12.45	15.25	
P5-5	W16x40	37+62.27	28.37' RT	103.20	99.75	9.50		15.31	18.25	
P5-6	W16x40	37+70.27	28.37' RT	104.17	100.95	9.50		15.53	18.25	
P5-7	W16x40	37+78.27	28.37' RT	105.15	102.01	9.50		15.61	18.25	
P5-8	W16x40	37+86.27	28.37' RT	106.13	103.15	9.50		15.77	18.25	
P5-9	W16x40	37+94.27	28.37' RT	107.12	104.42	9.50		16.06	18.25	
P5-10	W16x40	38+02.27	28.37' RT	108.10	105.37	9.50		16.02	18.25	
P5-11	W16x40	38+06.98	28.38' RT	108.65	105.84	9.50		15.94	18.25	
P5-12	W16x40	38+11.96	28.38' RT	109.42	106.34	9.50		15.67	18.25	PILE ALONG RADIUS
P5-13	W16x40	38+16.80	28.38' RT	110.20	107.31	9.50		15.86	18.25	PILE ALONG RADIUS
P5-14	W16x40	38+21.63	28.38' RT	110.97	108.56	9.50		16.34	18.25	PILE ALONG RADIUS
P5-15	W16x40	38+26.46	28.38' RT	111.77	109.50	9.50		16.49	18.25	PILE ALONG RADIUS
P5-16	W16x40	38+31.30	28.38' RT	112.57	110.80	9.50		16.99	18.25	PILE ALONG RADIUS
P5-17	W16x40	38+36.13	28.38' RT	113.36	111.54	10.50		17.93	19.25	PILE ALONG RADIUS
P5-18	W16x40	38+40.96	28.38' RT	114.16	110.10	10.50		15.69	19.25	PILE ALONG RADIUS
P5-19	W16x40	38+45.80	28.38' RT	114.96	110.20	10.50		14.99	19.25	PILE ALONG RADIUS
P5-20	W16x40	38+50.63	28.38' RT	115.75	110.38	10.50		14.38	19.25	PILE ALONG RADIUS
P5-21	W16x40	38+55.46	28.38' RT	116.42	111.46	10.50		14.80	19.25	PILE ALONG RADIUS
P5-22	W16x40	38+60.30	28.38' RT	116.84	113.89	10.50		16.80	19.25	PILE ALONG RADIUS
P5-23	W16x36	38+65.13	28.38' RT	117.03	115.58	8.50		14.30	15.25	PILE ALONG RADIUS



STAMP NOTE:
REVISIONS PERFORMED: ADDENDUM 1
STA/OFF VALUES UPDATED & MIN
EMBEDMENT COLUMN REMOVED.



NO.	DATE	BY	APPR.	REVISIONS
1	2/6	DTG	EEO	ADDENDUM 1-REVISED STA/OFF & REMOVED MIN EMBED COLUMN

Approved By

ENGINEERING MANAGER	DATE	S-5.dwg	FILENAME	12/12/19
PROJECT MANAGER	DATE	A. SOTILLO	DESIGNED BY	12/12/19
PROJECT ENGINEER	DATE	I. IKEDA	DRAWN BY	12/12/19
	DATE		CHECKED BY	DATE



BRIGHT ENGINEERING, INC.
STRUCTURAL & CIVIL ENGINEERING
1809 7TH AVENUE SUITE 1100
SEATTLE, WA 98101
(206) 625-3777
FAX: (206) 625-1851

REVISION



CITY OF KIRKLAND
CKC TO RCC REGIONAL CONNECTOR
WILLOWS RD NE

SOLDIER PILE WALL SCHEDULE