

Wetland name or number: Wetland A

DEPRESSIONAL AND FLATS WETLANDS

Hydrologic Functions - Indicators that the site functions to reduce flooding and stream degradation

| | | |
|---|-----------------------------------|---|
| D 4.0. Does the site have the potential to reduce flooding and erosion? | | |
| D 4.1. <u>Characteristics of surface water outflows from the wetland:</u> | | |
| <input type="checkbox"/> Wetland is a depression or flat depression with no surface water leaving it (no outlet). points = 4 | | 0 |
| <input type="checkbox"/> Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outlet. points = 2 | | |
| <input type="checkbox"/> Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch. points = 1 | | |
| <input checked="" type="checkbox"/> Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing. points = 0 | | |
| D 4.2. <u>Depth of storage during wet periods: Estimate the height of ponding above the bottom of the outlet. For wetlands with no outlet, measure from the surface of permanent water or if dry, the deepest part.</u> | | |
| <input type="checkbox"/> Marks of ponding are 3 ft or more above the surface or bottom of outlet. points = 7 | | 5 |
| <input checked="" type="checkbox"/> Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet. points = 5 | | |
| <input type="checkbox"/> Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet. points = 3 | | |
| <input type="checkbox"/> The wetland is a "headwater" wetland. points = 3 | | |
| <input type="checkbox"/> Wetland is flat but has small depressions on the surface that trap water. points = 1 | | |
| <input type="checkbox"/> Marks of ponding less than 0.5 ft (6 in). points = 0 | | |
| D 4.3. <u>Contribution of the wetland to storage in the watershed: Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.</u> | | |
| <input type="checkbox"/> The area of the basin is less than 10 times the area of the unit. points = 5 | | 3 |
| <input checked="" type="checkbox"/> The area of the basin is 10 to 100 times the area of the unit. points = 3 | | |
| <input type="checkbox"/> The area of the basin is more than 100 times the area of the unit. points = 0 | | |
| <input type="checkbox"/> Entire wetland is in the Flats class. points = 5 | | |
| Lake Washington does not flood; so basin includes only the Forbes Creek basin. | | |
| Total for D 4 | Add the points in the boxes above | 8 |

Rating of Site Potential If score is: 12-16 = H 6-11 = M 0-5 = L Record the rating on the first page

| | | |
|---|---|---|
| D 5.0. Does the landscape have the potential to support hydrologic functions of the site? | | |
| D 5.1. Does the wetland receive stormwater discharges? | <input checked="" type="checkbox"/> Yes = 1 <input type="checkbox"/> No = 0 | 1 |
| D 5.2. Is >10% of the area within 150 ft of the wetland in land uses that generate excess runoff? | <input checked="" type="checkbox"/> Yes = 1 <input type="checkbox"/> No = 0 | 1 |
| D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land uses (residential at >1 residence/ac, urban, commercial, agriculture, etc.)? | <input checked="" type="checkbox"/> Yes = 1 <input type="checkbox"/> No = 0 | 1 |
| Total for D 5 | Add the points in the boxes above | 3 |

Rating of Landscape Potential If score is: 3 = H 1 or 2 = M 0 = L Record the rating on the first page

| | | |
|---|---|---|
| D 6.0. Are the hydrologic functions provided by the site valuable to society? | | |
| D 6.1. <u>The unit is in a landscape that has flooding problems. Choose the description that best matches conditions around the wetland unit being rated. Do not add points. Choose the highest score if more than one condition is met.</u> The wetland captures surface water that would otherwise flow down-gradient into areas where flooding has damaged human or natural resources (e.g., houses or salmon redds): | | |
| • <input type="checkbox"/> Flooding occurs in a sub-basin that is immediately down-gradient of unit. points = 2 | | 0 |
| • <input type="checkbox"/> Surface flooding problems are in a sub-basin farther down-gradient. points = 1 | | |
| <input type="checkbox"/> Flooding from groundwater is an issue in the sub-basin. points = 1 | | |
| <input checked="" type="checkbox"/> The existing or potential outflow from the wetland is so constrained by human or natural conditions that the water stored by the wetland cannot reach areas that flood. | | |
| <i>Explain why: Lake Washington controlled by the locks.</i> points = 0 | | |
| D 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan? | <input type="checkbox"/> Yes = 1 <input checked="" type="checkbox"/> No = 0 | 0 |
| Total for D 6 | Add the points in the boxes above | 0 |

Rating of Value If score is: 2-4 = H 1 = M 0 = L Record the rating on the first page

Wetland name or number: Wetland A

These questions apply to wetlands of all HGM classes.

HABITAT FUNCTIONS - Indicators that site functions to provide important habitat

H 1.0. Does the site have the potential to provide habitat?

H 1.1. Structure of plant community: *Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of ¼ ac or more than 10% of the unit if it is smaller than 2.5 ac. Add the number of structures checked.*

Aquatic bed 4 structures or more: points = 4

Emergent 3 structures: points = 2

Scrub-shrub (areas where shrubs have > 30% cover) 2 structures: points = 1

Forested (areas where trees have > 30% cover) 1 structure: points = 0

If the unit has a Forested class, check if:

The Forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the Forested polygon

4

H 1.2. Hydroperiods

Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ ac to count (*see text for descriptions of hydroperiods*).

- Permanently flooded or inundated 4 or more types present: points = 3
- Seasonally flooded or inundated 3 types present: points = 2
- Occasionally flooded or inundated 2 types present: points = 1
- Saturated only 1 type present: points = 0
- Permanently flowing stream or river in, or adjacent to, the wetland
- Seasonally flowing stream in, or adjacent to, the wetland
- Lake Fringe wetland** **2 points**
- Freshwater tidal wetland** **2 points**

3

H 1.3. Richness of plant species

Count the number of plant species in the wetland that cover at least 10 ft².


Different patches of the same species can be combined to meet the size threshold and you do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle

- If you counted: > 19 species points = 2
- 5 - 19 species points = 1
- < 5 species points = 0


2

H 1.4. Interspersion of habitats

Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. *If you have four or more plant classes or three classes and open water, the rating is always high.*




None = 0 points




Low = 1 point





Moderate = 2 points



All three diagrams in this row are







HIGH = 3points

3

Wetland name or number: Wetland A

| | |
|---|----|
| <p>H 1.5. Special habitat features: Check the habitat features that are present in the wetland. <i>The number of checks is the number of points.</i></p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> Large, downed, woody debris within the wetland (> 4 in diameter and 6 ft long). <input checked="" type="checkbox"/> Standing snags (dbh > 4 in) within the wetland. <input checked="" type="checkbox"/> Undercut banks are present for at least 6.6 ft (2 m) AND/OR overhanging plants extends at least 3.3 ft (1 m) over a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 m). <input checked="" type="checkbox"/> Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 30 degree slope) OR signs of recent beaver activity are present (<i>cut shrubs or trees that have not yet weathered where wood is exposed</i>). <input checked="" type="checkbox"/> At least ¼ ac of thin-stemmed persistent plants or woody branches are present in areas that are permanently or seasonally inundated (<i>structures for egg-laying by amphibians</i>). <input type="checkbox"/> Invasive plants cover less than 25% of the wetland area in every stratum of plants (<i>see H 1.1 for list of strata</i>). | 5 |
| <p>Total for H 1 Add the points in the boxes above</p> | 17 |

Rating of Site Potential If score is: 15-18 = H 7-14 = M 0-6 = L *Record the rating on the first page*

| | |
|---|----|
| <p>H 2.0. Does the landscape have the potential to support the habitat functions of the site?</p> | |
| <p>H 2.1. Accessible habitat (include <i>only habitat that directly abuts wetland unit</i>).</p> <p><i>Calculate:</i> 2.2% undisturbed habitat + [(10.6% moderate and low intensity land uses)/2] = 2.2% + (10.6%/2) = 7.5%</p> <p>If total accessible habitat is:</p> <ul style="list-style-type: none"> <input type="checkbox"/> > 1/3 (33.3%) of 1 km Polygon points = 3 <input type="checkbox"/> 20-33% of 1 km Polygon points = 2 <input type="checkbox"/> 10-19% of 1 km Polygon points = 1 <input checked="" type="checkbox"/> < 10% of 1 km Polygon points = 0 | 0 |
| <p>H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.</p> <p><i>Calculate:</i> 8.5% undisturbed habitat + [(11.6% moderate and low intensity land uses)/2] = 8.5% + (11.6%/2) = 14.3%</p> <ul style="list-style-type: none"> <input type="checkbox"/> Undisturbed habitat > 50% of Polygon points = 3 <input checked="" type="checkbox"/> Undisturbed habitat 10-50% and in 1-3 patches points = 2 <input type="checkbox"/> Undisturbed habitat 10-50% and > 3 patches points = 1 | 2 |
| <p>H 2.3. Land use intensity in 1 km Polygon: If</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> > 50% of 1 km Polygon is high intensity land use points = (- 2) <input type="checkbox"/> ≤ 50% of 1 km Polygon is high intensity points = 0 | -2 |
| <p>Total for H 2 Add the points in the boxes above</p> | 0 |

Rating of Landscape Potential If score is: 4-6 = H 1-3 = M < 1 = L *Record the rating on the first page*

| | |
|---|---|
| <p>H 3.0. Is the habitat provided by the site valuable to society?</p> | |
| <p>H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? <i>Choose only the highest score that applies to the wetland being rated.</i></p> <p>Site meets ANY of the following criteria: points = 2</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> It has 3 or more priority habitats within 100 m (see next page) <input type="checkbox"/> It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lists) <input type="checkbox"/> It is mapped as a location for an individual WDFW priority species <input type="checkbox"/> It is a Wetland of High Conservation Value as determined by the Department of Natural Resources <input type="checkbox"/> It has been categorized as an important habitat site in a local or regional comprehensive plan, in a Shoreline Master Plan, or in a watershed plan <input type="checkbox"/> Site has 1 or 2 priority habitats (listed on next page) within 100 m points = 1 <input type="checkbox"/> Site does not meet any of the criteria above points = 0 | 2 |

Rating of Value If score is: 2 = H 1 = M 0 = L *Record the rating on the first page*

Wetland name or number: Wetland A

WDFW Priority Habitats

Priority habitats listed by WDFW (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife, 2008. Priority Habitat and Species List, Olympia, Washington, 177 pp. <http://wdfw.wa.gov/publications/00165/wdfw00165.pdf> or access the list from here: <http://wdfw.wa.gov/conservation/phs/list/>)

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland unit: **NOTE:** *This question is independent of the land use between the wetland unit and the priority habitat.*

- Aspen Stands:** Pure or mixed stands of aspen greater than 1 ac (0.4 ha).
- Biodiversity Areas and Corridors:** Areas of habitat that are relatively important to various species of native fish and wildlife (*full descriptions in WDFW PHS report*).
- Herbaceous Balds:** Variable size patches of grass and forbs on shallow soils over bedrock.
- Old-growth/Mature forests:** Old-growth west of Cascade crest – Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in (81 cm) dbh or > 200 years of age. Mature forests – Stands with average diameters exceeding 21 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.
- Oregon White Oak:** Woodland stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 158 – see web link above*).
- Riparian:** The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (*full descriptions in WDFW PHS report p. 161 – see web link above*).
- Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.
- Nearshore:** Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (*full descriptions of habitats and the definition of relatively undisturbed are in WDFW report – see web link on previous page*).
- Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.
- Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.
- Talus:** Homogenous areas of rock rubble ranging in average size 0.5 - 6.5 ft (0.15 - 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- Snags and Logs:** Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.

Note: All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.

Wetland name or number: Wetland A

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

| Wetland Type | Category |
|--|-------------------------------------|
| <i>Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.</i> | |
| <p>SC 1.0. Estuarine wetlands Does the wetland meet the following criteria for Estuarine wetlands?</p> <p><input type="checkbox"/> The dominant water regime is tidal, <input type="checkbox"/> Vegetated, and <input type="checkbox"/> With a salinity greater than 0.5 ppt <input type="checkbox"/> Yes –Go to SC 1.1 <input checked="" type="checkbox"/> No= Not an estuarine wetland</p> | |
| <p>SC 1.1. Is the wetland within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151? <input type="checkbox"/> Yes = Category I <input type="checkbox"/> No - Go to SC 1.2</p> | Cat. I |
| <p>SC 1.2. Is the wetland unit at least 1 ac in size and meets at least two of the following three conditions?</p> <p><input type="checkbox"/> The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. (If non-native species are <i>Spartina</i>, see page 25) <input type="checkbox"/> At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland. <input type="checkbox"/> The wetland has at least two of the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands. <input type="checkbox"/> Yes = Category I <input type="checkbox"/> No= Category II</p> | Cat. I Cat. II |
| <p>SC 2.0. Wetlands of High Conservation Value (WHCV) SC 2.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High Conservation Value? <input type="checkbox"/> Yes – Go to SC 2.2 <input checked="" type="checkbox"/> No – Go to SC 2.3 SC 2.2. Is the wetland listed on the WDNR database as a Wetland of High Conservation Value? <input type="checkbox"/> Yes = Category I <input type="checkbox"/> No = Not a WHCV SC 2.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland? http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf <input type="checkbox"/> Yes – Contact WNHP/WDNR and go to SC 2.4 <input checked="" type="checkbox"/> No = Not a WHCV SC 2.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Value and listed it on their website? <input type="checkbox"/> Yes = Category I <input type="checkbox"/> No = Not a WHCV</p> | Cat. I |
| <p>SC 3.0. Bogs Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key below. If you answer YES you will still need to rate the wetland based on its functions.</i></p> <p>SC 3.1. Does an area within the wetland unit have organic soil horizons, either peats or mucks, that compose 16 in or more of the first 32 in of the soil profile? <input type="checkbox"/> Yes – Go to SC 3.3 <input checked="" type="checkbox"/> No – Go to SC 3.2 SC 3.2. Does an area within the wetland unit have organic soils, either peats or mucks, that are less than 16 in deep over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? <input type="checkbox"/> Yes – Go to SC 3.3 <input checked="" type="checkbox"/> No = Is not a bog SC 3.3. Does an area with peats or mucks have more than 70% cover of mosses at ground level, AND at least a 30% cover of plant species listed in Table 4? <input type="checkbox"/> Yes = Is a Category I bog <input type="checkbox"/> No – Go to SC 3.4 NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0 and the plant species in Table 4 are present, the wetland is a bog. SC 3.4. Is an area with peats or mucks forested (> 30% cover) with Sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the species (or combination of species) listed in Table 4 provide more than 30% of the cover under the canopy? <input type="checkbox"/> Yes = Is a Category I bog <input type="checkbox"/> No = Is not a</p> | Cat. I |

2014 Wetland Rating Form: Riverine and Freshwater Tidal figures

Figure 1. Cowardin plant classes - H1.1, H1.4

Figure 2. Hydroperiods, ponded depressions, stream-width-to-unit-width ratio, and 150ft buffer
H1.2, R1.1, R2.4, R4.1

Figure 3. Plant cover of trees, shrubs, and herbaceous plants (not Cowardin classes) - R1.2, R4.2

Figure 4. Contributing basin - R2.2, R2.3, R5.2

Figure 5. Accessible and undisturbed habitat 1km from wetland edge - H2.1, H2.2, H2.3

Figure 6. Screen-capture of 303(d) listed waters in basin - R3.1

Figure 7. Screen-capture of TMDL list for WRIA - R3.2, R3.3

Resources and Links:

Google Earth

King County iMap

ECY 303(d) list

TMDL list

Figure 1. Cowardin plant classes - H1.1, H1.4

West side of wetland (project study area)




Figure 3. Contributing basin – D4.3, D5.3



Figure 6. Screen-capture of 303(d) listed waters in basin - D3.1, D3.2




Figure 7. Screen-capture of TMDL list for WRIA - D3.3

WRIA 8: Cedar-Sammamish

The following table lists overview information for water quality improvement projects (including total maximum daily loads, or TMDLs) for this water resource inventory area (WRIA). Please use links (where available) for more information on a project.



Counties

- [King](#)
- [Snohomish](#)

| Waterbody Name | Pollutants | Status** | TMDL Lead |
|--|---------------------------------|---|--|
| Ballinger Lake | Total Phosphorus | Approved by EPA | Tricia Shoblom 425-649-7288 |
| Bear-Evans Creek Basin | Fecal Coliform | Approved by EPA | Joan Nolan 425-649-4425 |
| | Dissolved Oxygen Temperature | Approved by EPA | |
| Cottage Lake | Total Phosphorus | Approved by EPA Has an implementation plan | Tricia Shoblom 425-649-7288 |
| Issaquah Creek Basin | Fecal Coliform | Approved by EPA | Joan Nolan 425-649-4425 |
| Little Bear Creek Tributaries: Trout Stream Great Dane Creek Cutthroat Creek | Fecal Coliform | Approved by EPA | Ralph Svrjcek 425-649-7036 |
| North Creek | Fecal Coliform | Approved by EPA Has an implementation plan | Ralph Svrjcek 425-649-7036 |
| Pipers Creek | Fecal Coliform | Approved by EPA | Joan Nolan 425-649-4425 |
| Sammamish River | Dissolved Oxygen Temperature | Field work starts summer 2015 | Ralph Svrjcek 425-649-7036 |
| Swamp Creek | Fecal Coliform | Approved by EPA Has an implementation plan | Ralph Svrjcek 425-649-7036 |

** **Status** will be listed as one of the following: Approved by EPA, Under Development or Implementation

APPENDIX B
WETLAND DELINEATION METHODOLOGY

APPENDIX B
WETLAND DELINEATION METHODOLOGY

TABLE OF CONTENTS

| | Page |
|------------------------------|-------------|
| B.1 WETLAND VEGETATION | B-1 |
| B.2 HYDRIC SOILS | B-3 |
| B.3 WETLAND HYDROLOGY | B-3 |
| B.4 DISCLAIMER | B-4 |
| B.5 REFERENCES | B-4 |

TABLE

| | | |
|-----|--|-----|
| B-1 | Definitions of Plant Indicator Status..... | B-2 |
|-----|--|-----|

APPENDIX B

WETLAND DELINEATION METHODOLOGY

The triple-parameter approach, as required in the United States Army Corps of Engineers' (the Corps') 1987 *Corps of Engineers Wetland Delineation Manual* and the Corps' 2010 *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Mountains, Valleys, and Coast Region (Version 2.0)* was used to identify and delineate the wetlands on the site described in this report. The triple-parameter approach requires that vegetation, soils, and hydrology are each evaluated to determine the presence or absence of wetlands. An area is considered to be a wetland if each of the following is met: (a) dominant hydrophytic vegetation is present in the area, (b) the soils in the area are hydric, and (c) the necessary hydrologic conditions within the area are met.

A determination of wetland presence was made by conducting a Routine Delineation. Corresponding upland and wetland plots were recorded to characterize surface and subsurface conditions and more accurately determine the boundaries of on-site wetlands.

B.1 WETLAND VEGETATION

Hydrophytic plants are plant species specially adapted for saturated and/or anaerobic conditions. These species can be found in areas where there is a significant duration and frequency of inundation, which produces permanently or periodically saturated soils. Hydrophytic species, due to morphological, physiological, and reproductive adaptations, have the ability to grow, effectively compete, reproduce, and thrive in anaerobic soil. Indicators of hydrophytic vegetation are based on the wetland indicator status of plant species on the national wetland plant list for the State of Washington (Lichvar and others, 2016). Plants are categorized as Obligate (OBL), Facultative Wetland (FACW), Facultative (FAC), Facultative Upland (FACU), or Upland (UPL). Species in the facultative categories (FACW, FAC, and FACU) are recognized as occurring in both wetlands and non-wetlands to varying degrees. Most wetlands are dominated mainly by species rated as OBL, FACW, or FAC (Table B-1).

**TABLE B-1
PLANT INDICATOR STATUS GROUPS**

| Plant Indicator Status Categories |
|---|
| Obligate Wetland (OBL) – Plants that almost always occur in wetlands. |
| Facultative Wetland (FACW) – Plants that usually occur in wetlands, but may occur in non-wetlands. |
| Facultative (FAC) – Plants that occur in wetlands or non-wetlands. |
| Facultative Upland (FACU) – Plants that usually occur in non-wetlands, but may occur in wetlands. |
| Obligate Upland (UPL) – Plants that almost never occur in wetlands. |

(Lichvar and others, 2016)

The approximate percentage of absolute cover for each of the different plant species occurring within the tree, sapling/shrub, woody vine, and herbaceous strata was determined. Trees within a 30-foot radius; sapling/shrubs and woody vines within a 15-foot radius; and herbaceous species within a 5-foot radius of each data point were identified and noted. However, where site conditions merited it, the dimensions of the tree, sapling/shrub, woody vine, and herbaceous strata were modified.

The dominance test is the primary hydrophytic vegetation indicator and it is used in all wetland delineations. Dominant plant species are considered to be those that, when cumulatively totaled in descending order of absolute percent cover, exceed 50 percent of the total absolute cover for each vegetative stratum. Any additional species individually representing 20 percent or greater of the total absolute cover for each vegetative strata are also considered dominant. Hydrophytic vegetation is considered to be present when greater than 50 percent of the dominant plant species within the area had an indicator status of OBL, FACW, or FAC.

If a plant community does not meet the dominance test in areas where hydric soils and wetland hydrology are present, vegetation is reevaluated using the prevalence index, plant morphological adaptations for living in wetlands, and/or abundance of bryophytes (e.g., mosses) adapted to living in wetlands. The prevalence index is a weighted average that takes into account the abundance of all plant species within the sampling area to determine if hydrophytic vegetation is more or less prevalent. Using the prevalence index, all plants within the sampling area are grouped by wetland indicator status and absolute percent cover is summed for each group. Total cover for each indicator status group is weighted by the following multipliers: OBL=1, FACW=2, FAC=3, FACU=4, UPL=5. The prevalence index is calculated by dividing the sum of the weighted totals by the sum of total cover in the sampling area. A prevalence index of 3.0 or less indicates that hydrophytic vegetation is present.

B.2 HYDRIC SOILS

Hydric soils are defined as soils that formed under conditions of saturation, flooding, or ponding long enough during the growing season to develop anaerobic conditions in the upper part (USDA SCS, 1994). Repeated periods of saturation and inundation for more than a few days, in combination with soil microbial activity, causes depletion in oxygen (anaerobic conditions) and results in delayed decomposition of organic matter and reduction of iron, manganese, and sulfur elements. As a result of these processes, most hydric soils develop distinctive characteristics observable in the field during both wet and dry periods (Vasilas, Hurt, and Noble, 2010). These characteristics may be exhibited as an accumulation of organic matter; bluish-gray, green-gray, or low chroma and high value soil colors; mottling or other concentrations of iron and manganese; and/or hydrogen sulfide odor similar to a rotten egg smell.

The USDA Natural Resources Conservation Service (NRCS) has developed official hydric soil indicators as summarized in *Field Indicators of Hydric Soils in the United States* (Vasilas and others, 2010). These indicators were developed to assist in delineation of hydric soils and are based predominantly on hydric soils near the margins of wetlands. Some hydric soils, including soils within the wettest parts of wetlands, may lack any of the approved hydric soil indicators. If a hydric soil indicator is present, the soil is determined to be hydric. If no hydric soil indicator is present, additional site information is used to assess whether the soil meets the definition of hydric soil.

Identification of hydric soils was aided through observation of surface hydrologic characteristics and indicators of wetland hydrology (e.g., drainage patterns). Soil characteristics were observation at several data points, placed both inside and outside the wetland. Holes were dug with a shovel to the depth needed to document an indicator or to confirm the absence of hydric soil indicators. Soil organic content was estimated visually and texturally. Soil colors were examined in the field immediately after sampling. Dry soils were moistened. Soil colors were determined through analysis of the hue, value, and chroma best represented in the Munsell® Soil Color Chart.

B.3 WETLAND HYDROLOGY

Wetland hydrology is determined by observable evidence that inundation or soil saturation have occurred during a significant portion of the growing season repeatedly over a period of years so that wet condition have been sufficient to produce wetland vegetation and hydric soils. Wetland hydrology indicators give evidence of a continuing wetland hydrologic regime. Wetland hydrology criteria were considered to be satisfied if it appeared that wetland hydrology was

present for at least 5 to 12.5 percent (12 to 31 days) of the growing season. The growing season in western Washington is typically considered to be from March 1 to October 31 (244 days). However, the growing season is considered to have begun when: (a) evidence of plant growth has begun on two non-evergreen vascular plants, and (b) the soil reaches a temperature of 41 degrees Fahrenheit at 12 inches. The Seattle District Corps of Engineers requires 14 consecutive days of inundation or saturation for a wetland hydrology to be considered present.

Wetland hydrology was evaluated by direct visual observation of surface inundation or soil saturation in data plots. The area near each data point was examined for indicators of wetland hydrology. Wetland hydrology indicators are categorized as primary or secondary based on their estimated reliability. Wetland hydrology was considered present if there was evidence of one primary indicator or at least two secondary indicators.

Some primary indicators include surface water, a shallow water table or saturated soils observed within 12 inches of the surface, dried watermarks, drift lines, sediment deposits, water-stained leaves, and algal mat/crust. Some secondary indicators include a water table within 12 to 24 inches of the surface during the dry season; drainage patterns; a landscape position in a depression, drainage, or fringe of a water body; and a shallow restrictive layer capable of perching water within 12 inches of the surface.

B.4 DISCLAIMER

This methodology was prepared for reference use only and is not intended to replace the 1987 *Corps of Engineers Wetland Delineation Manual* or the Corps' 2010 *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Mountains, Valleys, and Coast Region* (Version 2.0).

B.5 REFERENCES

Munsell Color, 1992, Munsell soil color charts: Newburgh, N.Y., Macbeth Division of Kollmorgen Instruments Corporation, 1 v.

Lichvar, R.W., D.L. Banks, W.N. Kirchner, and N.C. Melvin, 2016, State of Washington 2016 Wetland Plant List; The National Wetland Plant List: 2016 wetland ratings. *Phytoneuron* 2016-30: 1-17. Published 28 April 2016. ISSN 2153 733X. Available: http://wetland_plants.usace.army.mil/

- U.S. Army Corps of Engineers Engineer Research and Development Center, 2010, Regional supplement to the Corps of Engineers wetlands delineation manual: western mountains, valleys and coast region, Version 2.0: Vicksburg, Miss., U. S. Army Corps of Engineers Engineer Research and Development Center, Report ERDC/EL TR-10-3, 153 p.
- U.S. Army Corps of Engineers Waterways Experiment Station, 1987, Corps of Engineers wetlands delineation manual: Vicksburg, Miss., U.S. Army Corps of Engineers Waterways Experiment Station, Wetlands Research Program Technical Report Y-87-1, 143 p., available: <http://www.wli.nrcs.usda.gov/delineation/>.
- U.S. Department of Agriculture (USDA) Soil Conservation Service (SCS), 1994, Changes in hydric soils of the United States: Washington, D.C., Office of the Federal Register, FR 59 (133): 35680-35681, July 13.
- Vasilas, L. M.; Hurt, G. W.; and Noble, C. V., eds., 2010, Field indicators of hydric soils in the United States - a guide for identifying and delineating hydric soils, version 7.0, 2010: Washington, D.C., National Resources Conservation Service, 44 p., Available: [ftp://ftp-fc.sc.egov.usda.gov/NSSC/Hydric Soils/FieldIndicatorsv7.pdf](ftp://ftp-fc.sc.egov.usda.gov/NSSC/Hydric%20Soils/FieldIndicatorsv7.pdf).

APPENDIX C

**WETLAND DETERMINATION DATA FORMS – WESTERN MOUNTAINS,
VALLEYS, AND COAST REGION**

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Juanita Park City/County: Kirkland/King Sampling Date: 1/18/16
 Applicant/Owner: City of Kirkland State: WA Sampling Point: DP-1
 Investigator(s): S. Corbin (PWS) Section, Township, Range: T26N, R05E, S30
 Landform (hillslope, terrace, etc.): Stream bank Local relief (concave, convex, none): Concave Slope (%): 100
 Subregion (LRR): A Lat: _____ Long: _____ Datum: _____
 Soil Map Unit Name: Indianola loamy sand, 0-5% slopes NWI classification: NIA
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes No _____ (If no, explain in Remarks.)
 Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes No _____
 Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

| | | | |
|---|--|---------------------------------------|--|
| Hydrophytic Vegetation Present? | Yes <input checked="" type="checkbox"/> No _____ | Is the Sampled Area within a Wetland? | Yes <input checked="" type="checkbox"/> No _____ |
| Hydric Soil Present? | Yes _____ No _____ | | |
| Wetland Hydrology Present? | Yes <input checked="" type="checkbox"/> No _____ | | |
| Remarks: <u>Below the OHWM of Juanita Creek</u> | | | |

VEGETATION – Use scientific names of plants.

| Tree Stratum (Plot size: <u>30'</u>) | Absolute % Cover | Dominant Species? | Indicator Status | Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>4</u> (A) Total Number of Dominant Species Across All Strata: <u>4</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100%</u> (A/B) |
|---|------------------|-------------------|------------------|---|
| 1. _____ | _____ | _____ | _____ | |
| 2. _____ | _____ | _____ | _____ | |
| 3. _____ | _____ | _____ | _____ | |
| Sapling/Shrub Stratum (Plot size: <u>15'</u>) <u>0</u> = Total Cover | | | | Prevalence Index worksheet: Total % Cover of: _____ Multiply by: _____ OBL species _____ x 1 = _____ FACW species _____ x 2 = _____ FAC species _____ x 3 = _____ FACU species _____ x 4 = _____ UPL species _____ x 5 = _____ Column Totals: _____ (A) _____ (B) Prevalence Index = B/A = _____ |
| 1. <u>Red Osier</u> | <u>30</u> | <u>Y</u> | <u>FACW</u> | |
| 2. <u>Salix sp</u> | <u>60</u> | <u>Y</u> | <u>FAC</u> | |
| 3. _____ | _____ | _____ | _____ | |
| 4. _____ | _____ | _____ | _____ | |
| 5. _____ | _____ | _____ | _____ | |
| Herb Stratum (Plot size: <u>5'</u>) <u>90</u> = Total Cover | | | | Hydrophytic Vegetation Indicators: ___ 1 - Rapid Test for Hydrophytic Vegetation <input checked="" type="checkbox"/> 2 - Dominance Test is >50% ___ 3 - Prevalence Index is ≤3.0 ¹ ___ 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) ___ 5 - Wetland Non-Vascular Plants ¹ ___ Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. |
| 1. <u>Phalaris arundinacea</u> | <u>50</u> | <u>Y</u> | <u>FACW</u> | |
| 2. <u>Scirpus microcarpus</u> | <u>40</u> | <u>Y</u> | <u>OBL</u> | |
| 3. <u>Ranunculus repens</u> | <u>10</u> | <u>N</u> | <u>FAC</u> | |
| 4. <u>Rumex occidentalis</u> | <u>3</u> | <u>N</u> | <u>FACW</u> | |
| 5. <u>Juncus effusus</u> | <u>15</u> | <u>N</u> | <u>FACW</u> | |
| 6. _____ | _____ | _____ | _____ | |
| 7. _____ | _____ | _____ | _____ | |
| 8. _____ | _____ | _____ | _____ | |
| 9. _____ | _____ | _____ | _____ | |
| 10. _____ | _____ | _____ | _____ | |
| 11. _____ | _____ | _____ | _____ | |
| Woody Vine Stratum (Plot size: <u>15'</u>) <u>118</u> = Total Cover | | | | Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No _____ |
| 1. _____ | _____ | _____ | _____ | |
| 2. _____ | _____ | _____ | _____ | |
| % Bare Ground in Herb Stratum <u>0</u> <u>0</u> = Total Cover | | | | |
| Remarks: <u>Conifers & HBB rooted upgradient from data plot, outside of wetland unit.</u> | | | | |

Sampling Point: DP-1

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

| Depth (Inches) | Matrix | | Redox Features | | | | Texture | Remarks |
|----------------|---------------|-----|----------------|----|-------------------|------------------|---------------------------------------|---------|
| | Color (moist) | % | Color (moist) | % | Type ¹ | Loc ² | | |
| 0-4 | 10YR2/2 | 100 | — | — | — | — | Sandy clay loam, Many roots in top 6" | |
| 4-9 | 10YR4/1 | 95 | 7.5YR4/6 | 5 | C | M, PL | sandy loam | |
| 9-20+ | 10YR4/1 | 90 | 7.5YR4/6 | 10 | C | M, PL | loamy sand | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

Indicators for Problematic Hydric Soils³:

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Loamy Mucky Mineral (F1) (except MLRA 1)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)

- 2 cm Muck (A10)
- Red Parent Material (TF?)
- Very Shallow Dark Surface (TF12)
- Other (Explain in Remarks)

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____
Depth (inches): _____

Hydric Soil Present? Yes No

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

Secondary Indicators (2 or more required)

- | | | |
|--|---|--|
| <input checked="" type="checkbox"/> Surface Water (A1) | <input type="checkbox"/> Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) | <input type="checkbox"/> Water Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) |
| <input checked="" type="checkbox"/> High Water Table (A2) | <input type="checkbox"/> Salt Crust (B11) | <input type="checkbox"/> Drainage Patterns (B10) |
| <input checked="" type="checkbox"/> Saturation (A3) | <input type="checkbox"/> Aquatic Invertebrates (B13) | <input type="checkbox"/> Dry-Season Water Table (C2) |
| <input type="checkbox"/> Water Marks (B1) | <input type="checkbox"/> Hydrogen Sulfide Odor (C1) | <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) |
| <input type="checkbox"/> Sediment Deposits (B2) | <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) | <input type="checkbox"/> Geomorphic Position (D2) |
| <input checked="" type="checkbox"/> Drift Deposits (B3) | <input type="checkbox"/> Presence of Reduced Iron (C4) | <input type="checkbox"/> Shallow Aquitard (D3) |
| <input type="checkbox"/> Algal Mat or Crust (B4) | <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) | <input type="checkbox"/> FAC-Neutral Test (D5) |
| <input type="checkbox"/> Iron Deposits (B5) | <input type="checkbox"/> Stunted or Stressed Plants (D1) (LRR A) | <input type="checkbox"/> Raised Ant Mounds (D6) (LRR A) |
| <input type="checkbox"/> Surface Soil Cracks (B6) | <input type="checkbox"/> Other (Explain in Remarks) | <input type="checkbox"/> Frost-Heave Hummocks (D7) |
| <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) | | |
| <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8) | | |

Field Observations:

Surface Water Present? Yes No Depth (Inches): _____
 Water Table Present? Yes No Depth (Inches): 10" by S
 Saturation Present? Yes No Depth (Inches): 6" by S
 (includes capillary fringe)

Wetland Hydrology Present? Yes No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Below rack/debris line, below OHWM of Juanita Creek

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: Juanita Park City/County: Kirkland/King Sampling Date: 1/18
 Applicant/Owner: City of Kirkland State: WA Sampling Point: 10P-2
 Investigator(s): S. Corbin (PWS) Section, Township, Range: T20N, R05E, S30
 Landform (hillslope, terrace, etc.): LAWN Local relief (concave, convex, none): none Slope (%): 0
 Subregion (LRR): A Lat: _____ Long: _____ Datum: _____
 Soil Map Unit Name: 1NA NWI classification: N/A
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes No _____ (If no, explain in Remarks.)
 Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes No _____
 Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

| | | | |
|---------------------------------|---|--|--|
| Hydrophytic Vegetation Present? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Is the Sampled Area within a Wetland? Yes _____ No <input checked="" type="checkbox"/> |
| Hydric Soil Present? | Yes _____ | No <input checked="" type="checkbox"/> | |
| Wetland Hydrology Present? | Yes _____ | No <input type="checkbox"/> | |
| Remarks: | | | |

VEGETATION – Use scientific names of plants.

| Tree Stratum (Plot size: <u>30'</u>) | Absolute % Cover | Dominant Species? | Indicator Status | Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>2</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>100%</u> (AB) |
|---|------------------|-------------------|------------------|---|
| 1. _____ | | | | |
| 2. _____ | | | | |
| 3. _____ | | | | |
| 4. _____ | | | | |
| Sapling/Shrub Stratum (Plot size: <u>15'</u>) <u>0</u> = Total Cover | | | | |
| 1. <u>Myrica plicata (planted)</u> | <u>3</u> | <u>Y</u> | <u>FAC</u> | Hydrophytic Vegetation Indicators: <input checked="" type="checkbox"/> 1 - Rapid Test for Hydrophytic Vegetation <input checked="" type="checkbox"/> 2 - Dominance Test is >50% ____ 3 - Prevalence Index is ≤3.0 ¹ ____ 4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) ____ 5 - Wetland Non-Vascular Plants ¹ ____ Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. |
| 2. _____ | | | | |
| 3. _____ | | | | |
| 4. _____ | | | | |
| 5. _____ | | | | |
| Herb Stratum (Plot size: <u>51'</u>) <u>3</u> = Total Cover | | | | |
| 1. <u>Trifolium repens</u> | <u>5</u> | <u>N</u> | <u>FAC</u> | |
| 2. <u>Poa annua</u> | <u>10</u> | <u>N</u> | <u>FAC</u> | |
| 3. <u>Poa sp *</u> | <u>80</u> | <u>Y</u> | <u>FAC</u> | |
| 4. <u>Taraxacum officinale</u> | <u>5</u> | <u>N</u> | <u>FACU</u> | |
| 5. <u>Geranium carolinianum</u> | <u>5</u> | <u>N</u> | <u>NI</u> | |
| 6. <u>Bellis perennis (lawn daisy)</u> | <u>10</u> | <u>N</u> | <u>NI</u> | |
| 7. _____ | | | | |
| 8. _____ | | | | |
| 9. _____ | | | | |
| 10. _____ | | | | |
| 11. _____ | | | | |
| Woody Vine Stratum (Plot size: <u>15'</u>) <u>115</u> = Total Cover | | | | |
| 1. _____ | | | | |
| 2. _____ | | | | |
| % Bare Ground in Herb Stratum <u>0</u> <u>0</u> = Total Cover | | | | |
| Remarks: <u>* Seed heads not available - short, mowed. Maybe pratensis. Assume FAC.</u> | | | | |
| Hydrophytic Vegetation Present? Yes <input checked="" type="checkbox"/> No _____ | | | | |

Sampling Point: DP-2

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

| Depth (inches) | Matrix | | Redox Features | | | | Texture | Remarks |
|----------------|---------------|-----|----------------|---|-------------------|------------------|----------------------------|---------|
| | Color (moist) | % | Color (moist) | % | Type ¹ | Loc ² | | |
| 0-2 | 10YR 7/1 | 100 | — | — | — | — | loamy sand | |
| 2-5" | 10YR 3/1 | 100 | — | — | — | — | grav. loamy sand compacted | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

¹Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. ²Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

| | | |
|--|---|---|
| <input type="checkbox"/> Histosol (A1) | <input type="checkbox"/> Sandy Redox (S6) | <input type="checkbox"/> 2 cm Muck (A10) |
| <input type="checkbox"/> Histic Epipedon (A2) | <input type="checkbox"/> Stripped Matrix (S6) | <input type="checkbox"/> Red Parent Material (TF2) |
| <input type="checkbox"/> Black Histic (A3) | <input type="checkbox"/> Loamy Mucky Mineral (F1) (except MLRA 1) | <input type="checkbox"/> Very Shallow Dark Surface (TF12) |
| <input type="checkbox"/> Hydrogen Sulfide (A4) | <input type="checkbox"/> Loamy Gleyed Matrix (F2) | <input type="checkbox"/> Other (Explain in Remarks) |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Depleted Matrix (F3) | |
| <input type="checkbox"/> Thick Dark Surface (A12) | <input type="checkbox"/> Redox Dark Surface (F6) | |
| <input type="checkbox"/> Sandy Mucky Mineral (S1) | <input type="checkbox"/> Depleted Dark Surface (F7) | |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4) | <input type="checkbox"/> Redox Depressions (F8) | |

³Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No

Remarks:
Hard / compacted @ 2" Very hard to dig.

HYDROLOGY

Wetland Hydrology Indicators:

| | | |
|--|---|--|
| <u>Primary Indicators (minimum of one required; check all that apply):</u> | | <u>Secondary Indicators (2 or more required)</u> |
| <input type="checkbox"/> Surface Water (A1) | <input type="checkbox"/> Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) | <input type="checkbox"/> Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) |
| <input type="checkbox"/> High Water Table (A2) | <input type="checkbox"/> Salt Crust (B11) | <input type="checkbox"/> Drainage Patterns (B10) |
| <input type="checkbox"/> Saturation (A3) | <input type="checkbox"/> Aquatic Invertebrates (B13) | <input type="checkbox"/> Dry-Season Water Table (C2) |
| <input type="checkbox"/> Water Marks (B1) | <input type="checkbox"/> Hydrogen Sulfide Odor (C1) | <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) |
| <input type="checkbox"/> Sediment Deposits (B2) | <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) | <input type="checkbox"/> Geomorphic Position (D2) |
| <input type="checkbox"/> Drift Deposits (B3) | <input type="checkbox"/> Presence of Reduced Iron (C4) | <input type="checkbox"/> Shallow Aquitard (D3) |
| <input type="checkbox"/> Algal Mat or Crust (B4) | <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) | <input type="checkbox"/> FAC-Neutral Test (D5) |
| <input type="checkbox"/> Iron Deposits (B5) | <input type="checkbox"/> Stunted or Stressed Plants (D1) (LRR A) | <input type="checkbox"/> Raised Ant Mounds (D6) (LRR A) |
| <input type="checkbox"/> Surface Soil Cracks (B6) | <input type="checkbox"/> Other (Explain in Remarks) | <input type="checkbox"/> Frost-Heave Hummocks (D7) |
| <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) | | |
| <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8) | | |

Field Observations:

| | | | |
|---|--|-----------------------|---|
| Surface Water Present? | Yes _____ No <input checked="" type="checkbox"/> | Depth (inches): _____ | Wetland Hydrology Present? Yes _____ No <input checked="" type="checkbox"/> |
| Water Table Present? | Yes _____ No <input checked="" type="checkbox"/> | Depth (inches): _____ | |
| Saturation Present? (includes capillary fringe) | Yes _____ No <input checked="" type="checkbox"/> | Depth (inches): _____ | |

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: