

CITY OF KIRKLAND

123 FIFTH AVENUE • KIRKLAND, WASHINGTON 98033-6189 • (425) 587-3800

DEPARTMENT OF PUBLIC WORKS

Pre-Approved Plan and Policies: January 2025 List of Changes

<https://www.kirklandwa.gov/Government/Departments/Development-Services-Center/Tools-and-Resources/Pre-Approved-Plans>

General

- | | |
|----------------|--|
| 1. Policy G-6 | • Amended reference to Public Works Department Chapter 19.12 of the Municipal Code. |
| 2. Policy G-9 | • Amended section 2 - "Overlay Requirements" now refers to Policy R-7. |
| 3. Policy G-12 | • Amended section requiring containers must be on private property. |
| | • Amended Goat Hill Special Construction Requirements – Per City Council action (Ord. 4879). |

Water

- | | |
|--------------------------|--|
| 4. Water Index and Notes | • Updated Index pages. |
| 5. Plan CK-W.08 | • Delete – 1" Air and Vacuum Release Valve Assembly. |
| 6. Plan CK-W.26 | • Delete - Double Check Valve Assembly. |
| 7. Plan CK-W.27 | • Delete - Soft -Seated Check Valve Assembly. |
| 8. Plan CK-W.32 | • Removed bottom two assemblies (consistent with W.29 deletion). |

Sanitary Sewer

- | | |
|-----------------|--|
| 9. Plan CK-S.20 | • Combined notes 5 and 6; note 15 – clarify when backflow is required. |
|-----------------|--|

Storm Drainage

- | | |
|---|--|
| 10. Storm Drainage Index, Plan Notes, & Design Criteria | • Updated Index pages. |
| 11. Policy D-04 (New) | • Removed note about sidewalk drain leader. |
| | • Added note 30. Special construction note for Filterra tree box. |
| | • Construction Stormwater General Permit, Industrial Stormwater General Permit, and Underground Injection Control (UIC) Well Requirements. |
| 12. Policy D-09 | • Amend requirements related to back up pump system and back up power. |
| 13. Policy D-15 | • Clarified requirements are for Native Growth Retention Area. |
| | • Added reference to third party consultants and internal staff. |
| | • Added that planting and irrigation plans are required . |
| | • Increased design/construction areas. |
| 14. Plan CK-D.09 | • Added separation requirement table for knockouts. |
| 15. Plan CK-D.22 | • Change note 3 – from 4 ft to 5 ft. |
| | • Change note 8 – amend language related to under driveway. |

LID Storm Facilities

No Changes

Erosion Control

No Changes

Roadway

- | | |
|-----------------------------|---|
| 16. Roadway Index and Notes | • Updated index pages. |
| 17. Policy R-1 | • Removed bond amounts. |
| 18. Policy R-4 | • Revised definitions, updated references to staff contacts, added guidance for vehicle gates. |
| 19. Policy R-10 | • Revised planting procedures to reduce vegetation/tree encroachment at intersections and existing infrastructure for safety. |
| 20. Policy R-13 | • Revised staff contacts, stop controlled setbacks, and pedestrian sight distance requirements. |
| 21. Policy R-22 | • Revised to add flag equipment removal procedure. |
| 22. Policy R-28 | • Policy is obsolete and has been removed. |
| 23. Policy R-33 | • Revised to add more information, guidance, and requirements for crosswalk location evaluations. |
| 24. Policy R-38 | • Revised staff contacts, other minor text changes. |
| 25. Policy R-40 (New) | • Street Lighting Design Guidelines. |
| 26. Policy R-41 (New) | • Parking Sensor Replacement. |
| 27. Plan CK-R.19A | • Update curbing to 6-foot mid-sections. |
| 28. Plan CK-R.20 (New) | • Typical Stamped Cement Concrete Center Median Detail. |
| 29. Plan CK-R.24 | • Revised curb radii and design vehicle guidance. |
| 30. Plan CK-R.47 | • Revised title to include "PEDESTRIAN" pole type. |
| 31. Plan CK-R.47B | • Revised to include pedestrian lights as well. |
| 32. Plan CK-R.47D | • Revised to match Kirkland Zoning Code Chapter 180 – PLATES. |
| 33. Plan CK-R.47F | • Revised to match Kirkland Zoning Code Chapter 180 – PLATES. |
| 34. Plan CK-R.48 | • Revised root barrier to better protect existing infrastructure and added note about Filterra tree boxes. |
| 35. Plan CK-R.48A | • Revised root barrier to better protect existing infrastructure and added note about Filterra tree boxes. |
| 36. Plan CK-R.51A | • Revised to add top rail to fence for added strength. |
| 37. Plan CK-R.69 (New) | • Raised Crosswalk Detail. |
| 38. Plan CK-R.69A (New) | • Raised Crosswalk Signing Detail. |
| 39. Plan CK-R.69B (New) | • Raised School Crosswalk Signing Detail. |
| 40. Plan CK-R.70 (New) | • Shared-Use Path: Adjacent to Roadway Detail |
| 41. Plan CK-R.71 (New) | • Shared Sidewalk Sign Detail. |
| 42. Plan CK-R.72 (New) | • Soil Preparation for Tree Planting |
| 43. Plan CK-R.73 (New) | • Trail Bridge Guideline. |
| 44. Plan CK-R.74 (New) | • Fence – Post and Two Rail. |
| 45. Plan CK-R.75 (New) | • Fence – Post and Three Rail (CKC Fencing) |

Traffic Signal

- | | |
|--|--|
| 46. Traffic Signals
Design Guideline,
Plan Notes, and
Index | • Revised design guidance, information, requirements, and Traffic Signal General Notes to better align with current practice of design and construction. |
| 47. CK-TS.03 | • Revised detail to remove sloped sides of cabinet foundation, other minor changes. |
| 48. CK-TS.04 | • Revised detail to remove sloped sides of cabinet foundation, other minor changes. |
| 49. CK-TS.12 (New) | • Pedestrian Pushbutton Detail. |
| 50. CK-TS.13 (New) | • Flashing School Zone Beacon Detail. |
| 51. CK-TS.14 (New) | • Rectangular Rapid Flashing Beacon (RRFB) Detail. |
| 52. CK-TS.15 (New) | • Radar Speed Sign Detail. |
| 53. CK-TS.16A (New) | • 4" Aluminum Pole Bases Detail – Option A. |
| 54. CK-TS.16B (New) | • 4" Aluminum Pole Bases Detail – Option B. |
| 55. CK-TS.17 (New) | • 4" Aluminum Pole Base Foundation Detail. |