### CERTIFICATE CONCERNING DESIGN AND CONSTRUCTION OF ELECTRONIC CIPAL COURT SPEED MEASURING DEVICES

I, Lesieli Casale, do certify under penalty of the laws of the State of Washington that the following is true and correct:

I have been employed as a technician by American Traffic Solutions for 2 years. I became a speed validation technician on January 12, 2023 and have over 100 hours performing speed validation tests. I am nationally certified as a RADAR and LIDAR operator. The City of Kirkland currently uses the AutoPatrol<sup>TM</sup> 3D radar fixed speed safety camera system, an electronic speed measuring device provided through a contract with American Traffic Solutions, Inc. ("ATS"). Part of my duties include monitoring regular testing of the AutoPatrol 3D radar fixed speed safety camera systems used by the City of Kirkland.

ATS contracted with the City of Kirkland to provide an Automated Speed Enforcement ("ASE") system designed to record the speed of a vehicle and obtain photographs or other recorded images of the vehicle and the vehicle's registration plate while the vehicle is traveling in excess of speed limits in certain safety zones within posted limits.

The ASE program includes the use of the AutoPatrol 3D radar fixed speed safety camera systems at the following locations within the City of Kirkland:


Location Code	22. 21			
KRKF001	NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	1		
KRKF002	SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	1		
KRKF003	EB 80TH ST @ ROSE HILL ELEMENTARY	1		
KRKF004	WB 80TH ST @ ROSE HILL ELEMENTARY	1		
KRKF005	SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL	1		
KRKF006	WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL	1		
KRKF007	NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	1		
KRKF008	SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	1		

The AutoPatrol 3D radar fixed speed safety camera system operates by measuring vehicle speed, as well as position relative to the radar to calculate and differentiate multiple vehicles in the radar beam. The speed of a moving vehicle is measured by Doppler radar. Doppler radar is a generally accepted technology used for measuring speed. The AutoPatrol 3D radar technology is used throughout the US and Europe as well as other countries and is approved by the Swiss national metrology institute- METAS.


The AutoPatrol 3D radar fixed speed safety camera system uses a tracking radar sensor for measuring vehicle speeds and detecting speed violations. The AutoPatrol 3D radar is aligned at a fixed angle across the road. The AutoPatrol 3D radar emits a horizontal beam over the road surface as represented by the illustration below. The tracking radar can simultaneously detect multiple vehicles and measure their speed, distance, angle and movement within the radar beam. The radar tracks multiple vehicles by reconstructing vehicle movement from the measured object speed, angle and distance values. If a vehicle passes a defined trigger line, the radar

THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44 1

outputs the vehicle's speed and lane information. The camera connected to the tracking radar uses this information to determine if there is a speed violation and to capture photographs showing the measured speed and lane on the databar of the captured images.



The tracking radar utilizes the Doppler Effect for speed determination. If an electromagnetic wave is emitted at a moving object, then the wave is reflected back from the moving object. The frequency of the wave received back by the radar shifts based on the speed of the moving object and its direction of travel. The tracking radar continuously determines this frequency shift of each object to calculate the object's speed. The tracking radar consists of two receiving antennas integrated into a single radar sensor. This configuration allows the radar to measure the distance and angle of the vehicle relative to the position of the radar sensor. Illustration A and B show the measurement principle in simplified form. The radar sensor emits a radar beam (illustration A). The radar sensor evaluates the return frequency, as well as the phase difference of the reflected radar beam from both of the receivers. With the aid of these values the radar sensor calculates the vehicle position.



Prior to operation each day, the system performs a system self-test. This self-test performs an electronic tuning fork test to produce a specific frequency and returns an associated speed value. Only if the return value meets the acceptance criteria to show that the system is operating correctly will the system enter measure mode. Unless a self-test is successful, the system will not enter measure mode and no violations will be captured. Additional information stored as metadata within each image includes coordinates of the vehicle position at the time of capture. This information is extracted and utilized through a secondary speed verification process to provide yet another means to validate offender speed and position based on the two images obtained and image analytics. In addition to the internal system checks and the manufacturer calibration certification, the 3D radar system is subject to routine and independent calibration check of the speeds produced by the system at least annually by a qualified technician.

Each day the computer which controls the fixed speed safety camera system is rebooted. The reboot is initiated each day and each time the computer is rebooted an internal check is performed on all operations of

each fixed speed safety camera system, including the clocks, sensors, camera and speed calculating hardware and software, in order to verify that all operations are functioning correctly. When the internal check detects a problem with one of the operations on a given fixed speed safety camera system, then that particular fixed speed safety camera system is inactivated and a request for service is relayed to ATS support personnel. This means that violations cannot be issued until any internal problem is fixed.

Speed validation tests are regularly performed on each installed and operable AutoPatrol 3D radar fixed speed safety camera system. The test is conducted by having a LIDAR Operator obtain true measurements of up to five vehicles per lane in the ascending and/or descending direction. The speed of the vehicle is captured by the LIDAR Operator and then relayed via cellular to an ATS Technician. The ATS Technician then compares the vehicle speed measured by the AutoPatrol 3D radar fixed speed safety camera system to the speed measured by the LIDAR Operator to ensure the accuracy of the AutoPatrol 3D radar fixed speed safety camera system. ATS maintains the results of each test in a Validation Report. The speed validation for each system was performed on the following date and the systems at each location were found to be in proper working order:

Location Code	Location Description			
KRKF001	NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	12/20/2023		
KRKF002	SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	12/20/2023		
KRKF003	EB 80TH ST @ ROSE HILL ELEMENTARY	12/20/2023		
KRKF004	WB 80TH ST @ ROSE HILL ELEMENTARY	12/20/2023		
KRKF005	SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL	12/20/2023		
KRKF006	WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL	12/20/2023		
KRKF007	NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	12/20/2023		
KRKF008	SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	12/20/2023		

Preventative maintenance, including visual inspections, is regularly performed on the AutoPatrol 3D radar fixed speed safety camera systems. Preventative maintenance activities include: cleaning of the cameras and housing, general site inspection of environment and road conditions, inspection of poles, bases and enclosures, and inspection of system cables and connections. The location and date that preventative maintenance is performed is recorded in the Preventative Maintenance Log, which along with the Validation Report(s) referenced above, is attached hereto.

I am a custodian, or otherwise qualified witness, as to the attached records. I make this declaration based on personal knowledge, and if called and sworn as a witness, I could and would testify as set forth in the following paragraph.

Attached as Exhibits are: Exhibit A - Speed Validation Reports, Exhibit B - Preventative Maintenance Logs, and Exhibit C - Annual System Verification Certificate for all AutoPatrol 3D radar fixed speed safety camera systems installed and used by the City of Kirkland. All documents and materials included as Exhibit A, Exhibit B and Exhibit C are authentic and are what they purport to be, and accurately describe the matters set forth therein. All such records are business records in that they are: (1) records kept in the ordinary course of business; (2) created at or near the time of the transactions or events reflected therein by, or based on information from, a person with knowledge of the transaction or events; and (3) kept as part of a regular business activity.

Based upon my education, training, experience, and knowledge of the AutoPatrol 3D radar fixed speed safety camera system, it is my opinion that the system is so designed and constructed as to accurately employ measurement techniques based on a division of distance over time in such a manner that it will give accurate measurements of the speed of motor vehicles.

I, Lesieli Casale, certify (or declare) under penalty of perjury under the laws of the State of Washington that the foregoing is true and correct.

Dated this 5th day of January 2024 in Mesa, Arizona

Lesieli Casale

Lesieli Casale, Speed Validation Technician



### Speed Validation Report Client: Kirkland, WA

Validation Date: December 20, 2023

- KRKF001 NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE
  - o Radar Serial Number: 590-112/61693
- KRKF002 SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE
  - o Radar Serial Number: 590-113/61513
- KRKF003 EB 80TH ST @ ROSE HILL ELEMENTARY
  - o Radar Serial Number: 590-113/64095
- KRKF004 WB 80TH ST @ ROSE HILL ELEMENTARY
  - o Radar Serial Number: 590-113/ 66135
- KRKF005 SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL
  - o Radar Serial Number: 590-113/68392
- KRKF006 WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL
  - o Radar Serial Number: 590-113/68391
- KRKF007 NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES
  - o Radar Serial Number: 590-113/68421
- KRKF008 SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES
  - o Radar Serial Number: 590-113/68429

#### **Equipment:**

Pro-Lite Plus Hand held Lidar Serial Number: LP05509 Certification Date: October 27, 2023 Lidar Operator: Charles Goodrich RLC Operator: Catherine Koselka-Thompson FILED JAN 1 0 2024

KIRKLAND MUNICIPAL COURT



A speed validation test was conducted for the sites listed above. The Lidar Operator, obtained true measurements of five vehicles per lane in the ascending and/or descending direction. Those speeds were obtained using a Kustom Signals Pro-Lite+ hand held Lidar instrument. The speed of the vehicle is captured by the Lidar Operator and then relayed via cellular to the RLC Technician. The RLC Technician is monitoring the vehicle speed at the Fixed Speed Camera system simultaneously to ensure the accuracy of the system. The speed validation tests performed on the above-listed dates confirmed the accuracy of the Fixed Speed Camera systems at each location.

I, Lesieli Casale, certify that the information contained in this report is true and accurate.

Lesieli Casale

Signed: \_\_\_\_\_ Date: January 5, 2024 Mesa, Arizona American Traffic Solutions Speed Integrity Team



Certificate of A	chievement
Speed Integrity Has successfully completed the 16 h Speed Integrity Technic	your course for
This course encompasses all the necessary tasks required to pe Technician. Through this course each participant is required to d written and practical examinations. In addition, this course certifi	isplay the proper competency through
Presented to: Charles Goodrich	
This Day: March 29, 2016	H M
ATS American Traffic Solutions	Matthew Giola Police Traffic Laser/Radar Instructor
ROLD Centroles of Astronoment V1-8 American Traffic Solutions, Inc., 7681 East Gray F	Rout, Scottadaw, AZ 85260 Controller # POLO-0813-CH-01

Certificate of Ad	chievement
<b>Speed Integrity</b> Has successfully completed the course for	
This course encompasses all the necessary tasks required to per Through this course each participant is required to display the pro Technology. In addition, this course certifies each participants as	oper competencies in Radar and Laser
Presented to: Catherine Koselka	
This Day: August 21st, 2019	
RDLD Certificate of Achievement V1.9 American Traffic Solutions, Inc., 7681 East Gray Rt	Tylor Yochim Radar Instructor



	PB Electronics	Inc.
	W Peaceful Ct., Shepherd	
	502 543-7032 www.pbeler alibration Center for Stalke	<u>ctronics.com</u> r, MPH, Kustom, Decatur and LTI
r doury rationized o	and another the oralle	, with, reston, becald and th
	Certificate of Calil	bration
Manufacturer: Kustom	Model: Pro-Lite	Serial Number: LP05509
eration under my supervisio	n. This Speed Measuring Dev	hecked for accuracy and correctness of ice is certified accurately within +/- 0.5 mp titute of Standards and technology.
eration under my supervisio stationary mode using equip te laser transmitter of this de avices as established by the	n. This Speed Measuring Devi oment traceable to National Inst wice has been tested and foun Federal Communications Com	ice is certified accurately within +/- 0.5 mp titute of Standards and technology. d to be within specified range for Laser mission and IACP.)
eration under my supervisio stationary mode using equip te laser transmitter of this de avices as established by the	n. This Speed Measuring Devi oment traceable to National Inst wice has been tested and foun Federal Communications Com	ice is certified accurately within +/- 0.5 mp titute of Standards and technology. d to be within specified range for Laser mission and IACP.)
eration under my supervisio stationary mode using equip te laser transmitter of this de evices as established by the CC License number PG-18-1 Factory Authorited Somice Conter Marine Conter	n. This Speed Measuring Devi oment traceable to National Inst wice has been tested and foun Federal Communications Com	ice is certified accurately within +/- 0.5 mp titute of Standards and technology. d to be within specified range for Laser mission and IACP.)
eration under my supervisio stationary mode using equip te laser transmitter of this de evices as established by the CC License number PG-18-1 Foctory Authorized Source Conter Aniel Conte	n. This Speed Measuring Devi oment traceable to National Inst wice has been tested and foun Federal Communications Com 2552 Technician Sign	ice is certified accurately within +/- 0.5 mp titute of Standards and technology. d to be within specified range for Laser mission and TACP.) nature
eration under my supervisio stationary mode using equip e laser transmitter of this de evices as established by the CC License number PG-18-1 Factory Antherized Somice Conter MAPPE District Conter Conter MAPPE District Conter	n. This Speed Measuring Devi oment traceable to National Inst wice has been tested and foun Federal Communications Com 2552 Technician Sign	ice is certified accurately within +/- 0.5 mp titute of Standards and technology. d to be within specified range for Laser mission and TACP.) nature



	VERRA MOBILITY
Kustom S	SELF-ACCURACY TEST ignals Pro-Lite+ Lidar Speed Measurement Tool
DATE:	December 20, 2023
Start of shift	"Self-Diagnostic test" time:12:33 PM
Start of shift	Distance check:100'lidar
End of shift	"Self-Diagnostic test" time:3:04 PM
End of shift	Distance check:100'
City and Sta	te:Kirkland, WA
Lidar Serial	Number:LP05509
Certification	Date:October 27 <sup>th</sup> , 2023
OPERATOR	R:Charles Goodrich
speed meas	<i>Goodrich</i> , certify that the Kustom Signals Pro-Lite+ Lidar surement device was setup, tested, and operated in with the manufactures specifications to include its self- neck.
Further, I accurate.	certified that the self-check distance was completed and
Signature: Date: <u>Dec</u> e	ember 20, 2023





And the second se	and the second se	epoor Fail				
Date			12/20/2023			
Time			2:59 PM			
Site ID				KRKF0	01	
Location			Ki	rkland, Was	shington	
			NB 132ND AVE	NE @ MUIR EI	LEMENTARY/KAMIAKIN	
Address				MIDDL	E	
Posted Spee	ed Limit			20MPI	Н	
Trigger Spe	ed Limit			26MP	Н	
Speed Type				Schoo	bl	
Lidar Techn	ician			Charles Go	odrich	
AutoPatrol T	echnician		Catherine Thompson			
Lidar Serial	Number		LP05509			
Radar Serial	Number		590-112/61693			
Detection T	/pe		Autopatrol-Radar			
Measure Mo	de Captur	e	Yes Yes Pass			
Photo enfor	cement sig	ins present				
Pass/ Fail						
Ascending o	or Descend	ing		Descending		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments	
1	02.59.13	18	17	-1		
1	02.59.32	24	24	0		
1	02.59.36	22	21	-1		
1	02.59.39	20	20	0		
1	02.59.46	21	21	0		





		opeed tall			
Date			12/20/2023		
Time			2:57 PM		
Site ID				KRKF0	02
Location		The second		Kirkland,	, WA
Address			SB 132ND AVE	NE @ MUIR EI MIDDLI	Lementary/Kamiakin E
Posted Spee	ed Limit			20MP	H
Trigger Spe	ed Limit			26MP	H
Speed Type				Schoo	bl
Lidar Techn	ician			Charles Go	odrich
AutoPatrol T	echnician		Catherine Thompson		
Lidar Serial	Number	Section and the	LP05509 590-113/61513 Autopatrol-Radar Yes Yes Pass		
Radar Serial	Number				
Detection Ty	/pe				
Measure Mo	de Captur	e			
Photo enfor	cement sig	ns present			
Pass/ Fail					
Ascending o	or Descend	ing	Descending		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments
1	02.57.19	32	31	-1	
1	02.57.23	24	24	0	
1	02.57.28	34	33	-1	
1	02.57.37	29	30	1	
1	02.57.57	22	21	-1	





Contraction of the local division of the loc					
Date			12/20/2023		
Time			12:38 PM		
Site ID				KRKF0	03
Location			Ki	rkland, Was	hington
Address			EB 80TH ST	@ ROSE H	ILL ELEMENTARY
Posted Spee	ed Limit			20MP	Н
Trigger Spe	ed Limit			26MP	Н
Speed Type				Schoo	bl
Lidar Techni	ician		6	Charles Go	odrich
AutoPatrol T	echnician		C	atherine Th	ompson
Lidar Serial	Number		LP05509 590-113/64095 Autopatrol-Radar Yes Yes Pass		
Radar Serial	Number				
Detection Ty	/pe				
Measure Mo	de Captur	e			
Photo enfor	cement sig	ns present			
Pass/ Fail					
Ascending o	or Descend	ing		Descend	ling
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments
1	12.38.53	24	25	1	
1	12.39.02	24	24	0	
1	12.39.21	19	19	0	
1	12.39.24	19	19	0	
1	12.39.32	25	25	0	and the second second





		epood van	dation rion		
Date			12/20/2023		
Time		M. M. A.	12:40 PM		
Site ID				KRKF0	04
Location			K	rkland, Was	shington
Address			WB 80TH S	T@ROSEH	ILL ELEMENTARY
Posted Spee	ed Limit	Maria Strange		20MP	Н
Trigger Spe	ed Limit			26MP	Н
Speed Type				Schoo	bl
Lidar Techni	ician	and the second		Charles Go	odrich
AutoPatrol T	echnician		C	atherine Th	ompson
Lidar Serial	Number		LP05509 590-113/66135 Autopatrol-Radar Yes		
Radar Serial	Number				
Detection T	/pe				
Measure Mo	de Captur	e			
Photo enfor	cement sig	ns present		Yes	
Pass/ Fail			Pass		
Ascending o	or Descend	ing		Descend	ling
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments
1	12.40.24	26	26	0	
1	12.42.03	24	24	0	
1	12.42.16	22	21	-1	
1	12.42.23	27	26	-1	
1	12.43.43	25	24	-1	





Date			12/20/2023		
Time			12:57 PM		
Site ID				KRKF0	05
Location			Ki	rkland, Was	shington
Address			SB 724 STATE S	T @ LAKEVIEV	VELEMENTARY SCHOOL
Posted Spee	ed Limit			20MP	Н
Trigger Spe	ed Limit			26MP	H
Speed Type				Schoo	bl
Lidar Techni	cian			Charles Go	odrich
AutoPatrol T	echnician		C	atherine Th	ompson
Lidar Serial	Number		LP05509 590-113/68392 Autopatrol-Radar Yes		
Radar Serial	Number				
Detection Ty	pe				
Measure Mo	de Captur	e			
Photo enfor	cement sig	ns present		Yes	
Pass/ Fail			Pass		
Ascending o	r Descend	ing		Descend	ding
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments
1	12.57.05	28	28	0	
1	12.57.09	32	32	0	
1	12.57.12	32	33	1	
1	12.57.18	24	24	0	
1	12.57.58	25	25	0	





A CONTRACTOR OF A CONTRACTOR					
Date			12/20/2023		
Time			12:51 PM		
Site ID		N. T. M. S.		KRKF0	06
Location			Ki	irkland, Was	shington
			WB 10600 NE	68TH ST @ LA	KEVIEW ELEMENTARY
Address				SCH00	L
Posted Spee	ed Limit			20MP	Н
Trigger Spe	ed Limit			26MP	н
Speed Type				Schoo	bl
Lidar Techni	ician			Charles Go	odrich
AutoPatrol T	echnician		Catherine Thompson		
Lidar Serial	Number		LP05509		
Radar Serial	Number		590-113/68391 Autopatrol-Radar Yes Yes Pass		
Detection Ty	pe				
Measure Mo	de Captur	e			
Photo enfor	cement sig	ns present			
Pass/ Fail					
Ascending o	r Descend	ing	Descending		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments
1	12.51.45	26	27	1	
1	12.52.30	29	30	1	
1	12.52.33	23	24	1	
1	12.52.55	35	36	1	
1	12.53.37	34	34	0	





THE OWNER WATER OF THE OWNER WATER							
Date		ALTER THE AL		12/20/20	023		
Time			1:12 PM				
Site ID	Site ID			KRKF007			
Location			Ki	rkland, Was	shington		
			NB 12637 84TH A	VENE @ SAN	DBURG ES / FINN HILL MS /		
Address				THOREAU			
Posted Speed Limit				20MP	н		
Trigger Spe	Trigger Speed Limit			26MP	Н		
Speed Type	The second s		School				
	Lidar Technician			Charles Goodrich			
AutoPatrol T	AutoPatrol Technician			Catherine Thompson			
Lidar Serial	Lidar Serial Number			LP05509			
Radar Serial	Number		590-113/68421				
Detection Type				Autopatrol	Radar		
Measure Mode Capture				Yes			
Photo enforcement signs present				Yes			
Pass/ Fail				Pass	i.		
Ascending o	or Descend	ing		Descend	ding		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments		
1	01.12.42	24	24	0			
1	01.12.52	27	28	1			
1	01.13.54	25	26	1			
1	01.14.17	34	33	-1			
1	01.14.27	28	29	1			





Date				12/20/20	)23		
Time				1:16 P	M		
Site ID	Site ID			KRKF0	08		
Location			Ki	rkland, Was	shington		
Address			SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS THOREAU ES				
Posted Speed Limit				20MP			
Trigger Spe			26MPH				
Speed Type			School				
Lidar Techn	the second s		Charles Goodrich				
	utoPatrol Technician			Catherine Thompson			
	Lidar Serial Number			LP05509			
	Radar Serial Number			590-113/68429			
Detection Type				Autopatrol	and the steel		
Measure Mode Capture				Yes			
Photo enforcement signs present				Yes			
Pass/ Fail				Pass			
Ascending o	or Descend	ing		Descend	ling		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments		
1	01.16.27	27	27	0			
1	01.16.41	29	28	-1			
1	01.17.29	26	26	0	and the second		
1	01.17.42	25	24	-1			
1	01.17.50	33	34	1			



1910-071EA-223 JAN 1 0 2024 Report No .:

Revision: N/C

KIRKLAND MUNICIPAL COURT

FILED

### **Radar Sensor Calibration Verification** Certificate of Calibration

Model: RRS24F-ST3

Part Number / Serial Number: 590-113/68421 Ex. 590-XXX / 6XXXX

Description: **Radar Characteristics Validation** In compliance with: RRS24F-ST3 Radar Sensor Calibration Verification Procedure Documentation (5030-0150)

> Date of Issue: July 11, 2023

Owner of EUT:

Verra Mobility 1150 N. Alma School Rd Mesa, AZ 85201

Attention of:

**Engineering Department** Phone: (480) 443-7000

Test Facility				
Test Laboratory	Keystone Compliance, LLC			
Address	131 North Columbus Innerbelt			
City, State, Zip Code	New Castle, PA 16101			
Phone	(724) 657-9940			
Email	emcteam@keystonecompliance.com			
Web Site	www.keystonecompliance.com			

	Test Personnel					
Name	Camren Morgan					
Title	EMC Test Engineer					
Signature	Erron Ing					

CONTROLLED DATA Properietary and Confidential Page 15



Report No.: 1910-071EA-223

Revision:

N/C

#### **Radar Sensor Calibration Verification Certificate of Calibration**

#### Model: RRS24F-ST3

#### Part Number / Serial Number: 590-113/68421 Ex. 590-XXX / 6XXXX

July 11, 2023 Date of Issue:

The frequency measurements performed and recorded within this report demonstrate that the JENOPTIK RR24F-ST3 radar has an accuracy of less than or equal to 0.62 mph in the range of 6.21 mph to 62.14 mph and an accuracy of 0.62 mph to 1.86 mph in the range of 62.14 mph to 186.41 mph. This is equal to or better than +/- 1 mph accuracy up to 100 mph, as specified by the manufacturer.

FSK Frequency Set 1								
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results			
$f_0 = 24.08$	24.077951	1.88482865	-2.05	+/- 48.2	PASS			
f <sub>1</sub> = 24.08725	24.085424	1.8104474	-1.83	+/- 48.2	PASS			
$f_2 = 24.089$	24.08705	3.16407543	-1.95	+/- 48.2	PASS			
$f_3 = 24.09$	24.088025	3.507438	-1.98	+/- 48.2	PASS			

FSK Frequency Set 2								
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results			
$f_0 = 24.12$	24.118575	4.44124507	-1.43	+/- 48.2	PASS			
f <sub>1</sub> = 24.12725	24.12605	3.69185649	-1.20	+/- 48.2	PASS			
f <sub>2</sub> = 24.129	24.127676	4.32948747	-1.32	+/- 48.2	PASS			
$f_3 = 24.13$	24.128651	4.29584344	-1.35	+/- 48.2	PASS			

FSK Frequency Set 3								
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results			
$f_0 = 24.16$	24.15855	3.2166386	-1.45	+/- 48.2	PASS			
f <sub>1</sub> = 24.16725	24.165702	4.35824469	-1.55	+/- 48.2	PASS			
f <sub>2</sub> = 24.169	24.167326	5.72987563	-1.67	+/- 48.2	PASS			
f <sub>3</sub> = 24.17	24.168626	6.06823301	-1.37	+/- 48.2	PASS			

CONTROLLED DATA Properietary and Confidential Page 16



Report No.: 1910

1910-071EA-223 FILED JAN 1 0 2024

Revision: N/C

KIRKLAND MUNICIPAL COURT

### Radar Sensor Calibration Verification Certificate of Calibration

Model: RRS24F-ST3

Part Number / Serial Number: 590-113/68429 Ex. 590-XXX / 6XXXX

Description: Radar Characteristics Validation In compliance with: RRS24F-ST3 Radar Sensor Calibration Verification Procedure Documentation (5030-0150)

Date of Issue: July 10, 2023

Owner of EUT:

Verra Mobility 1150 N. Alma School Rd Mesa, AZ 85201

Attention of:

Engineering Department Phone: (480) 443-7000

Test Facility				
Test Laboratory	Keystone Compliance, LLC			
Address	131 North Columbus Innerbelt			
City, State, Zip Code	New Castle, PA 16101			
Phone	(724) 657-9940			
Email	emcteam@keystonecompliance.com			
Web Site	www.keystonecompliance.com			

	Test Personnel					
Name	Camren Morgan					
Title	EMC Test Engineer					
Signature	Enn my					

CONTROLLED DATA Properietary and Confidential Page 15



Report No.: 1910-071EA-223

Revision: N/C

#### Radar Sensor Calibration Verification Certificate of Calibration

#### Model: RRS24F-ST3

#### Part Number / Serial Number: 590-113/68429 Ex. 590-XXX / 6XXXX

Date of Issue: July 10, 2023

The frequency measurements performed and recorded within this report demonstrate that the JENOPTIK RR24F-ST3 radar has an accuracy of less than or equal to 0.62 mph in the range of 6.21 mph to 62.14 mph and an accuracy of 0.62 mph to 1.86 mph in the range of 62.14 mph to 186.41 mph. This is equal to or better than +/- 1 mph accuracy up to 100 mph, as specified by the manufacturer.

FSK Frequency Set 1								
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results			
f <sub>o</sub> = 24.08	24.078275	12.7628267	-1.72	+/- 48.2	PASS			
f <sub>1</sub> = 24.08725	24.08575	13.5614464	-1.50	+/- 48.2	PASS			
$f_2 = 24.089$	24.087376	14.9490784	-1.62	+/- 48.2	PASS			
$f_3 = 24.09$	24.088351	15.304435	-1.65	+/- 48.2	PASS			

FSK Frequency Set 2								
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results			
f <sub>o</sub> = 24.12	24.118575	15.2102491	-1.43	+/- 48.2	PASS			
f <sub>1</sub> = 24.12725	24.125725	15.0968545	-1.53	+/- 48.2	PASS			
$f_2 = 24.129$	24.127351	16.2444885	-1.65	+/- 48.2	PASS			
$f_3 = 24.13$	24.128651	16.2768454	-1.35	+/- 48.2	PASS			

FSK Frequency Set 3								
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results			
$f_0 = 24.16$	24.158876	15.8226416	-1.12	+/- 48.2	PASS			
f <sub>1</sub> = 24.16725	24.166025	15.8642417	-1.22	+/- 48.2	PASS			
$f_2 = 24.169$	24.167975	17.3808766	-1.03	+/- 48.2	PASS			
f <sub>3</sub> = 24.17	24.16895	17.674236	-1.05	+/- 48.2	PASS			

CONTROLLED DATA Properietary and Confidential Page 16



V A VERRA MOBILITY		PRE	EVENTIVE MAINTENANCE CHECKLIST	KIRKLAND UNICIPAL COURT
Date & Time: 12/19/2023 9:28:00	Site ID: KRKF007	Local	tion: NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / TH	OREAU ES
Product: AutoPatrol		Technician Name: Thomas Yuen	See Associated Ticket	
			La suda la sudana di panto danca jun da la sud da catalana da catalana da catalana da catalana da catalana da s	

Item	Status	Note/Action (If Status N/A, please specify)
1. Clean dirt, grime, and graffiti off enclosure and glass.		
1.1. Clean Graffiti.	N/A	
Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.		
1.2. Clean Glass:	Pass	
Clean and inspect all glass and enclosures.		
1.3. Clean Enclosure (Interior):	N/A	
Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.		
1.4. Check Enclosure:	N/A	
If enclosure moved during cleaning, tighten base.		
2. Perform a general site inspection to include environmental and road conditions.		
2.1, PLP/Loop Loop:		
Check for exposed or cut loop wiring, and epoxy wear and tear.		
2.2. Power & Grounding:	N/A	
Inspect all power and grounding connections.		
2.3. Radar:	N/A	
Inspect radar and cables. Visually inspect antenna.		
2.4. WVDs:		
Check for popped out pucks, visible cracks, or other noticeable damage.		
3. Inspect poles, bases, and enclosures.		

3.1. Pole:	N/A
Check sturdiness. Check hurricane collar and confirm screws are tight.	
3.2. Base:	N/A
Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.	
3.3. Enclosure:	N/A
Confirm straps are tight and secure against pole. Tighten if loose.	
4. Inspect cables and connections.	
4.1. Cables:	N/A
Check all cables for visible wear or damage.	
4.2. Connections:	N/A
Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.	



5.2. Pole:



5.1. Enclosure:



5.3. Photo Enforcement Sign(s):



۵

Image: Second Second

Item	Status	Note/Action (If Status N/A, please specify)
1. Clean dirt, grime, and graffiti off enclosure and glass.		Caller Contraction and the second
1.1. Clean Graffiti.	N/A	
Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.		
1.2. Clean Glass:	Pass	
Clean and inspect all glass and enclosures.	-	
1.3. Clean Enclosure (Interior):	N/A	
Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.		
1.4. Check Enclosure:	N/A	
If enclosure moved during cleaning, tighten base.		
2. Perform a general site inspection to include environmental and road conditions.		
2.1. PLP/Loop Loop:		
Check for exposed or cut loop wiring, and epoxy wear and tear.		
2.2. Power & Grounding:	N/A	
Inspect all power and grounding connections.		
2.3. Radar:	N/A	
Inspect radar and cables. Visually inspect antenna.		
2.4. WVDs:		
Check for popped out pucks, visible cracks, or other noticeable damage.		
3. Inspect poles, bases, and enclosures.		

3.1. Pole:	N/A
Check sturdiness. Check hurricane collar and confirm screws are tight.	
3.2. Base:	N/A
Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.	
3.3. Enclosure:	N/A
Confirm straps are tight and secure against pole. Tighten if loose.	
4. Inspect cables and connections.	
4.1. Cables:	N/A
Check all cables for visible wear or damage.	
4.2. Connections:	N/A
Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.	

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.



5.2. Pole:



5.1. Enclosure:

5.3. Photo Enforcement Sign(s):

