## CERTIFICATE CONCERNING DESIGN AND CONSTRUCTION OF ELECTRONIC MUNICIPAL COURT SPEED MEASURING DEVICES

I, Lesieli Casale, do certify under penalty of the laws of the State of Washington that the following is true and correct:

I have been employed as a technician by American Traffic Solutions for 2 years. I became a speed validation technician on January 12, 2023 and have over 100 hours performing speed validation tests. I am nationally certified as a RADAR and LIDAR operator. The City of Kirkland currently uses the AutoPatrol<sup>TM</sup> 3D radar fixed speed safety camera system, an electronic speed measuring device provided through a contract with American Traffic Solutions, Inc. ("ATS"). Part of my duties include monitoring regular testing of the AutoPatrol 3D radar fixed speed safety camera systems used by the City of Kirkland.

ATS contracted with the City of Kirkland to provide an Automated Speed Enforcement ("ASE") system designed to record the speed of a vehicle and obtain photographs or other recorded images of the vehicle and the vehicle's registration plate while the vehicle is traveling in excess of speed limits in certain safety zones within posted limits.


The ASE program includes the use of the AutoPatrol 3D radar fixed speed safety camera systems at the following locations within the City of Kirkland:

Location Code	Location Description	Lanes Monitored
KRKF001	NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	1
KRKF002	SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	1
KRKF003	EB 80TH ST @ ROSE HILL ELEMENTARY	1
KRKF004	WB 80TH ST @ ROSE HILL ELEMENTARY	1
KRKF005	SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL	1
KRKF006	WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL	1
KRKF007	NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	1
KRKF008	SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	1


The AutoPatrol 3D radar fixed speed safety camera system operates by measuring vehicle speed, as well as position relative to the radar to calculate and differentiate multiple vehicles in the radar beam. The speed of a moving vehicle is measured by Doppler radar. Doppler radar is a generally accepted technology used for measuring speed. The AutoPatrol 3D radar technology is used throughout the US and Europe as well as other countries and is approved by the Swiss national metrology institute- METAS.

The AutoPatrol 3D radar fixed speed safety camera system uses a tracking radar sensor for measuring vehicle speeds and detecting speed violations. The AutoPatrol 3D radar is aligned at a fixed angle across the road. The AutoPatrol 3D radar emits a horizontal beam over the road surface as represented by the illustration below. The tracking radar can simultaneously detect multiple vehicles and measure their speed, distance, angle and movement within the radar beam. The radar tracks multiple vehicles by reconstructing vehicle movement from the measured object speed, angle and distance values. If a vehicle passes a defined trigger line, the radar

THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44 outputs the vehicle's speed and lane information. The camera connected to the tracking radar uses this information to determine if there is a speed violation and to capture photographs showing the measured speed and lane on the databar of the captured images.



The tracking radar utilizes the Doppler Effect for speed determination. If an electromagnetic wave is emitted at a moving object, then the wave is reflected back from the moving object. The frequency of the wave received back by the radar shifts based on the speed of the moving object and its direction of travel. The tracking radar continuously determines this frequency shift of each object to calculate the object's speed. The tracking radar consists of two receiving antennas integrated into a single radar sensor. This configuration allows the radar to measure the distance and angle of the vehicle relative to the position of the radar sensor. Illustration A and B show the measurement principle in simplified form. The radar sensor emits a radar beam (illustration A). The radar sensor evaluates the return frequency, as well as the phase difference of the reflected radar beam from both of the receivers. With the aid of these values the radar sensor calculates the vehicle position.



Prior to operation each day, the system performs a system self-test. This self-test performs an electronic tuning fork test to produce a specific frequency and returns an associated speed value. Only if the return value meets the acceptance criteria to show that the system is operating correctly will the system enter measure mode. Unless a self-test is successful, the system will not enter measure mode and no violations will be captured. Additional information stored as metadata within each image includes coordinates of the vehicle position at the time of capture. This information is extracted and utilized through a secondary speed verification process to provide yet another means to validate offender speed and position based on the two images obtained and image analytics. In addition to the internal system checks and the manufacturer calibration certification, the 3D radar system is subject to routine and independent calibration check of the speeds produced by the system at least annually by a qualified technician.

Each day the computer which controls the fixed speed safety camera system is rebooted. The reboot is initiated each day and each time the computer is rebooted an internal check is performed on all operations of

each fixed speed safety camera system, including the clocks, sensors, camera and speed calculating hardware and software, in order to verify that all operations are functioning correctly. When the internal check detects a problem with one of the operations on a given fixed speed safety camera system, then that particular fixed speed safety camera system is inactivated and a request for service is relayed to ATS support personnel. This means that violations cannot be issued until any internal problem is fixed.

Speed validation tests are regularly performed on each installed and operable AutoPatrol 3D radar fixed speed safety camera system. The test is conducted by having a LIDAR Operator obtain true measurements of up to five vehicles per lane in the ascending and/or descending direction. The speed of the vehicle is captured by the LIDAR Operator and then relayed via cellular to an ATS Technician. The ATS Technician then compares the vehicle speed measured by the AutoPatrol 3D radar fixed speed safety camera system to the speed measured by the LIDAR Operator to ensure the accuracy of the AutoPatrol 3D radar fixed speed safety camera system. ATS maintains the results of each test in a Validation Report. The speed validation for each system was performed on the following date and the systems at each location were found to be in proper working order:

Location Code	Location Description			
KRKF001	NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	10/12/2023		
KRKF002	SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	10/12/2023		
KRKF003	EB 80TH ST @ ROSE HILL ELEMENTARY	10/12/2023		
KRKF004	WB 80TH ST @ ROSE HILL ELEMENTARY	10/12/2023		
KRKF005	SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL	10/12/2023		
KRKF006	WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL	10/12/2023		
KRKF007	NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	10/12/2023		
KRKF008	SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	10/12/2023		

Preventative maintenance, including visual inspections, is regularly performed on the AutoPatrol 3D radar fixed speed safety camera systems. Preventative maintenance activities include: cleaning of the cameras and housing, general site inspection of environment and road conditions, inspection of poles, bases and enclosures, and inspection of system cables and connections. The location and date that preventative maintenance is performed is recorded in the Preventative Maintenance Log, which along with the Validation Report(s) referenced above, is attached hereto.

I am a custodian, or otherwise qualified witness, as to the attached records. I make this declaration based on personal knowledge, and if called and sworn as a witness, I could and would testify as set forth in the following paragraph.

Attached as Exhibits are: Exhibit A - Speed Validation Reports, Exhibit B - Preventative Maintenance Logs, and Exhibit C - Annual System Verification Certificate for all AutoPatrol 3D radar fixed speed safety camera systems installed and used by the City of Kirkland. All documents and materials included as Exhibit A, Exhibit B and Exhibit C are authentic and are what they purport to be, and accurately describe the matters set forth therein. All such records are business records in that they are: (1) records kept in the ordinary course of business; (2) created at or near the time of the transactions or events reflected therein by, or based on

information from, a person with knowledge of the transaction or events; and (3) kept as part of a regular business activity.

Based upon my education, training, experience, and knowledge of the AutoPatrol 3D radar fixed speed safety camera system, it is my opinion that the system is so designed and constructed as to accurately employ measurement techniques based on a division of distance over time in such a manner that it will give accurate measurements of the speed of motor vehicles.

I, Lesieli Casale, certify (or declare) under penalty of perjury under the laws of the State of Washington that the foregoing is true and correct.

Dated this 9th day of November 2023 in Mesa, Arizona

Lesieli Casale

Lesieli Casale, Speed Validation Technician



## Speed Validation Report Client: Kirkland, WA

### Validation Date: October 12, 2023

- KRKF001 NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE
   Radar Serial Number: 590-113/66806
- KRKF002 SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE
  - o Radar Serial Number: 590-113/61513
- KRKF003 EB 80TH ST @ ROSE HILL ELEMENTARY
  - o Radar Serial Number: 590-113/64095
- KRKF004 WB 80TH ST @ ROSE HILL ELEMENTARY
  - o Radar Serial Number: 590-113/ 66135
- KRKF005 SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL
  - o Radar Serial Number: 590-113/68392
- KRKF006 WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL
  - o Radar Serial Number: 590-113/68391
- KRKF007 NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES
   Radar Serial Number: 590-113/68421
- KRKF008 SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES
  - o Radar Serial Number: 590-113/68429

## FILED

NOV 1 5 2023

KIRKLAND MUNICIPAL COURT

### Equipment:

Pro-Lite Plus Hand held Lidar Serial Number: LP05509 Certification Date: October 27, 2022 Lidar Operator: Charles Goodrich RLC Operator: Catherine Koselka-Thompson



A speed validation test was conducted for the sites listed above. The Lidar Operator, obtained true measurements of five vehicles per lane in the ascending and/or descending direction. Those speeds were obtained using a Kustom Signals Pro-Lite+ hand held Lidar instrument. The speed of the vehicle is captured by the Lidar Operator and then relayed via cellular to the RLC Technician. The RLC Technician is monitoring the vehicle speed at the Fixed Speed Camera system simultaneously to ensure the accuracy of the system. The speed validation tests performed on the above-listed dates confirmed the accuracy of the Fixed Speed Camera systems at each location.

I, Lesieli Casale, certify that the information contained in this report is true and accurate.

Lesieli Casale

Signed: \_

Date: November 9, 2023 Mesa, Arizona American Traffic Solutions Speed Integrity Team



Certifie	cate of A	chievement
	Speed Integrity Has successfully completed the 16 H Speed Integrity Technic	hour course for
Technician. Through th	ses all the necessary tasks required to pe is course each participant is required to d aminations. In addition, this course certifi	lisplay the proper competency through
Presented to:	Charles Goodrich	
This Day:	March 29, 2016	A.K
ATS	merican raffic Solutions	Matthew Giola Police Traffic Laser/Radar Instructor
FIDLD Gemficate of Astronoment V1-8	American Traffic Solutions, mp., 7681 East Gray I	Road, Scottidale, AZ 85260 Continents # ROLD-0813-CAH-01

Certificate of Achievement
Speed Integrity Technician Has successfully completed the course for Speed Inegrity Technician
This course encompasses all the necessary tasks required to perform the duties as a Speed Integrity Technician. Through this course each participant is required to display the proper competencies in Radar and Laser Technology. In addition, this course certifies each participants as a Radar and Lidar operator.
Presented to: Catherine Koselka
This Day: August 21st, 2019
American Traffic Solutions " RDLD Certificate of Acrievement V1.0  American Traffic Solutions, Inc., 7581 East Gray Road, Scottsdaie, AZ 85260  Certificate # VCC-0821-AZ-02



50	PB Electronics Inc. W Peaceful Ct., Shepherdsville 02 543-7032 <u>www.pbelectron</u> d Calibration Center for Stalker	ics.com
	Certificate of Calibra	tion
Manufacturer: Kustom	Model: ProLite	Serial Number: LP05509
operation under my supervision in stationary mode using equips The laser transmitter of this dev	<ul> <li>This Speed Measuring Device is ment traceable to National Institute</li> </ul>	be within specified range for Laser
FCC License number PG-18-12	2552 Technician Signatur	e Mente
Factory Antherized Service Center IV/IPH INDUSTRIES ELAVER Electrology	Date: October 27, 2022	
KUSTOM SERNALS, INC		





## SELF-ACCURACY TEST Kustom Signals Pro-Lite+ Lidar Speed Measurement Tool DATE: \_\_\_\_\_ October 12, 2023\_\_\_\_\_

Start of shift "Self-Diagnostic test" time: 9:09 AM

Start of shift Distance check: \_\_\_\_100' \_\_\_\_lidar

End of shift "Self-Diagnostic test" time: \_\_\_\_\_10:32 AM\_\_\_\_\_

End of shift Distance check: \_\_\_\_\_100'\_\_\_\_\_

City and State: \_\_\_Kirkland, WA\_\_\_\_

Lidar Serial Number: \_\_\_\_\_ LP05509\_\_\_\_\_

Certification Date: \_\_\_\_\_October 27th, 2022\_\_\_\_\_

OPERATOR: \_\_\_\_\_ Charles Goodrich\_\_\_\_\_

I, *Charles Goodrich*, certify that the Kustom Signals Pro-Lite+ Lidar speed measurement device was setup, tested, and operated in accordance with the manufactures specifications to include its self-diagnostic check.

Further, I certified that the self-check distance was completed and accurate.

Signature: Com M Date: October 12, 2023





Date			10/12/2023		
Time			9:48 AM		
Site ID				KRKF0	01
Location			K	irkland, Was	shington
			NB 132ND AVE	NE @ MUIR E	LEMENTARY/KAMIAKIN
Address				MIDDL	E
Posted Spee	ed Limit			20MP	н
Trigger Spe	ed Limit			26MP	н
Speed Type				Schoo	bl
Lidar Techni	ician			Charles Go	odrich
AutoPatrol T	echnician		Catherine Thompson		
Lidar Serial	Number		LP05509		
Radar Serial	Number		590-113/66806		
Detection Ty	/pe		Autopatrol-Radar		
Measure Mo	de Captur	8	Yes		
Photo enfor	cement sig	ns present	Yes		
Pass/ Fail			Pass		
Ascending o	or Descend	ing	Descending		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments
1	09.48.04	17	18	1	
1	09.48.10	22	21	-1	
1	09.48.20	20	20	0	
1	09.49.57	41	41	0	
1	09.50.12	24	24	0	





Date			10/12/2023		
Time			9:51 AM		
Site ID				KRKF0	02
Location				<b>Kirkland</b>	, WA
			SB 132ND AVE	NE @ MUIR E	LEMENTARY/KAMIAKIN
Address				MIDDL	E
Posted Spec	ed Limit			20MP	Н
Trigger Spe	ed Limit			26MP	H
Speed Type				Schoo	bl
Lidar Techn	ician			Charles Go	odrich
AutoPatrol 1	<b>echnician</b>		C	atherine Th	ompson
Lidar Serial	Number		LP05509		
Radar Seria	Number		590-113/61513		
Detection T	/pe		Autopatrol-Radar		
Measure Mo	ode Captur	e	Yes		
Photo enfor	cement sig	ns present	Yes		
Pass/ Fail			Pass		
Ascending of	or Descend	ing	Descending		
City Lane	City Lane Times Lidar Speeds		AP Speeds	Delta	Comments
1	09.51.33	29	29	0	
1	09.52.09	28	28	0	
1	09.52.18	26	25	-1	
1	09.52.24	26	27	1	
1	09.52.46	23	22	-1	





	the second se	The second se	The second s	Statement of the local division of the local	Contraction of the second s
Date			10/12/2023		
Time			9:26 AM		
Site ID				KRKF0	03
Location			K	rkland, Wa	shington
Address					ILL ELEMENTARY
Posted Spec	ed Limit			20MP	
Trigger Spe				26MP	н
Speed Type	the state of the s			Schoo	ol
Lidar Techn	A REAL PROPERTY OF THE REAL PR			Charles Go	odrich
AutoPatrol T	echnician		C	atherine Th	ompson
Lidar Serial	Number		LP05509		
Radar Serial	Number		590-113/64095 Autopatrol-Radar Yes Yes Pass		
Detection T	/pe				
Measure Mo	de Captur	e			
Photo enfor	cement sig	ins present			
Pass/ Fail					
Ascending o	or Descend	ing	Descending		ding
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments
1	09.26.21	18	17	-1	
1	09.30.26	18	17	-1	
1	09.30.56	19	18	-1	
1	09.31.30	15	15	0	
1	09.32.58	27	26	-1	





Date			10/12/2023		
Time			9:34 AM		
Site ID		Service and the service of the servi		KRKF0	04
Location			Ki	rkland, Was	shington
Address					ILL ELEMENTARY
Posted Spec	ed Limit			20MP	
Trigger Spe	and the second se			26MP	н
Speed Type				Schoo	bl
Lidar Techn			3	Charles Go	odrich
AutoPatrol T	echnician		C	atherine Th	ompson
Lidar Serial	Number		LP05509		
Radar Seria	Number		590-113/66135 Autopatrol-Radar Yes Yes		
Detection T	/pe				
Measure Mo	de Captur	e			
Photo enfor	cement sig	ns present			
Pass/ Fail				Pass	
Ascending o	or Descend	ing	Descending		ding
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments
1	09.34.33	24	25	1	
1	09.35.16	21	20	-1	
1	09.35.23	16	16	0	and the second second
1	09.36.09	27	26	-1	
1	09.36.44	22	22	0	





Date			10/12/2023			
Time			9:16 AM			
Site ID				KRKF0	05	
Location			Ki	rkland, Was	shington	
Address			SB 724 STATE S	T @ LAKEVIEV	VELEMENTARY SCHOOL	
Posted Spee	ed Limit			20MP		
Trigger Spe	ed Limit			26MP	Н	
Speed Type	And the state of t			Schoo	bl	
Lidar Techn	ician			Charles Go	odrich	
AutoPatrol T	AutoPatrol Technician			atherine Th	ompson	
Lidar Serial	Lidar Serial Number			LP05509		
Radar Serial	Number		590-113/68392 Autopatrol-Radar Yes Yes			
Detection T	/pe					
Measure Mo	ode Captur	e				
Photo enfor	cement sig	ns present				
Pass/ Fail				Pass		
Ascending o	or Descend	ing		Descend	ding	
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments	
1	09.16.51	33	34	1		
1	09.16.58	21	20	-1		
1	09.17.11	18	18	0		
1	09.17.28	20	20	0		
1	09.17.41	20	19	-1		





	an even a state				
Date			10/12/2023		
Time			9:14 AM		
Site ID				KRKF0	06
Location			K	irkland, Was	shington
			WB 10600 NE	68TH ST @ LA	KEVIEW ELEMENTARY
Address		A the second		SCHOO	L
Posted Spec	ed Limit			20MP	Н
Trigger Spe	ed Limit			26MP	Н
Speed Type				Schoo	bl
Lidar Techn	ician			Charles Go	odrich
AutoPatrol T	echnician		Catherine Thompson		
Lidar Serial	Number		LP05509		
Radar Serial	Number		590-113/68391 Autopatrol-Radar Yes Yes Pass		
Detection Ty	/pe				
Measure Mo	de Captur	e			
Photo enfor	cement sig	ins present			
Pass/ Fail					
Ascending o	or Descend	ing		Descend	ding
City Lane	Times	Lidar Speeds	AP Speeds Delta Comments		
1	09.14.08	21	22	1	
1	09.14.11	21	21	0	
1	09.14.21	17	17	0	
1	09.14.23	17	17	0	
1	09.14.26	16	15	-1	





And and a second second						
Date			10/12/2023			
Time			10:17 AM			
Site ID				KRKF0	07	
Location			K	irkland, Was	shington	
			NB 12637 84TH A	VE NE @ SANE	DBURG ES / FINN HILL MS	
Address	State Auge			THOREAU		
Posted Spee	ed Limit			20MP	н	
Trigger Spe	ed Limit			26MP	н	
Speed Type				Schoo	bl	
Lidar Techni	ician			Charles Go	odrich	
AutoPatrol T	AutoPatrol Technician			Catherine Thompson		
Lidar Serial	Number		LP05509			
Radar Serial	Number		590-113/68421			
Detection Ty	/pe		Autopatrol-Radar			
Measure Mo	de Captur	e	Yes			
Photo enfor	cement sig	ns present	Yes			
Pass/ Fail			Pass			
Ascending o	or Descend	ing	Descending			
City Lane	Times	Lidar Speeds				
1	10.17.19	17	16	-1		
1	10.17.48	23	24	1		
1	10.18.19	35	35	0		
1	10.21.35	17	16	-1		
1	10.22.58	30	30	0		





Date	and the second second		10/12/2023				
	- In the second						
Time			10:25 AM				
Site ID				KRKF0	08		
Location	Location			irkland, Was	shington		
Address			SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL M				
Address				THOREAU			
Posted Spee				20MP			
Trigger Spe	ed Limit			26MP	Н		
Speed Type				Schoo	bl		
Lidar Technician			Charles Goodrich				
AutoPatrol Technician			Catherine Thompson				
Lidar Serial	Lidar Serial Number			LP05509			
Radar Serial	Number		590-113/68429				
Detection Ty	/pe		Autopatrol-Radar				
Measure Mo	de Captur	e	Yes				
Photo enfor	cement sig	ins present	Yes				
Pass/ Fail			Pass				
Ascending o	or Descend	ing		Descend	ding		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments		
1	10.25.12	31	31	0			
1	10.25.15	29	28	-1			
1	10.25.29	29	28	-1			
1	10.26.36	29	29	0			
1	10.27.47	29	29	0			



Report No.: 1910-071EA-223

Revision:

N/C

### **Radar Sensor Calibration Verification** Certificate of Calibration

Model: RRS24F-ST3

FILED

NOV 1 5 2023

Part Number / Serial Number: 590-113/68421 Ex. 590-XXX / 6XXXX



Description: Radar Characteristics Validation In compliance with: RRS24F-ST3 Radar Sensor Calibration Verification Procedure Documentation (5030-0150)

> Date of Issue: July 11, 2023

Owner of EUT:

Verra Mobility 1150 N. Alma School Rd Mesa, AZ 85201

Attention of:

**Engineering Department** Phone: (480) 443-7000

Test Facility			
Test Laboratory	Test Laboratory Keystone Compliance, LLC		
Address	131 North Columbus Innerbelt		
City, State, Zip Code	New Castle, PA 16101		
Phone	(724) 657-9940		
Email	emcteam@keystonecompliance.com		
Web Site	www.keystonecompliance.com		

	Test Personnel
Name	Camren Morgan
Title	EMC Test Engineer
Signature	Erun ônz

CONTROLLED DATA Properietary and Confidential Page 15

> THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44



Report No.: 1910-071EA-223

Revision: N/C

### Radar Sensor Calibration Verification Certificate of Calibration

### Model: RRS24F-ST3

### Part Number / Serial Number: 590-113/68421 Ex. 590-XXX / 6XXXX

Date of Issue: July 11, 2023

The frequency measurements performed and recorded within this report demonstrate that the JENOPTIK RR24F-ST3 radar has an accuracy of less than or equal to 0.62 mph in the range of 6.21 mph to 62.14 mph and an accuracy of 0.62 mph to 1.86 mph in the range of 62.14 mph to 186.41 mph. This is equal to or better than +/- 1 mph accuracy up to 100 mph, as specified by the manufacturer.

	FSK	<b>Frequency Set</b>	1		
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results
$f_0 = 24.08$	24.077951	1.88482865	-2.05	+/- 48.2	PASS
f <sub>1</sub> = 24.08725	24.085424	1.8104474	-1.83	+/- 48.2	PASS
$f_2 = 24.089$	24.08705	3.16407543	-1.95	+/- 48.2	PASS
f <sub>3</sub> = 24.09	24.088025	3.507438	-1.98	+/- 48.2	PASS

	FSK	<b>Frequency Set</b>	2		
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results
$f_0 = 24.12$	24.118575	4.44124507	-1.43	+/- 48.2	PASS
f <sub>1</sub> = 24.12725	24.12605	3.69185649	-1.20	+/- 48.2	PASS
$f_2 = 24.129$	24.127676	4.32948747	-1.32	+/- 48.2	PASS
f <sub>3</sub> = 24.13	24.128651	4.29584344	-1.35	+/- 48.2	PASS

	FSK	<b>Frequency Set</b>	3		
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results
$f_0 = 24.16$	24.15855	3.2166386	-1.45	+/- 48.2	PASS
f <sub>1</sub> = 24.16725	24.165702	4.35824469	-1.55	+/- 48.2	PASS
f <sub>2</sub> = 24.169	24.167326	5.72987563	-1.67	+/- 48.2	PASS
$f_3 = 24.17$	24.168626	6.06823301	-1.37	+/- 48.2	PASS

CONTROLLED DATA Properietary and Confidential Page 16



Report No.: 1910-071EA-223

Revision:

N/C

### **Radar Sensor Calibration Verification** Certificate of Calibration

Model: RRS24F-ST3

Part Number / Serial Number: 590-113/68429 Ex. 590-XXX / 6XXXX

FILED NOV 1 5 2023

KIRKLAND MUNICIPAL COURT

Description: **Radar Characteristics Validation** In compliance with: RRS24F-ST3 Radar Sensor Calibration Verification Procedure Documentation (5030-0150)

> Date of Issue: July 10, 2023

Owner of EUT:

Verra Mobility 1150 N. Alma School Rd Mesa, AZ 85201

Attention of:

**Engineering Department** Phone: (480) 443-7000

Test Facility				
Test Laboratory	Keystone Compliance, LLC			
Address	131 North Columbus Innerbelt			
City, State, Zip Code	New Castle, PA 16101			
Phone	(724) 657-9940			
Email	emcteam@keystonecompliance.com			
Web Site	www.keystonecompliance.com			

	Test Personnel
Name	Camren Morgan
Title	EMC Test Engineer
Signature	Enn my

CONTROLLED DATA Properietary and Confidential Page 15

> THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN **ACCORDANCE WITH RCW 5.44**



Report No.: 1910-071EA-223

Revision: N

N/C

### Radar Sensor Calibration Verification Certificate of Calibration

#### Model: RRS24F-ST3

### Part Number / Serial Number: 590-113/68429 Ex. 590-XXX / 6XXXX

Date of Issue: July 10, 2023

The frequency measurements performed and recorded within this report demonstrate that the JENOPTIK RR24F-ST3 radar has an accuracy of less than or equal to 0.62 mph in the range of 6.21 mph to 62.14 mph and an accuracy of 0.62 mph to 1.86 mph in the range of 62.14 mph to 186.41 mph. This is equal to or better than +/-1 mph accuracy up to 100 mph, as specified by the manufacturer.

	FSK	Frequency Set	1		
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results
$f_0 = 24.08$	24.078275	12.7628267	-1.72	+/- 48.2	PASS
f <sub>1</sub> = 24.08725	24.08575	13.5614464	-1.50	+/- 48.2	PASS
$f_2 = 24.089$	24.087376	14.9490784	-1.62	+/- 48.2	PASS
$f_3 = 24.09$	24.088351	15.304435	-1.65	+/- 48.2	PASS

	FSK	Frequency Set	2		
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results
f <sub>o</sub> = 24.12	24.118575	15.2102491	-1.43	+/- 48.2	PASS
f <sub>1</sub> = 24.12725	24.125725	15.0968545	-1.53	+/- 48.2	PASS
f <sub>2</sub> = 24.129	24.127351	16.2444885	-1.65	+/- 48.2	PASS
f <sub>3</sub> = 24.13	24.128651	16.2768454	-1.35	+/- 48.2	PASS

FSK Frequency Set 3							
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results		
$f_0 = 24.16$	24.158876	15.8226416	-1.12	+/- 48.2	PASS		
f <sub>1</sub> = 24.16725	24.166025	15.8642417	-1.22	+/- 48.2	PASS		
f <sub>2</sub> = 24.169	24.167975	17.3808766	-1.03	+/- 48.2	PASS		
$f_3 = 24.17$	24.16895	17.674236	-1.05	+/- 48.2	PASS		

CONTROLLED DATA Properietary and Confidential Page 16



V A VERRA MOBILITY	VERRA MOBILITY PREVENTIVE MAIN		KIRKLAND MUNICIPAL COURT	
Date & Time: 10/22/2023 15:10:00 Product: AutoPatrol	Site ID: KRKF007 Technician Na	Location: NB 126 ame: Thomas Yuen	637 84TH AV	YE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES See Associated Ticket:
Item			Status	Note/Action (If Status N/A, please specify)
1. Clean dirt, grime, and graffiti off enclosure	and glass.			
1.1. Clean Graffiti.			N/A	
Check physical integrity. Check paint/housing	t for graffiti and (or) other vandalism.			
1.2. Clean Glass:			Pass	
Clean and inspect all glass and enclosures.				
1.3. Clean Enclosure (Interior):			N/A	
Clear vents/fans of obstruction. Remove dust	and dirt by vacuum/wiping.			
.4. Check Enclosure:			N/A	
f enclosure moved during cleaning, tighten b	ase.		- 240.00%	

If enclosure moved during cleaning, tighten base.		
2. Perform a general site inspection to include environmental and road conditions.	222	
2.1. PLP/Loop Loop:		
Check for exposed or cut loop wiring, and epoxy wear and tear.		
2.2. Power & Grounding:	N/A	
Inspect all power and grounding connections.		
2.3. Radar:	N/A	
Inspect radar and cables. Visually inspect antenna.		
2.4. WVDs:		
Check for popped out pucks, visible cracks, or other noticeable damage.		
3. Inspect poles, bases, and enclosures.		

THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44

3.1. Pole: Check sturdiness. Check hurricane collar and confirm screws are tight.	N/A	
3.2. Base:	N/A	
Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base. 3.3. Enclosure:	N/A	
Confirm straps are tight and secure against pole. Tighten if loose. 4. Inspect cables and connections.		
4.1. Cables:	N/A	
Check all cables for visible wear or damage.		
4.2. Connections: Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.	N/A	

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.



5.2. Pole:



5.1. Enclosure:



.

5.3. Photo Enforcement Sign(s):



De 1 Tim: 1022/2023 15:41:00 BE DI: KKK000 Location: SE 14000-KHALE NE CO SADDBURG ES / FINN HILLEN S/ THOREAU ES   Prodric AutoParto Se Associator Ticke: I     In Clean dirit, informe, and graffit off enclosure and glass.   1. Clean dirit, informe, and graffit off enclosure and glass. NA   1. Clean dirit, informe, and graffit and (or) other vandulasm. NA   1. Clean dirit, informe, and informe and informe and glass. Pass   1. Clean dirit, informe, and informe and informe and the y vacuum/wijning. NA   1. Clean dirit, informe, and informe and dirit by vacuum/wijning. NA   1. Clean Enclosure: Pass   1. Check Enclosure: NA   2. Perform ageneetiatistie inspection to include environmental and road conditions. NA   2. Perform ageneetiatistie inspection to include environmental and road conditions. NA   2. Parker ageneetiatistie inspection to include environmental and road conditions. NA   2. Perform ageneetiatistie inspection to include environmental and road conditions. NA   2. Perform ageneetiatistie inspection to include environmental and road conditions. NA   2. Parker ageneetiatistie inspection to include environmental and road conditions. NA   2. Parker ageneetiatistie inspection to include environmental and road conditions. NA   2. Parker ageneetiatistie inspection to include environmental and road conditions. NA   2. Parker agenetiatistie inspection to include environmental and road conditions. NA   2. Parker agenetiatistie inspection to include environmental and road condition	V VERRA MOBILITY	REVENTIVE MAINTENANCE CHECKLIST
Item       Status       Note/Action (if Status N/A, please specify)         1. Clean dirt, grime, and graffiti off enclosure and glass.       N/A         1.1. Clean Graffiti.       N/A         Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.       N/A         1.2. Clean Glass:       Pass         Clean and inspect all glass and enclosures.       N/A         1.3. Clean Enclosure (Interior):       N/A         Clear vanisfans of obstruction. Remove dust and dirt by vacuum/wiping.       N/A         1.4. Check Enclosure:       N/A         I anclosure (Interior):       N/A         Clear wantsfans of obstruction. Remove dust and dirt by vacuum/wiping.       N/A         1.4. Check Enclosure:       N/A         I anclosure moved during cleaning, lighten base.       Image and inspect of us (loop wiring, and epoxy wear and tear.         2. Perform a general site inspection to include environmental and road conditions.       Image and grounding connections.         2.1. PLPLoop Loop:       N/A       Image and grounding connections.         2.1. Pareform a general site inspection to include environmental and road conditions.       Image and grounding connections.         2.1. PLPLoop Loop:       N/A       Image and grounding connections.         2.1. PLPLoop Loop: wirding and epoxy wear and tear.       Image and grounding connections.		
1. Clean dirt, grime, and graffili off enclosure and glass.       N/A         1.1. Clean Graffili.       N/A         Check physical integrity. Check paint/housing for graffili and (or) other vandalism.       Pass         1.2. Clean Glass:       Pass         Clean and inspect all glass and enclosures.       N/A         1.3. Clean Enclosure (Interior):       N/A         Clear vents/fans of obstruction. Remove dust and dirl by vacuum/wiping.       N/A         1.4. Check Enclosure:       N/A         If enclosure moved during cleaning, lighten base.       N/A         2. Perform a general site inspection to include environmental and road conditions.       Image: Clean and general site inspection to include environmental and road conditions.         2. Perform a general site inspection to include environmental and road conditions.       Image: Clean and general site inspection to include environmental and road conditions.         2. Perform a general site inspection to include environmental and road conditions.       Image: Clean and general site inspection to include environmental and road conditions.         2. Power & Grounding:       N/A         Inspect and grounding connections.       N/A         2. Rower and grounding connections.       N/A         2. WvDs:       Image: Staudy inspect antenna.	Product: AutoPatrol Technician Name: Thomas T	
1.1. Clean Grafifii.       N/A         Check physical integrity. Check paint/housing for grafifii and (or) other vandaism.       Pass         1.2. Clean Glass:       Pass         Clean and inspect all glass and enclosures.       N/A         1.3. Clean Enclosure (Interior):       N/A         Clear vents/fans of obstruction. Remove dust and dirt by vacuum/viping.       N/A         1.4. Check Enclosure:       N/A         I enclosure moved during cleaning, tighten base.       N/A         2. Perform a general site inspection to include environmental and road conditions.       Image: Clean and general site inspection to include environmental and road conditions.         2. Perform a general site inspection to include environmental and road conditions.       Image: Clean and general site inspection to include environmental and road conditions.         2. Perform a general site inspection to include environmental and road conditions.       Image: Clean and general site inspection to include environmental and road conditions.         2. Perform a general site inspection to include environmental and road conditions.       Image: Clean and clea	Item	Status Note/Action (If Status N/A, please specify)
Check physical integrity. Check paint/housing for grafifit and (or) other vandalism.       Pass         1.2. Clean Glass:       Pass         Clean and inspect all glass and enclosures.       N/A         1.3. Clean Enclosure (Interior):       N/A         Clear vents/flass of obstruction. Remove dust and dirt by vacuum/wiping.       N/A         1.4. Check Enclosure:       N/A         t enclosure moved during cleaning, tighten base.       N/A         2. Perform a general site inspection to include environmental and road conditions.       Image: Check for exposed or cut loop wiring, and epoxy wear and tear.         2. Power & Grounding:       N/A         Inspect all power and grounding connections.       N/A         2.3. Radar:       N/A         Inspect radar and cables. Visually inspect antenna.       N/A         2. WVDs:       Image: Connections.	1. Clean dirt, grime, and graffiti off enclosure and glass.	
1.2. Clean Glass:       Pass         Clean and inspect all glass and enclosures.       N/A         1.3. Clean Enclosure (Interior):       N/A         Clear vents/lans of obstruction. Remove dust and dirt by vacuum/wiping.       N/A         1.4. Check Enclosure:       N/A         t enclosure moved during cleaning, tighten base.       N/A         2. Perform a general site inspection to include environmental and road conditions.       Image: Check for exposed or cut loop wiring, and epoxy wear and tear.         2. Prower & Grounding:       N/A         2. Power & Grounding:       N/A         Inspect all power and grounding connections.       N/A         2. Radar:       N/A         Inspect radar and cables. Visually inspect antenna.       N/A         2. WVDs:       Image: Clean during cleaning.	1.1. Clean Graffiti.	N/A
Clean and inspect all glass and enclosures.       I         1.3. Clean Enclosure (Interior):       N/A         Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.       N/A         1.4. Check Enclosure:       N/A         If enclosure moved during cleaning, tighten base.       N/A         2. Perform a general site inspection to include environmental and road conditions.       Image: Check for exposed or cut loop wiring, and epoxy wear and tear.         2.1. PLP/Loop Loop:       N/A         Check for exposed or cut loop wiring, and epoxy wear and tear.       N/A         2.2. Power & Grounding:       N/A         Inspect all power and grounding connections.       N/A         2.3. Radar:       N/A         Inspect radar and cables. Visually inspect antenna.       N/A         2.4. WVDs:       Image: Check Support Check	Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.	
1.3. Clean Enclosure (Interior):       N/A         Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.       N/A         1.4. Check Enclosure:       N/A         1.4. Check Enclosure:       N/A         2. Perform a general site inspection to include environmental and road conditions.       Image: Clear vents/fans of obstruction to include environmental and road conditions.         2. Perform a general site inspection to include environmental and road conditions.       Image: Clear vents/fans of out loop wiring, and epoxy wear and tear.         2.1. PLP/Loop Loop:       Image: Clear vents/fans of out loop wiring, and epoxy wear and tear.       Image: Clear vents/fans of out loop wiring, and epoxy wear and tear.         2.2. Power & Grounding:       N/A       Image: Clear vents/fans of out loop wiring, and epoxy wear and tear.         2.3. Radar:       N/A       Image: Clear vents/fans of out loop wiring, environmental and road conditions.         2.3. Radar:       N/A       Image: Clear vents/fans of out loop wiring, inspect antenna.         2.4. WVDs:       Image: Clear vents/fans of out loop wiring vents/fans of out loop wiring vents/fans of out loop vents/fans of out	1.2. Clean Glass:	Pass
Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.       Image: Check Enclosure:       N/A         1.4. Check Enclosure:       N/A         If enclosure moved during cleaning, tighten base.       N/A         2. Perform a general site inspection to include environmental and road conditions.       Image: Check for exposed or cut loop wiring, and epoxy wear and tear.         2.1. PLP/Loop Loop:       N/A         Check for exposed or cut loop wiring, and epoxy wear and tear.       N/A         2.2. Power & Grounding:       N/A         Inspect all power and grounding connections.       N/A         2.3. Radar:       N/A         Inspect radar and cables. Visually inspect antenna.       N/A         2.4. WVDs:       Image: Check for exposed or cut loop wiring.	Clean and inspect all glass and enclosures.	
1.4. Check Enclosure:       N/A         If enclosure moved during cleaning, tighten base.       N/A         2. Perform a general site inspection to include environmental and road conditions.       Image: Check for exposed or cut loop wiring, and epoxy wear and tear.         2.1. PLP/Loop Loop:       Image: Check for exposed or cut loop wiring, and epoxy wear and tear.       Image: Check for exposed or cut loop wiring, and epoxy wear and tear.         2.2. Power & Grounding:       N/A       Image: Check for exposed or cut loop wiring, and epoxy wear and tear.         2.3. Power & Grounding:       N/A       Image: Check for exposed or cut loop wiring, and epoxy wear and tear.         2.3. Radar:       N/A       Image: Check for exposed or cut loop wiring, and epoxy wear and tear.         2.3. Radar:       N/A       Image: Check for exposed or cut loop wiring connections.         2.3. Radar:       N/A       Image: Check for exposed and cables. Visually inspect antenna.         2.4. WVDs:       Image: Check for exposed and cables. Visually inspect antenna.	1.3. Clean Enclosure (Interior):	N/A
If enclosure moved during cleaning, tighten base.       Image: Check for exposed or cut loop wiring, and epoxy wear and tear.         2.1. PLP/Loop Loop:       N/A         Check for exposed or cut loop wiring, and epoxy wear and tear.       N/A         2.2. Power & Grounding:       N/A         Inspect all power and grounding connections.       N/A         2.3. Radar:       N/A         Inspect radar and cables. Visually inspect antenna.       N/A         2.4. WVDs:       Image: Check for exposed or cut loop wiring inspect antenna.	Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.	
2. Perform a general site inspection to include environmental and road conditions.       Image: Constraint of the environmental and road conditions.         2.1. PLP/Loop Loop:       Image: Check for exposed or cut loop wiring, and epoxy wear and tear.       Image: Check for exposed or cut loop wiring, and epoxy wear and tear.         2.2. Power & Grounding:       N/A       Image: Check for exposed or cut loop wiring, and epoxy wear and tear.         2.3. Power & Grounding:       N/A       Image: Check for exposed or cut loop wiring connections.         2.3. Radar:       N/A       Image: Check for exposed and cables. Visually inspect antenna.         2.4. WVDs:       Image: Check for exposed cables. Visually inspect antenna.       Image: Check for exposed cables. Visually inspect antenna.		N/A
2.1. PLP/Loop Loop:	If enclosure moved during cleaning, tighten base.	
Check for exposed or cut loop wiring, and epoxy wear and tear.       Image: Check for exposed or cut loop wiring, and epoxy wear and tear.         2.2. Power & Grounding:       N/A         Inspect all power and grounding connections.       N/A         2.3. Radar:       N/A         Inspect radar and cables. Visually inspect antenna.       N/A         2.4. WVDs:       Image: Check for exposed or cut loop wiring, and epoxy wear and tear.	2. Perform a general site inspection to include environmental and road conditions.	
2.2. Power & Grounding:       N/A         Inspect all power and grounding connections.       N/A         2.3. Radar:       N/A         Inspect radar and cables. Visually inspect antenna.       N/A         2.4. WVDs:       Image: Note:		
Inspect all power and grounding connections.       Inspect all power and grounding connections.       2.3. Radar:       Inspect radar and cables. Visually inspect antenna.       2.4. WVDs:		
2.3. Radar:     N/A       Inspect radar and cables. Visually inspect antenna.     N/A       2.4. WVDs:     Image: Comparison of the second		N/A
Inspect radar and cables. Visually inspect antenna.	Inspect all power and grounding connections.	
2.4. WVDs:		N/A
Check for popped out pucks, visible cracks, or other noticeable damage.	n en en fan en	
3. Inspect poles, bases, and enclosures.		

THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44

3.1. Pole: Check sturdiness. Check hurricane collar and confirm screws are tight.	N/A	
3.2. Base: Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.	N/A	
3.3. Enclosure:	N/A	
Confirm straps are tight and secure against pole. Tighten if loose. 4. Inspect cables and connections.		
4.1. Cables:	N/A	
Check all cables for visible wear or damage.         4.2. Connections:	N/A	
Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.		

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.



5.2. Pole:



#### 5.1. Enclosure:

5.3. Photo Enforcement Sign(s):

