#### CERTIFICATE CONCERNING DESIGN AND CONSTRUCTION OF ELECTRONIC SPEED MEASURING DEVICES

I, Lesieli Casale, do certify under penalty of the laws of the State of Washington that the following is true and correct:

I have been employed as a technician by American Traffic Solutions for 2 years. I became a speed validation technician on January 12, 2023 and have over 100 hours performing speed validation tests. I am nationally certified as a RADAR and LIDAR operator. The City of Kirkland currently uses the AutoPatrol<sup>TM</sup> 3D radar fixed speed safety camera system, an electronic speed measuring device provided through a contract with American Traffic Solutions, Inc. ("ATS"). Part of my duties include monitoring regular testing of the AutoPatrol 3D radar fixed speed safety camera systems used by the City of Kirkland.

ATS contracted with the City of Kirkland to provide an Automated Speed Enforcement ("ASE") system designed to record the speed of a vehicle and obtain photographs or other recorded images of the vehicle and the vehicle's registration plate while the vehicle is traveling in excess of speed limits in certain safety zones within posted limits.

The ASE program includes the use of the AutoPatrol 3D radar fixed speed safety camera systems at the following locations within the City of Kirkland:

Location Code	Location Description	Lanes Monitored
KRKF001	NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	1
KRKF002	SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	1
KRKF003	EB 80TH ST @ ROSE HILL ELEMENTARY	1
KRKF004	WB 80TH ST @ ROSE HILL ELEMENTARY	1
KRKF005	SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL	1
KRKF006	WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL	1
KRKF007	NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	1
KRKF008	SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	1

The AutoPatrol 3D radar fixed speed safety camera system operates by measuring vehicle speed, as well as position relative to the radar to calculate and differentiate multiple vehicles in the radar beam. The speed of a moving vehicle is measured by Doppler radar. Doppler radar is a generally accepted technology used for measuring speed. The AutoPatrol 3D radar technology is used throughout the US and Europe as well as other countries and is approved by the Swiss national metrology institute- METAS.

The AutoPatrol 3D radar fixed speed safety camera system uses a tracking radar sensor for measuring vehicle speeds and detecting speed violations. The AutoPatrol 3D radar is aligned at a fixed angle across the road. The AutoPatrol 3D radar emits a horizontal beam over the road surface as represented by the illustration below. The tracking radar can simultaneously detect multiple vehicles and measure their speed, distance, angle and movement within the radar beam. The radar tracks multiple vehicles by reconstructing vehicle movement from the measured object speed, angle and distance values. If a vehicle passes a defined trigger line, the radar

THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44

1

outputs the vehicle's speed and lane information. The camera connected to the tracking radar uses this information to determine if there is a speed violation and to capture photographs showing the measured speed and lane on the databar of the captured images.



The tracking radar utilizes the Doppler Effect for speed determination. If an electromagnetic wave is emitted at a moving object, then the wave is reflected back from the moving object. The frequency of the wave received back by the radar shifts based on the speed of the moving object and its direction of travel. The tracking radar continuously determines this frequency shift of each object to calculate the object's speed. The tracking radar consists of two receiving antennas integrated into a single radar sensor. This configuration allows the radar to measure the distance and angle of the vehicle relative to the position of the radar sensor. Illustration A and B show the measurement principle in simplified form. The radar sensor emits a radar beam (illustration A). The radar sensor evaluates the return frequency, as well as the phase difference of the reflected radar beam from both of the receivers. With the aid of these values the radar sensor calculates the vehicle position.



Prior to operation each day, the system performs a system self-test. This self-test performs an electronic tuning fork test to produce a specific frequency and returns an associated speed value. Only if the return value meets the acceptance criteria to show that the system is operating correctly will the system enter measure mode. Unless a self-test is successful, the system will not enter measure mode and no violations will be captured. Additional information stored as metadata within each image includes coordinates of the vehicle position at the time of capture. This information is extracted and utilized through a secondary speed verification process to provide yet another means to validate offender speed and position based on the two images obtained and image analytics. In addition to the internal system checks and the manufacturer calibration certification, the 3D radar system is subject to routine and independent calibration check of the speeds produced by the system at least annually by a qualified technician.

Each day the computer which controls the fixed speed safety camera system is rebooted. The reboot is initiated each day and each time the computer is rebooted an internal check is performed on all operations of

each fixed speed safety camera system, including the clocks, sensors, camera and speed calculating hardware and software, in order to verify that all operations are functioning correctly. When the internal check detects a problem with one of the operations on a given fixed speed safety camera system, then that particular fixed speed safety camera system is inactivated and a request for service is relayed to ATS support personnel. This means that violations cannot be issued until any internal problem is fixed.

Speed validation tests are regularly performed on each installed and operable AutoPatrol 3D radar fixed speed safety camera system. The test is conducted by having a LIDAR Operator obtain true measurements of up to five vehicles per lane in the ascending and/or descending direction. The speed of the vehicle is captured by the LIDAR Operator and then relayed via cellular to an ATS Technician. The ATS Technician then compares the vehicle speed measured by the AutoPatrol 3D radar fixed speed safety camera system to the speed measured by the LIDAR Operator to ensure the accuracy of the AutoPatrol 3D radar fixed speed safety camera system. ATS maintains the results of each test in a Validation Report. The speed validation for each system was performed on the following date and the systems at each location were found to be in proper working order:

Location Code	Location Description	Date of Test
KRKF001	NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	6/6/2023
KRKF002	SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	6/6/2023
KRKF003	EB 80TH ST @ ROSE HILL ELEMENTARY	6/6/2023
KRKF004	WB 80TH ST @ ROSE HILL ELEMENTARY	6/6/2023
KRKF005	SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL	6/6/2023
KRKF006	WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL	6/6/2023
KRKF007	NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	6/6/2023
KRKF008	SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	6/6/2023

Preventative maintenance, including visual inspections, is regularly performed on the AutoPatrol 3D radar fixed speed safety camera systems. Preventative maintenance activities include: cleaning of the cameras and housing, general site inspection of environment and road conditions, inspection of poles, bases and enclosures, and inspection of system cables and connections. The location and date that preventative maintenance is performed is recorded in the Preventative Maintenance Log, which along with the Validation Report(s) referenced above, is attached hereto.

I am a custodian, or otherwise qualified witness, as to the attached records. I make this declaration based on personal knowledge, and if called and sworn as a witness, I could and would testify as set forth in the following paragraph.

Attached as Exhibits are: Exhibit A - Speed Validation Reports, Exhibit B - Preventative Maintenance Logs, and Exhibit C - Annual System Verification Certificate for all AutoPatrol 3D radar fixed speed safety camera systems installed and used by the City of Kirkland. All documents and materials included as Exhibit A, Exhibit B and Exhibit C are authentic and are what they purport to be, and accurately describe the matters set forth therein. All such records are business records in that they are: (1) records kept in the ordinary course of business; (2) created at or near the time of the transactions or events reflected therein by, or based on information from, a person with knowledge of the transaction or events; and (3) kept as part of a regular business activity.

Based upon my education, training, experience, and knowledge of the AutoPatrol 3D radar fixed speed safety camera system, it is my opinion that the system is so designed and constructed as to accurately employ measurement techniques based on a division of distance over time in such a manner that it will give accurate measurements of the speed of motor vehicles.

I, Lesieli Casale, certify (or declare) under penalty of perjury under the laws of the State of Washington that the foregoing is true and correct.

Dated this 5th day of July 2023 in Mesa, Arizona

Lesieli Casale

Lesieli Casale, Speed Validation Technician



## Speed Validation Report Client: Kirkland, WA

#### Validation Date June 6, 2023

- KRKF001 NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE
  - o Radar Serial Number: 590-113/66806
- KRKF002 SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE
  - o Radar Serial Number: 590-113/64016
- KRKF003 EB 80TH ST @ ROSE HILL ELEMENTARY
  - o Radar Serial Number: 590-113/64095
- KRKF004 WB 80TH ST @ ROSE HILL ELEMENTARY
  - o Radar Serial Number: 590-113/ 66135
- KRKF005 SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL
  - o Radar Serial Number: 590-113/65719
  - KRKF006 WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL
    - Radar Serial Number: 590-113/61782
- KRKF007 NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES
  - o Radar Serial Number: 590-113/65071
- KRKF008 SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES
  - o Radar Serial Number: 590-113/63287

#### Equipment:

٠

Pro-Lite Plus Hand held Lidar Serial Number: LP05509 Certification Date: October 27, 2022 Lidar Operator: Charles Goodrich RLC Operator: Catherine Koselka-Thompson JUL 1 2 2023 KIRKLAND MUNICIPAL COURT

THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44



A speed validation test was conducted for the sites listed above. The Lidar Operator, obtained true measurements of five vehicles per lane in the ascending and/or descending direction. Those speeds were obtained using a Kustom Signals Pro-Lite+ hand held Lidar instrument. The speed of the vehicle is captured by the Lidar Operator and then relayed via cellular to the RLC Technician. The RLC Technician is monitoring the vehicle speed at the Fixed Speed Camera system simultaneously to ensure the accuracy of the system. The speed validation tests performed on the above-listed dates confirmed the accuracy of the Fixed Speed Camera systems at each location.

I, Lesieli Casale, certify that the information contained in this report is true and accurate.

Lesieli Casale

Signed: \_\_\_\_\_ Date: July 5<sup>th</sup>, 2023 Mesa, Arizona American Traffic Solutions Speed Integrity Team



٢

Certificate of Ad	chievement						
Speed Integrity . Has successfully completed the 16 he Speed Integrity Technicia	Technician our course for an						
This course encompasses all the necessary tasks required to perform the duties as a Speed Integrity Technician. Through this course each participant is required to display the proper competency through written and practical examinations. In addition, this course certifies each participants as a Lidar operator.							
Presented to: Charles Goodrich							
This Day: March 29, 2016	H M						
PEDLO Community of Autonomiant 1/1 5 American Traffic Solutions, Inc., 7681 East Oney Ro	Matthew Giola Police Traffic Laser/Radar Instructor ad. Southdate, A2 85260 DerPhase # POLD-0813-Cite 01						

Certificate of A	chievement
Speed Integrity Has successfully completed the course	Technician for Speed Inegrity Technician
This course encompasses all the necessary tasks required to Through this course each participant is required to display the Technology. In addition, this course certifies each participants	perform the duties as a Speed Integrity Technician. proper competencies in Radar and Laser as a Radar and Lidar operator.
Presented to: Catherine Koselka	7
This Day: August 21st, 2019	
	Tyl Yol
ATS American Traffic Solutions	Tylor Yochim Radar Instructor
RDLD Certificate of Achievement V1.0 American Traffic Solutions, Inc., 7681 East Gr	ay Road, Soottsdale, AZ 85260 Certificate # VCC-0821-AZ-02



PB Electronics Inc. 248 W Peaceful Ct., Shepherdsville, KY 40165 502 543-7032 <u>www.pbelectronics.com</u> Factory Authorized Calibration Center for Stalker, MPH, Kustom, and LTI							
		Certificate of Calibr	ation				
hereby certify the	Kustom nat this Speed M my supervision.	Model: ProLite Measuring Device has been che This Speed Measuring Device	cked for accuracy and correctness of is certified accurately within +/- 0.5 mpt				
Manufacturer: I hereby certify the operation under in stationary model The laser transme Devices as established FCC License nuite	Kustom hat this Speed M my supervision. de using equipm hitter of this devi plished by the F mber PG-18-12	Model: ProLite Measuring Device has been che This Speed Measuring Device hent traceable to National Institu- ice has been tested and found t ederal Communications Comm 552 Technician Signa	Serial Number: LP05509 cked for accuracy and correctness of is certified accurately within +/- 0.5 mpt te of Standards and technology. o be within specified range for Laser ssion and IACP.				
Manufacturer: I hereby certify the operation under the in stationary model The laser transme Devices as estable FCC License number PB ELECT ROMICS Factory Anthonized Service Center	Kustom hat this Speed M my supervision. le using equipm hitter of this devi blished by the F mber PG-18-12	Model: ProLite Measuring Device has been che This Speed Measuring Device nent traceable to National Institu ice has been tested and found t ederal Communications Comm 552 Technician Signa	Serial Number: LP05509 cked for accuracy and correctness of is certified accurately within +/- 0.5 mpl te of Standards and technology. te obe within specified range for Laser ssion and IACP.				



VERRA MOBILITY
SELF-ACCURACY TEST Kustom Signals Pro-Lite+ Lidar Speed Measurement Tool
DATE: June 6, 2023
Start of shift "Self-Diagnostic test" time:9:35 AM
Start of shift Distance check:100'lidar
End of shift "Self-Diagnostic test" time:10:52 AM
End of shift Distance check:100'
City and State:Kirkland, WA
Lidar Serial Number:LP05509
Certification Date:October 27th, 2022
OPERATOR:Charles Goodrich
I, <i>Charles Goodrich</i> , certify that the Kustom Signals Pro-Lite+ Lidar speed measurement device was setup, tested, and operated in accordance with the manufactures specifications to include its self- diagnostic check.
Further, I certified that the self-check distance was completed and accurate.
Signature: Chan Mar Date: June 6, 2023





Date			6/6/2023		
Time			10:46 AM		
Site ID			KRKF001		
Location			Kirkland, Washington		
			NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN		
Address	N. Phalast		MIDDLE		
Posted Spee	ed Limit			20MP	Ϋ́Η
Trigger Spe	ed Limit			26MP	Ϋ́Η
Speed Type				Scho	ol
Lidar Techni	ician			Charles Go	odrich
AutoPatrol T	echnician		CatherineThompson		
Lidar Serial	Number		LP05509		
Radar Serial	Number		590-113/66806		
Detection Ty	/pe		Autopatrol-Radar		
Measure Mo	de Capture	9	Yes		
Photo enfor	cement sig	ns present	Yes		
Pass/ Fail			Pass		
Ascending o	r Descend	ing	Descending		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments
1	10.46.13	27	28	1	
1	10.46.37	22	22	0	
1	10.47.30	27	27	0	
1	10.47.31	29	29	0	
1 10.47.34 30			30	0	





Date			6/6/2023		
Time		A STATES	10:43 AM		
Site ID			KRKF002		
Location			Kirkland, WA		
			SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN		
Address				MIDDL	E
Posted Spee	ed Limit			20MP	H
Trigger Spec	ed Limit			26MP	Н
Speed Type				Scho	ol
Lidar Techni	ician			Charles Go	odrich
AutoPatrol T	echnician		Catherine Thompson		
Lidar Serial	Number		LP05509		
Radar Serial	Number		590-113/64016		
Detection Ty	pe			Autopatrol	-Radar
Measure Mo	de Capture	9		Yes	
Photo enforcement signs present				Yes	
Pass/ Fail			Pass		
Ascending o	r Descend	ing	Descending		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments
1	10.43.56	31	31	0	
1	10.43.59	27	26	-1	
1	10.44.03	23	24	1	
1	10.44.06	27	26	-1	
1 10.44.20 23			24	1	





Date			6/6/2023		
Time			9:40 AM		
Site ID			KRKF003		
Location			Kirkland, Washington		
Address			EB 80TH ST	@ ROSE H	ILL ELEMENTARY
Posted Spec	ed Limit			20MP	Н
Trigger Spe	ed Limit			26MP	Н
Speed Type				Schoo	bl
Lidar Techn	ician			Charles Go	odrich
AutoPatrol 1	echnician		C	atherine Th	ompson
Lidar Serial	Number		LP05509		
Radar Serial	Number		590-113/64095		
Detection T	/pe		Autopatrol-Radar		
Measure Mo	de Captur	e	Yes		
Photo enfor	cement sig	ns present	Yes		
Pass/ Fail			Pass		
Ascending o	or Descend	ing	Descending		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments
1	09.40.51	24	23	-1	
1	09.41.05	24	24	0	
1	09.41.37	26	26	0	
1	09.41.40	28	29	1	
1 09.42.39 26			26 0		





Date			6/6/2023		
Time			9:43 AM		
Site ID			KRKF004		
Location			Kirkland, Washington		
Address			WB 80TH S	T @ ROSE H	ILL ELEMENTARY
Posted Spee	ed Limit			20MP	Н
Trigger Spe	ed Limit			26MPI	Н
Speed Type	National States			Schoo	bl
Lidar Techni	ician			Charles Go	odrich
AutoPatrol T	echnician		Catherine Thompson		
Lidar Serial	Number		LP05509		
Radar Serial	Number		590-113/66135		
Detection Ty	/pe		Autopatrol-Radar		
Measure Mo	de Captur	9	Yes		
Photo enfor	cement sig	ns present	Yes		
Pass/ Fail			Pass		
Ascending o	or Descend	ing	Descending		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments
1	09.43.43	21	21	0	
1	09.46.39	33	32	-1	
1	09.47.12	19	19	0	
1	09.47.24	22	22	0	
1 09.48.07 20			20 0		





Date		Marken Stran	6/6/2023		
Time			10:00 AM		
Site ID			KRKF005		
Location	A State State		Kirkland, Washington		
Address			SB 724 STATE S	T @ LAKEVIEV	VELEMENTARY SCHOOL
Posted Spe	ed Limit			20MP	Н
Trigger Spe	ed Limit			26MP	Н
Speed Type				Schoo	ol.
Lidar Techn	ician			Charles Go	odrich
AutoPatrol 1	echnician		Catherine Thompson		
Lidar Serial	Number			LP055	09
Radar Seria	Number			590-113/6	5719
Detection T	/pe		Autopatrol-Radar Yes Yes		
Measure Mo	ode Captur	e			
Photo enfor	cement sig	ins present			
Pass/ Fail				Pass	
Ascending of	or Descend	ing	Descending		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments
1	10.00.01	36	36	0	
1	10.00.33	30	30	0	
1	1 10.01.08 30			1	
1	10.01.14	28	28	0	
1 10.01.41 38			38 0		





Date			6/6/2023			
Time			9:57 AM			
Site ID			KRKF006			
Location			Kirkland, Washington			
			WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY			
Address			SCHOOL			
Posted Spee	ed Limit			20M	PH	
Trigger Spe	ed Limit			26M	PH	
Speed Type				Scho	lool	
Lidar Techni	ician			Charles G	oodrich	
AutoPatrol T	echnician		Catherine Thompson			
Lidar Serial	Number		LP05509			
Radar Serial	Number		590-113/61782			
Detection Ty	/pe			Autopatrol-Radar		
Measure Mo	easure Mode Capture			Ye	s	
Photo enfor	noto enforcement signs present			Ye	s	
Pass/ Fail			Pass			
Ascending o	r Descend	ing	Descending			
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments	
1	09.57.29	17	18	1		
1	09.57.48	16	17	1		
1	09.58.04	23	24	1		
1	09.58.11	36	37	1		
1	09.58.23	26	26	0		





Date			6/6/2023			
Time			10:14 AM			
Site ID	Star 1			KRKFO	07	
Location	State States		Ki	rkland, Wa	shington	
			NB 12637 84TH A	VE NE @ SAN	DBURG ES / FINN HILL MS /	
Address				THOREAU	JES	
Posted Spee	ed Limit			20MP	H	
Trigger Spec	ed Limit			26MP	H	
Speed Type				Scho	ol	
Lidar Techni	cian			Charles Go	odrich	
AutoPatrol T	toPatrol Technician		C	atherine Th	nompson	
Lidar Serial	Serial Number			LP055	09	
Radar Serial	Number			590-113/6	5071	
Detection Ty	tection Type			Autopatrol	-Radar	
Measure Mo	Measure Mode Capture			Yes		
Photo enfor	hoto enforcement signs present			Yes		
Pass/ Fail	Pass/ Fail			Pass	5	
Ascending or Descending			Descen	ding		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments	
1	10.14.07	32	33	1		
1	10.14.48	31	31	0		
1	10.14.56	23	23	0		
1	10.16.27	19	18	-1		
1	10.16.44	23	22	-1		





Date			6/6/2023			
Time			10:18 AM			
Site ID			KRKF008			
Location			Ki	rkland, Wa	shington	
		C IET PLATER	SB 14006 84TH A	VE NE @ SAN	DBURG ES / FINN HILL MS /	
Address				THOREAU	JES	
Posted Spee	ed Limit			20MP	H	
Trigger Spe	ed Limit			26MP	Ή	
Speed Type				Scho	ol	
Lidar Techni	cian			Charles Go	odrich	
AutoPatrol T	AutoPatrol Technician			atherine Th	nompson	
Lidar Serial	Number		LP05509			
Radar Serial	Radar Serial Number		590-113/63287			
Detection Ty	tection Type			Autopatrol	-Radar	
Measure Mo	easure Mode Capture			Yes		
Photo enfor	noto enforcement signs present			Yes		
Pass/ Fail	Pass/ Fail			Pass	5	
Ascending o	Ascending or Descending			Descen	ding	
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments	
1	10.18.46	30	29	-1		
1	10.19.06	34	33	-1		
1	10.19.40	27	26	-1		
1	10.19.59	31	31	0		
1	10.20.58	23	24	1		



Previously Flom Test Lab EMI, EMC, RF Testing Experts Since 1963

### System Verification Test Report

**Prepared for: American Traffic Solutions** 

Model: RRS24F-ST3 (-40 to +70)

Serial Number: 590-113 / 65719

#### **Description: Radar Beam Characteristics**

То

Jenoptik Multi-Radar System Verification Procedure Base Frequency Test

Date of Issue: 9-6-2022

On the behalf of the applicant:

American Traffic Solutions 1150 N Alma School Rd Mesa, AZ 85201

Prepared by Compliance Testing, LLC 1724 S. Nevada Way Mesa, Arizona 85204 (480) 926-3100 phone / (480) 926-3598 fax <u>www.compliancetesting.com</u> Project No: p2280029

Mark Sechrist

Mark Sechrist Project Test Engineer

THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5 44

JUL 1 2 2023 KIRKLAND MUNICIPAL COURT

toil-free: (366)311-3268 fax: (480)926-3598

http://www.Completerstresters.com mos.grittesTesnelqmo@ohri



Previously Flom Test Lab EMI, EMC, RF Testing Experts Since 1963 tol-free: (366)311-3268 fax: (480)926-3598

http://www.Complementertesting.com notoEconsidemonScienceTesting.com

**Test Results Summary Table** 

The frequency measurements performed by Compliance Testing, LLC and reported within this report demonstrate that the Jenoptik RRS24F-ST3 radar system has an accuracy of less than or equal to 0.62 mph in the range 6.21 mph to 62.14 mph and an accuracy of 0.62 mph to 1.86 mph in the range of 62.14 mph to 186.41 mph. This is equal to or better than +/- 1 mph accuracy up to 100 mph.

#### **Test Frequency Set 1**

Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results
F <sub>0</sub> = 24.0800	24.07880	9.3520	1.19 +/- 0.03	+/- 48.2	PASS
F <sub>1</sub> = 24.0872	24.08600	9.8990	1.25 +/- 0.03	+/- 48.2	PASS
F <sub>2</sub> = 24.0890	24.08780	10.990	1.19 +/- 0.03	+/- 48.2	PASS
F <sub>3</sub> = 24.0900	24.08880	11.264	1.20 +/- 0.03	+/- 48.2	PASS

#### **Test Frequency Set 2**

Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results
F <sub>0</sub> = 24.1200	24.11860	9.3760	1.40 +/- 0.03	+/- 48.2	PASS
F <sub>1</sub> = 24.1272	24.12580	9.9350	1.44 +/- 0.03	+/- 48.2	PASS
F <sub>2</sub> = 24.1290	24.12765	10.998	1.35 +/- 0.03	+/- 48.2	PASS
F <sub>3</sub> = 24.1300	24.12880	11.204	1.20 +/- 0.03	+/- 48.2	PASS

#### **Test Frequency Set 3**

Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results	
$F_0 = 24.1600$	24.15845	8.8840	1.55 +/- 0.03	+/- 48.2	PASS	
F <sub>1</sub> = 24.1672	24.16570	9.6490	1.54 +/- 0.03	+/- 48.2	PASS	
F <sub>2</sub> = 24.1690	24.16740	10.872	1.59 +/- 0.03	+/- 48.2	PASS	
F <sub>3</sub> = 24.1700	24.16845	11.0000	1.55 +/- 0.03	+/- 48.2	PASS	



Previously Flom Test Lab EMI, EMC, RF Testing Experts Since 1963

### System Verification Test Report

**Prepared for: American Traffic Solutions** 

Model: RRS24F-ST3 (-40 to +70)

#### Serial Number: 590-113 / 61782

#### **Description: Radar Beam Characteristics**

То

#### Jenoptik Multi-Radar System Verification Procedure Base Frequency Test

Date of Issue: 9-6-2022

On the behalf of the applicant:

American Traffic Solutions 1150 N Alma School Rd Mesa, AZ 85201

Prepared by Compliance Testing, LLC 1724 S. Nevada Way Mesa, Arizona 85204 (480) 926-3100 phone / (480) 926-3598 fax <u>www.compliancetesting.com</u> Project No: p2280029

al Foral

Afzal Fazal Project Test Engineer

THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44

p2280029-61782\_System Verification\_Rev 1.0

http://www.CompleanceTesting.com info@CompleanceTesting.com

toil-free: (866) 311-3268 fax: (480) 926-3598

> JUL 1 2 2023 KIRKLAND MUNICIPALCOURT



Previously Flom Test Lab EMI, EMC, RF Testing Experts Since 1963 tol-free: (866.)311-3268 fax: (480.)926-3598

http://www.CompleanceTesting.com nntoGoongleanceTesting.com

#### **Test Results Summary Table**

The frequency measurements performed by Compliance Testing, LLC and reported within this report demonstrate that the Jenoptik RRS24F-ST3 radar system has an accuracy of less than or equal to 0.62 mph in the range 6.21 mph to 62.14 mph and an accuracy of 0.62 mph to 1.86 mph in the range of 62.14 mph to 186.41 mph. This is equal to or better than +/- 1 mph accuracy up to 100 mph.

#### **Test Frequency Set 1**

Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results
F <sub>0</sub> = 24.0800	24.07875	9.0860	1.24 +/- 0.03	+/- 48.2	PASS
F <sub>1</sub> = 24.0872	24.08595	9.8040	1.30 +/- 0.03	+/- 48.2	PASS
F <sub>2</sub> = 24.0890	24.08770	11.138	1.29 +/- 0.03	+/- 48.2	PASS
F <sub>3</sub> = 24.0900	24.08865	11.091	1.34 +/- 0.03	+/- 48.2	PASS

#### **Test Frequency Set 2**

Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results
$F_0 = 24.1200$	24.11890	9.0270	1.10 +/- 0.03	+/- 48.2	PASS
F <sub>1</sub> = 24.1272	24.12625	9.4610	1.00 +/- 0.03	+/- 48.2	PASS
F <sub>2</sub> = 24.1290	24.12795	10.603	1.05 +/- 0.03	+/- 48.2	PASS
F <sub>3</sub> = 24.1300	24.12890	10.837	1.09 +/- 0.03	+/- 48.2	PASS

#### **Test Frequency Set 3**

Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results
$F_0 = 24.1600$	24.15885	8.7120	1.14 +/- 0.03	+/- 48.2	PASS
F <sub>1</sub> = 24.1672	24.16615	9.3680	1.10 +/- 0.03	+/- 48.2	PASS
F <sub>2</sub> = 24.1690	24.16790	10.584	1.10 +/- 0.03	+/- 48.2	PASS
F <sub>3</sub> = 24.1700	24.16890	10.694	1.10 +/- 0.03	+/- 48.2	PASS



Date & Time: 06/23/2023 8:40:00

4 5

Product: AutoPatrol

Site ID: KRKF005

Location: SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL

**Technician Name: Charles Goodrich** 

See Associated Ticket:

 $\Box$ 

-18		

Item	Status	Note/Action (If Status N/A, please specify)
1. Clean dirt, grime, and graffiti off enclosure and glass.		
1.1. Clean Graffiti.	Pass	
Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.		
1.2. Clean Glass:	Pass	
Clean and inspect all glass and enclosures.		
1.3. Clean Enclosure (Interior):	Pass	
Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.		
1.4. Check Enclosure:	Pass	
If enclosure moved during cleaning, tighten base.		
2. Perform a general site inspection to include environmental and road conditions.		
2.1. PLP/Loop Loop:		
Check for exposed or cut loop wiring, and epoxy wear and tear.		
2.2. Power & Grounding:	Pass	
Inspect all power and grounding connections.		
2.3. Radar:	Pass	
Inspect radar and cables. Visually inspect antenna.		
2.4. WVDs:		
Check for popped out pucks, visible cracks, or other noticeable damage.		
3. Inspect poles, bases, and enclosures.		

3.1. Pole: Check sturdiness. Check hurricane collar and confirm screws are tight.	Pass	
3.2. Base: Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.	Pass	
3.3. Enclosure: Confirm straps are tight and secure against pole. Tighten if loose.	Pass	
4. Inspect cables and connections.		
4.1. Cables: Check all cables for visible wear or damage.	Pass	
4.2. Connections: Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.	Pass	

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.

5.1. Enclosure:



5.2. Pole:



5.3. Photo Enforcement Sign(s):



# FILED

JUL 1 2 2023

KIRKLAND

VERRA MOBILITY		PREVENTIVE	MAIN		OPALCOURT
Date & Time: 06/23/2023 8:34:00	Site ID: KRKF006	Location: WB 10600	NE 68TH	ST @ LAKEVIEW ELEMENTARY SCHOOL	
Product: AutoPatrol	Technician Na	ame: Charles Goodrich		See Associated Ticket:	
ltem			Status	Note/Action (If Status N/A, please specify)	

.

Item	Status	Note/Action (If Status N/A, please specify)
1. Clean dirt, grime, and graffiti off enclosure and glass.		
1.1. Clean Graffiti.	Pass	
Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.		
1.2. Clean Glass:	Pass	
Clean and inspect all glass and enclosures.		
1.3. Clean Enclosure (Interior):	Pass	
Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.		
1.4. Check Enclosure:	Pass	
If enclosure moved during cleaning, tighten base.		
2. Perform a general site inspection to include environmental and road conditions.	1.00	
2.1. PLP/Loop Loop:		
Check for exposed or cut loop wiring, and epoxy wear and tear.		
2.2. Power & Grounding:	Pass	
Inspect all power and grounding connections.		
2.3. Radar:	Pass	
Inspect radar and cables. Visually inspect antenna.		
2.4. WVDs:		
Check for popped out pucks, visible cracks, or other noticeable damage.		
3. Inspect poles, bases, and enclosures.		

THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44

3.1. Pole: Check sturdiness. Check hurricane collar and confirm screws are tight.	Pass	
3.2. Base: Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.	Pass	
3.3. Enclosure: Confirm straps are tight and secure against pole. Tighten if loose.	Pass	
4. Inspect cables and connections.		
4.1. Cables: Check all cables for visible wear or damage.	Pass	
4.2. Connections: Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.	Pass	

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.

5.1. Enclosure:



PHOTO

5.2. Pole:



5.3. Photo Enforcement Sign(s):