

# CERTIFICATE CONCERNING DESIGN AND CONSTRUCTION OF ELECTRONIC SPEED MEASURING DEVICES

I, Lesieli Casale, do certify under penalty of the laws of the State of Washington that the following is true and correct:

I have been employed as a technician by American Traffic Solutions for 2 years. I became a speed validation technician on January 12, 2023 and have over 100 hours performing speed validation tests. I am nationally certified as a RADAR and LIDAR operator. The City of Kirkland currently uses the AutoPatrol<sup>TM</sup> 3D radar fixed speed safety camera system, an electronic speed measuring device provided through a contract with American Traffic Solutions, Inc. ("ATS"). Part of my duties include monitoring regular testing of the AutoPatrol 3D radar fixed speed safety camera systems used by the City of Kirkland.

ATS contracted with the City of Kirkland to provide an Automated Speed Enforcement ("ASE") system designed to record the speed of a vehicle and obtain photographs or other recorded images of the vehicle and the vehicle's registration plate while the vehicle is traveling in excess of speed limits in certain safety zones within posted limits.


The ASE program includes the use of the AutoPatrol 3D radar fixed speed safety camera systems at the following locations within the City of Kirkland:

Location Code	Location Description	Lanes Monitored
KRKF001	NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	1
KRKF002	SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	1
KRKF003	EB 80TH ST @ ROSE HILL ELEMENTARY	1
KRKF004	WB 80TH ST @ ROSE HILL ELEMENTARY	1
KRKF005	SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL	1
KRKF006	WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL	1
KRKF007	NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	1
KRKF008	SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	1


The AutoPatrol 3D radar fixed speed safety camera system operates by measuring vehicle speed, as well as position relative to the radar to calculate and differentiate multiple vehicles in the radar beam. The speed of a moving vehicle is measured by Doppler radar. Doppler radar is a generally accepted technology used for measuring speed. The AutoPatrol 3D radar technology is used throughout the US and Europe as well as other countries and is approved by the Swiss national metrology institute- METAS.

The AutoPatrol 3D radar fixed speed safety camera system uses a tracking radar sensor for measuring vehicle speeds and detecting speed violations. The AutoPatrol 3D radar is aligned at a fixed angle across the road. The AutoPatrol 3D radar emits a horizontal beam over the road surface as represented by the illustration below. The tracking radar can simultaneously detect multiple vehicles and measure their speed, distance, angle and movement within the radar beam. The radar tracks multiple vehicles by reconstructing vehicle movement from the measured object speed, angle and distance values. If a vehicle passes a defined trigger line, the radar

outputs the vehicle's speed and lane information. The camera connected to the tracking radar uses this information to determine if there is a speed violation and to capture photographs showing the measured speed and lane on the databar of the captured images.



The tracking radar utilizes the Doppler Effect for speed determination. If an electromagnetic wave is emitted at a moving object, then the wave is reflected back from the moving object. The frequency of the wave received back by the radar shifts based on the speed of the moving object and its direction of travel. The tracking radar continuously determines this frequency shift of each object to calculate the object's speed. The tracking radar consists of two receiving antennas integrated into a single radar sensor. This configuration allows the radar to measure the distance and angle of the vehicle relative to the position of the radar sensor. Illustration A and B show the measurement principle in simplified form. The radar sensor emits a radar beam (illustration A). The radar sensor evaluates the return frequency, as well as the phase difference of the reflected radar beam from both of the receivers. With the aid of these values the radar sensor calculates the vehicle position.



Prior to operation each day, the system performs a system self-test. This self-test performs an electronic tuning fork test to produce a specific frequency and returns an associated speed value. Only if the return value meets the acceptance criteria to show that the system is operating correctly will the system enter measure mode. Unless a self-test is successful, the system will not enter measure mode and no violations will be captured. Additional information stored as metadata within each image includes coordinates of the vehicle position at the time of capture. This information is extracted and utilized through a secondary speed verification process to provide yet another means to validate offender speed and position based on the two images obtained and image analytics. In addition to the internal system checks and the manufacturer calibration certification, the 3D radar system is subject to routine and independent calibration check of the speeds produced by the system at least annually by a qualified technician.

Each day the computer which controls the fixed speed safety camera system is rebooted. The reboot is initiated each day and each time the computer is rebooted an internal check is performed on all operations of

each fixed speed safety camera system, including the clocks, sensors, camera and speed calculating hardware and software, in order to verify that all operations are functioning correctly. When the internal check detects a problem with one of the operations on a given fixed speed safety camera system, then that particular fixed speed safety camera system is inactivated and a request for service is relayed to ATS support personnel. This means that violations cannot be issued until any internal problem is fixed.

Speed validation tests are regularly performed on each installed and operable AutoPatrol 3D radar fixed speed safety camera system. The test is conducted by having a LIDAR Operator obtain true measurements of up to five vehicles per lane in the ascending and/or descending direction. The speed of the vehicle is captured by the LIDAR Operator and then relayed via cellular to an ATS Technician. The ATS Technician then compares the vehicle speed measured by the AutoPatrol 3D radar fixed speed safety camera system to the speed measured by the LIDAR Operator to ensure the accuracy of the AutoPatrol 3D radar fixed speed safety camera system. ATS maintains the results of each test in a Validation Report. The speed validation for each system was performed on the following date and the systems at each location were found to be in proper working order:

Location Code	Location Description	Date of Test
KRKF001	NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	1/29/2024
KRKF002	SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	1/29/2024
KRKF003	EB 80TH ST @ ROSE HILL ELEMENTARY	1/29/2024
KRKF004	WB 80TH ST @ ROSE HILL ELEMENTARY	1/29/2024
KRKF005	SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL	1/29/2024
KRKF006	WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL	1/29/2024
KRKF007	NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	disabled
KRKF008	SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	1/29/2024

Preventative maintenance, including visual inspections, is regularly performed on the AutoPatrol 3D radar fixed speed safety camera systems. Preventative maintenance activities include: cleaning of the cameras and housing, general site inspection of environment and road conditions, inspection of poles, bases and enclosures, and inspection of system cables and connections. The location and date that preventative maintenance is performed is recorded in the Preventative Maintenance Log, which along with the Validation Report(s) referenced above, is attached hereto.

I am a custodian, or otherwise qualified witness, as to the attached records. I make this declaration based on personal knowledge, and if called and sworn as a witness, I could and would testify as set forth in the following paragraph.

Attached as Exhibits are: Exhibit A - Speed Validation Reports, Exhibit B - Preventative Maintenance Logs, and Exhibit C - Annual System Verification Certificate for all AutoPatrol 3D radar fixed speed safety camera systems installed and used by the City of Kirkland. All documents and materials included as Exhibit A, Exhibit B and Exhibit C are authentic and are what they purport to be, and accurately describe the matters set forth therein. All such records are business records in that they are: (1) records kept in the ordinary course of business; (2) created at or near the time of the transactions or events reflected therein by, or based on information from, a person with knowledge of the transaction or events; and (3) kept as part of a regular business activity.

Based upon my education, training, experience, and knowledge of the AutoPatrol 3D radar fixed speed safety camera system, it is my opinion that the system is so designed and constructed as to accurately employ measurement techniques based on a division of distance over time in such a manner that it will give accurate measurements of the speed of motor vehicles.

I, Lesieli Casale, certify (or declare) under penalty of perjury under the laws of the State of Washington that the foregoing is true and correct.

Dated this 8th day of February 2024 in Mesa, Arizona

Lesieli Casale

Lesieli Casale, Speed Validation Technician



## Speed Validation Report Client: Kirkland, WA

#### Validation Date: January 29, 2024

- KRKF001 NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE
  - Radar Serial Number: 590-112/61693
- KRKF002 SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE
  - o Radar Serial Number: 590-113/61513
- KRKF003 EB 80TH ST @ ROSE HILL ELEMENTARY
  - o Radar Serial Number: 590-113/64095
- KRKF004 WB 80TH ST @ ROSE HILL ELEMENTARY
  - o Radar Serial Number: 590-113/ 66135
- KRKF005 SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL
  - o Radar Serial Number: 590-113/68392
- KRKF006 WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL
  - o Radar Serial Number: 590-113/68391
- KRKF008 SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES
  - o Radar Serial Number: 590-113/68429

## Skipped

- KRKF007 NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES
  - o Radar Serial Number: 590-113/68421

Equipment: Pro-Lite Plus Hand held Lidar Serial Number: LP05509 Certification Date: October 27, 2023 Lidar Operator: Charles Goodrich RLC Operator: Catherine Koselka-Thompson

> THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44

FILED FEB 1 4 2024

MUNICIPAL COURT



A speed validation test was conducted for the sites listed above. The Lidar Operator, obtained true measurements of five vehicles per lane in the ascending and/or descending direction. Those speeds were obtained using a Kustom Signals Pro-Lite+ hand held Lidar instrument. The speed of the vehicle is captured by the Lidar Operator and then relayed via cellular to the RLC Technician. The RLC Technician is monitoring the vehicle speed at the Fixed Speed Camera system simultaneously to ensure the accuracy of the system. The speed validation tests performed on the above-listed dates confirmed the accuracy of the Fixed Speed Camera systems at each location.

I, Lesieli Casale, certify that the information contained in this report is true and accurate.

Lesieli Casale

Signed: \_\_\_\_\_ Date: February 8, 2024 Mesa, Arizona American Traffic Solutions Speed Integrity Team



ſ

Certificate of A	chievement
Speed Integrity Has successfully completed the 16 h Speed Integrity Technic	our course for
This course encompasses all the necessary tasks required to pe Technician. Through this course each participant is required to di written and practical examinations. In addition, this course certifie	splay the proper competency through
Presented to: Charles Goodrich	
This Day: March 29, 2016	+ K
ATS American Traffic Solutions	Matthew Giola Police Traffic Laser/Radar Instructor
RDLD Centricule of Achievement, 91.0 American Traffic Solutions, Inc., 7681 East Gray P	knad, Scottedale, AZ 85260 Centroline # RDLD-0813-CHI-01

Certificate of A	chievement
Speed Integrity 3 Has successfully completed the course to	
This course encompasses all the necessary tasks required to pe Through this course each participant is required to display the p Technology. In addition, this course certifies each participants as	roper competencies in Radar and Laser
Presented to: Catherine Koselka	
This Day: August 21st, 2019	Tyle Yol
American Traffic Solutions	Tylor Yochim Radar Instructor
RDLD Certificate of Achievement V1.0 American Traffic Solutions, Inc., 7681 East Gray F	Road, Scottsdale, AZ 85260 Certificate # VCC-0821-AZ-02



Factory Aut	5	PB Electronic: W Peaceful Ct., Shepher 02 543-7032 <u>www.pbe</u> libration Center for Stall	dsville, KY 4 lectronics.com	n
		Certificate of Ca	ibration	
		-		
peration under my	this Speed supervision		checked for a	accurately within +/- 0.5 mph
hereby certify that peration under my stationary mode t he laser transmitte	this Speed supervision using equipr er of this dev hed by the f	Measuring Device has been This Speed Measuring Device has been ment traceable to National line vice has been tested and for Federal Communications Co	checked for an evice is certified institute of Stand and to be within ommission and	couracy and correctness of d accurately within +/- 0.5 mph dards and technology.



VERRA MOBILITY
SELF-ACCURACY TEST Kustom Signals Pro-Lite+ Lidar Speed Measurement Tool
DATE: January 29, 2024
Start of shift "Self-Diagnostic test" time:11:51 AM
Start of shift Distance check:100'lidar
End of shift "Self-Diagnostic test" time:1:06 PM
End of shift Distance check:100'
City and State:Kirkland, WA
Lidar Serial Number:LP05509
Certification Date:October 27th, 2023
OPERATOR:Charles Goodrich
I, <i>Charles Goodrich</i> , certify that the Kustom Signals Pro-Lite+ Lidar speed measurement device was setup, tested, and operated in accordance with the manufactures specifications to include its self- diagnostic check.
Further, I certified that the self-check distance was completed and accurate.
Signature: Com Marchan Date: January 29, 2024





Date			1/29/2024			
Time			12:24 PM			
Site ID			KRKF001			
Location			Kirkland, WA			
			NB 132ND AVE N	NE @ MUIR EI	LEMENTARY/KAMIAKIN	
Address				MIDDL	E	
Posted Spee	d Limit	and the second		20MPH	4	
Trigger Spee	d Limit			26MPH	1	
Speed Type				Schoo	bl	
Lidar Technic	cian			Charles Go	odrich	
AutoPatrol Te	echnician		Catherine Thompson			
Lidar Serial N	lumber		LP05509			
Radar Serial	Number		590-112/61693			
Detection Ty	pe		Autopatrol-Radar			
Measure Mod	le Capture		Yes			
Photo enforc	ement signs	s present		Yes		
Pass/ Fail			Pass			
Ascending o	r Descendin	g	Descending			
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments	
1	12.24.24	24	24	0		
1	12.25.09	18	18	0		
1	12.25.14	16	17	1		
1	12.25.40	21	21	0		
1	12.25.53	18	17	-1		





		opeed rai		onoor	
Date			1/29/2024		
Time			12:22 PM		
Site ID				KRKF0	02
Location			Kirkland, WA		
			SB 132ND AVE N	NE @ MUIR EI	_EMENTARY/KAMIAKIN
Address				MIDDL	E
Posted Spee	d Limit			20MP	ł
Trigger Spee	d Limit			26MPH	1
Speed Type				Schoo	
Lidar Technic	cian			Charles Go	odrich
AutoPatrol Te	echnician		Catherine Thompson		
Lidar Serial N	lumber		LP05509		
Radar Serial	Number		590-113/61513		
Detection Ty	pe	N_MERCE SERVICE	Autopatrol-Radar		
Measure Mod	le Capture	MARCH MARCH	Yes		
Photo enforc	ement signs	s present			
Pass/ Fail				Pass	
Ascending of	r Descendin	g	Descending		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments
1	12.22.11	24	24	0	
1	12.22.14	24	25	1	
1	12.22.17	25	26	1	
1	12.22.55	23	22	-1	
1	12.23.05	22	21	-1	





Date			1/29/2024		
Time			12:37 PM		
Site ID	No.		KRKF003		
Location			Kirkland, WA EB 80TH ST @ ROSE HILL ELEMENTARY		
Address					
Posted Spee	d Limit			20MPH	
Trigger Spee	d Limit			26MPH	4
Speed Type				Schoo	bl
Lidar Techni	cian			Charles Go	odrich
AutoPatrol To	echnician		C	Catherine Th	ompson
Lidar Serial N	lumber			LP0550	)9
Radar Serial	Number			590-113/6	4095
Detection Ty	ре			Autopatrol-	Radar
Measure Mod	le Capture			Yes	
Photo enforc	ement signs	s present		Yes	
Pass/ Fail			Pass		
Ascending o	r Descendin	g	Descending		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments
1	12.37.24	21	20	-1	
1	12.38.43	25	25	0	
1	12.40.55	29	28	-1	
1	12.41.42	26	25	-1	
1	12.41.45	26	26	0	





		opeed vall				
Date			1/29/2024			
Time			12:42 PM			
Site ID			KRKF004			
Location			Kirkland, WA			
Address			WB 80TH S	T @ ROSE H	ILL ELEMENTARY	
Posted Spee	d Limit			20MPH	1	
Trigger Spee	d Limit			26MPH	1	
Speed Type				Schoo	l	
Lidar Technic	cian			Charles Go	odrich	
AutoPatrol Te	echnician		(	Catherine The	ompson	
Lidar Serial N	lumber			LP0550	)9	
Radar Serial	Number			590-113/6	6135	
Detection Ty	pe			Autopatrol-	Radar	
Measure Mod	le Capture			Yes		
Photo enforc	ement signs	s present		Yes		
Pass/ Fail				Pass		
Ascending of	r Descendin	g		Descend	ling	
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments	
1	12.42.53	25	25	0		
1	12.44.26	21	21	0		
1	12.44.33	23	24	1		
1	12.45.34	21	20	-1		
1	12.45.56	21	21	0		





Date			1/29/2024			
Time	Sug and		1:00 PM			
Site ID			KRKF005			
Location				Kirkland	I, WA	
Address			SB 724 STATE S	ST @ LAKEVIE	WELEMENTARY SCHOOL	
Posted Spee	d Limit			20MF	Ч	
Trigger Spee	d Limit			26MF	Ч	
Speed Type				Scho	ol	
Lidar Techni	cian			Charles G	oodrich	
AutoPatrol T	echnician	Care Manager		Catherine T	nompson	
Lidar Serial N	lumber			LP05	509	
Radar Serial	Number		590-113/68392			
Detection Ty	ре		Autopatrol-Radar			
Measure Mode Capture				Yes	6	
Photo enforce	to enforcement signs present			Yes	3	
Pass/Fail			Pass			
Ascending or Descending				Descen	ding	
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments	
1	01.00.25	30	31	1		
1	01.00.29	27	27	0		
1	01.01.03	34	35	1		
1	01.01.24	31	31	0		
1	01.01.26	33	33	0		





		opeca van				
Date			1/29/2024			
Time			12:56 PM			
Site ID			KRKF006			
Location				Kirkland,	WA	
Address			WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL			
Posted Spee	d Limit			20MP	4	
Trigger Spee				26MPI	4	
Speed Type				Schoo	bl	
Lidar Technie	cian			Charles Go	odrich	
AutoPatrol To	echnician		C	atherine Th	ompson	
Lidar Serial N	lumber		LP05509			
Radar Serial	Number		590-113/68391			
Detection Ty	ре	A Star Star	Autopatrol-Radar			
Measure Mod	le Capture		Yes			
Photo enforc	ement signs	s present		Yes		
Pass/ Fail			Pass			
Ascending o	r Descendin	g		Descend	ling	
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments	
1	12.56.30	30	30	0		
1	12.56.40	21	22	1		
1	12.57.01	19	20	1		
1	12.57.04	20	21	1		
1	12.57.10	24	25	1		





	AND REAL PROPERTY AND REAL PROPERTY.						
Date				1/29/20	24		
Time			11:56 AM				
Site ID				KRKF0	08		
Location				Kirkland,	, WA		
Address			SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILI MS / THOREAU ES				
Posted Spee	d Limit			20MPI	Н		
Trigger Spee	d Limit			26MPI	Н		
Speed Type				Schoo	bl		
Lidar Technie	cian			Charles Go	odrich		
AutoPatrol To	echnician		Catherine Thompson				
Lidar Serial N	lumber		LP05509				
Radar Serial	Radar Serial Number			590-113/68429			
Detection Ty	pe		Autopatrol-Radar				
Measure Mod	le Capture		Yes				
Photo enforc	and the second se	s present	Yes				
Pass/ Fail			Pass				
Ascending o	r Descendin	g	Descending		ling		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments		
1	11.56.45	34	35	1			
1	11.57.27	24	24	0			
1	11.58.49	27	28	1			
1	11.59.21	28	28	0			
1	12.00.47	36	37	1	NEWSTREE - CARLINE		



Report No.: 1910-071EA-223

Revision:

N/C

## Radar Sensor Calibration Verification Certificate of Calibration

Model: RRS24F-ST3

FILED

FEB 1 4 2024

Part Number / Serial Number: 590-113/68391 Ex. 590-XXX / 6XXXX

KIRKLAND MUNICIPAL COURT

Description: **Radar Characteristics Validation** In compliance with: RRS24F-ST3 Radar Sensor Calibration Verification Procedure Documentation (5030-0150)

> Date of Issue: July 11, 2023

Owner of EUT:

Verra Mobility 1150 N. Alma School Rd Mesa, AZ 85201

Attention of:

**Engineering Department** Phone: (480) 443-7000

Test Facility				
Test Laboratory	Keystone Compliance, LLC			
Address	131 North Columbus Innerbelt			
City, State, Zip Code	New Castle, PA 16101			
Phone	(724) 657-9940			
Email	emcteam@keystonecompliance.com			
Web Site	www.keystonecompliance.com			

Test Personnel				
Name	Camren Morgan			
Title	EMC Test Engineer			
Signature	Enn my			

CONTROLLED DATA Properietary and Confidential Page 15



Report No .: 1910-071EA-223

Revision:

N/C

#### Radar Sensor Calibration Verification Certificate of Calibration

#### Model: RRS24F-ST3

### Part Number / Serial Number: 590-113/68391 Ex. 590-XXX / 6XXXX

Date of Issue: July 11, 2023

The frequency measurements performed and recorded within this report demonstrate that the JENOPTIK RR24F-ST3 radar has an accuracy of less than or equal to 0.62 mph in the range of 6.21 mph to 62.14 mph and an accuracy of 0.62 mph to 1.86 mph in the range of 62.14 mph to 186.41 mph. This is equal to or better than +/- 1 mph accuracy up to 100 mph, as specified by the manufacturer.

FSK Frequency Set 1						
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results	
$f_0 = 24.08$	24.078275	15.0058307	-1.72	+/- 48.2	PASS	
f <sub>1</sub> = 24.08725	24.08575	15.8904414	-1.50	+/- 48.2	PASS	
$f_2 = 24.089$	24.087376	17.3990754	-1.62	+/- 48.2	PASS	
$f_3 = 24.09$	24.088351	17.750434	-1.65	+/- 48.2	PASS	

FSK Frequency Set 2						
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results	
$f_0 = 24.12$	24.118249	16.5232451	-1.75	+/- 48.2	PASS	
f <sub>1</sub> = 24.12725	24.125401	16.2448575	-1.85	+/- 48.2	PASS	
$f_2 = 24.129$	24.127025	17.4124875	-1.98	+/- 48.2	PASS	
$f_3 = 24.13$	24.128326	17.7438484	-1.67	+/- 48.2	PASS	

FSK Frequency Set 3						
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results	
f <sub>o</sub> = 24.16	24.158226	16.7786356	-1.77	+/- 48.2	PASS	
f <sub>1</sub> = 24.16725	24.165376	17.2772437	-1.87	+/- 48.2	PASS	
f <sub>2</sub> = 24.169	24.167	18.6498746	-2.00	+/- 48.2	PASS	
f <sub>3</sub> = 24.17	24.168301	18.891231	-1.70	+/- 48.2	PASS	

CONTROLLED DATA Properietary and Confidential Page 16



Report No .: 1910-071EA-223

Revision:

N/C

## Radar Sensor Calibration Verification Certificate of Calibration

Model: RRS24F-ST3

FILED

FEB 1 4 2024

KIRKLAND MUNICIPAL COURT

Part Number / Serial Number: 590-113/68392 Ex. 590-XXX / 6XXXX

Description: **Radar Characteristics Validation** In compliance with: RRS24F-ST3 Radar Sensor Calibration Verification Procedure Documentation (5030-0150)

> Date of Issue: July 11, 2023

**Owner of EUT:** 

Verra Mobility 1150 N. Alma School Rd Mesa, AZ 85201

Attention of:

**Engineering Department** Phone: (480) 443-7000

Test Facility				
Test Laboratory	Keystone Compliance, LLC			
Address	131 North Columbus Innerbelt			
City, State, Zip Code	New Castle, PA 16101			
Phone	(724) 657-9940			
Email	emcteam@keystonecompliance.com			
Web Site	www.keystonecompliance.com			

Test Personnel				
Name	Camren Morgan			
Title	EMC Test Engineer			
Signature	enn my			

CONTROLLED DATA Properietary and Confidential Page 15



Report No.: 1910-071EA-223

Revision: N/C

### Radar Sensor Calibration Verification Certificate of Calibration

#### Model: RRS24F-ST3

### Part Number / Serial Number: 590-113/68392 Ex. 590-XXX / 6XXXX

Date of Issue: July 11, 2023

The frequency measurements performed and recorded within this report demonstrate that the JENOPTIK RR24F-ST3 radar has an accuracy of less than or equal to 0.62 mph in the range of 6.21 mph to 62.14 mph and an accuracy of 0.62 mph to 1.86 mph in the range of 62.14 mph to 186.41 mph. This is equal to or better than +/- 1 mph accuracy up to 100 mph, as specified by the manufacturer.

FSK Frequency Set 1						
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results	
$f_0 = 24.08$	24.078275	2.66783365	-1.72	+/- 48.2	PASS	
$f_1 = 24.08725$	24.085424	2.4324414	-1.83	+/- 48.2	PASS	
$f_2 = 24.089$	24.087376	3.96707643	-1.62	+/- 48.2	PASS	
$f_3 = 24.09$	24.088351	4.290435	-1.65	+/- 48.2	PASS	

FSK Frequency Set 2						
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results	
f <sub>o</sub> = 24.12	24.118901	6.15425007	-1.10	+/- 48.2	PASS	
$f_1 = 24.12725$	24.12605	5.20085849	-1.20	+/- 48.2	PASS	
$f_2 = 24.129$	24.128	5.95248847	-1.00	+/- 48.2	PASS	
f <sub>3</sub> = 24.13	24.128975	6.01584444	-1.02	+/- 48.2	PASS	

FSK Frequency Set 3					
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results
$f_0 = 24.16$	24.158876	4.6666356	-1.12	+/- 48.2	PASS
$f_1 = 24.16725$	24.166025	5.54624869	-1.22	+/- 48.2	PASS
f <sub>2</sub> = 24.169	24.167975	6.85487563	-1.03	+/- 48.2	PASS
$f_3 = 24.17$	24.16895	7.18723601	-1.05	+/- 48.2	PASS

CONTROLLED DATA Properietary and Confidential Page 16



L 4 5	MUNICIPAL COURT				
VERRA MOBILITY					
Date & Time: 01/17/2024 8:50:00 Site ID: KRKF005	Location: SB 724 STATE ST	@ LAKEVIEW ELEMENTARY SCHOOL			
Product: AutoPatrol Technician Name: Thomas	fuen	See Associated Ticket:			
Item	Status	Note/Action (If Status N/A, please specify)			
1. Clean dirt, grime, and graffiti off enclosure and glass.					
1.1. Clean Graffiti.	N/A				
Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.					
1.2. Clean Glass:	Pass				
Clean and inspect all glass and enclosures.					
1.3. Clean Enclosure (Interior):	N/A				
Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.					
1.4. Check Enclosure:	N/A				
If enclosure moved during cleaning, tighten base.					
2. Perform a general site inspection to include environmental and road conditions.					
2.1. PLP/Loop Loop:					
Check for exposed or cut loop wiring, and epoxy wear and tear.					
2.2. Power & Grounding:	N/A				
Inspect all power and grounding connections.					
2.3. Radar:	N/A				
Inspect radar and cables. Visually inspect antenna.		A			
2.4. WVDs:					
Check for popped out pucks, visible cracks, or other noticeable damage.					
3. Inspect poles, bases, and enclosures.					

3.1. Pole: Check sturdiness. Check hurricane collar and confirm screws are tight.	N/A
3.2. Base: Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.	N/A
3.3. Enclosure: Confirm straps are tight and secure against pole. Tighten if loose.	N/A
4. Inspect cables and connections.	
4.1. Cables: Check all cables for visible wear or damage.	N/A
4.2. Connections: Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.	N/A

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.



5.2. Pole:



5.1. Enclosure:

5.3. Photo Enforcement Sign(s):





VERRA V A VERRA MOBILITY		PREVENTIVE MAINTENANCE CHEC		KIRKLAND UNICIPAL COURT
Date & Time: 01/17/2024 8:46:00 Product: AutoPatrol	Site ID: KRKF006	Location: WB 10600 NE 68TH ST @ LAKEVIEW ELEMI Technician Name: Thomas Yuen See	ENTARY SCHOOL e Associated Tick	
				1000

Item	Status	Note/Action (If Status N/A, please specify)
1. Clean dirt, grime, and graffiti off enclosure and glass.		
1.1. Clean Graffiti.	N/A	
Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.		
1.2. Clean Glass:	Pass	
Clean and inspect all glass and enclosures.		
1.3. Clean Enclosure (Interior):	N/A	
Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.		
1.4. Check Enclosure:	N/A	
If enclosure moved during cleaning, tighten base.		
2. Perform a general site inspection to include environmental and road conditions.		
2.1. PLP/Loop Loop:		
Check for exposed or cut loop wiring, and epoxy wear and tear.		
2.2. Power & Grounding:	N/A	
Inspect all power and grounding connections.		
2.3. Radar:	N/A	
Inspect radar and cables. Visually inspect antenna.		
2.4. WVDs:		
Check for popped out pucks, visible cracks, or other noticeable damage.		
3. Inspect poles, bases, and enclosures.		

	-	
3.1. Pole:	N/A	
Check sturdiness. Check hurricane collar and confirm screws are tight.		
3.2. Base:	N/A	
Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.		
3.3. Enclosure:	N/A	
Confirm straps are tight and secure against pole. Tighten if loose.		
	a single	
4. Inspect cables and connections.	Charles and the second second	
4.1. Cables:	N/A	
Check all cables for visible wear or damage.		
4.2. Connections:	N/A	
Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.		

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.



5.2. Pole:



5.1. Enclosure:

5.3. Photo Enforcement Sign(s):

