

## **CITY OF KIRKLAND**

123 FIFTH AVENUE • KIRKLAND, WASHINGTON 98033-6189 • (425) 587-3800

---

### **DEPARTMENT OF PUBLIC WORKS**

## **Pre-Approved Plan and Policies: 2024 List of Changes**

### **General**

#### **Index and Policy (1 Change)**

- 1 Revise Policy G-9 - added clarification on garbage requirements for different housing types, defined single family and multifamily service styles, added information on service requirements.

#### **Plans (0 Changes)**

### **Water System**

#### **Index and Policy (2 Changes)**

- 1 Revise Water Index and Notes
- 2 Revise Policy CK W-3 – Removed - "THIS POLICY WAS REMOVED IN NOVEMBER 2023. A FUTURE WATER POLICY WILL TAKE THE PLACE OF THIS."

#### **Plans (1 Change)**

- 1 Revise Plan CK-W.33 Revise – Add blow off assembly on plan and added note 16.

### **Sanitary Sewer**

#### **Index and Policy (0 Changes)**

#### **Plans (0 Changes)**

### **Storm Drainage**

#### **Index and Policy (6 Changes)**

- 1 Revise Policy D-2 Added Drainage Plan requirement to Basic Drainage Review
- 2 Revise Policy D-8 Remove blow count language
- 3 Revise Policy D-9 The pump system shall be connected to a natural gas generator system. For all other alternatives, such as battery powered systems, may be proposed for review as a stormwater adjustment (see Policy D-11). A minimum of 48 hours of backup power is required onsite. Show the location of the generator pad on the site plan (the Planning Department must approve the location).

- 4 Revise Policy D-10 Added to terminology section, clarified offsite analysis requirements and when basic dispersion is permitted, and other minor changes.
- 5 Revise Policy D-15 Revised NGRC requirements. Updated cost/maintenance fee
- 6 Revise Policy D-16 Added item d. "Cement treatment is not allowed within any utility trenching."

**Plans (3 Changes)**

- 1 Revise Plan D-32 – Added note # 4 – "Corrugated metal manhole only allowed to be used to access proposed detention tank facilities."
- 2 Revise Plan D-34 – Revised separation requirement from inlet to tank
- 3 Revise Plan D-35 – Revised grate pattern.

**LID Storm**

**Index and Policy (0 Changes)**

**Plans (1 Change)**

- 1 Revise Plan L.09 Permeable paver detail – change to angular clean rock size

**Roadway**

**Index and Policy (6 Changes)**

- 1 Revise Roadway Index and Notes.
- 2 Revise Policy R-1 – Added grasscrete as an approved pavement material
- 3 Revise Policy R-13 Intersection Sight Distance: Made changes to align with AASHTO for the sight distance triangles. Clarified when setback reductions may be made. Clarified parking lane measurement.
- 4 Revise Policy R-24 RRFB Installation Policy: removed component list, added notes to clarify which equipment is to be used and where.
- 5 Revise Policy R-29 Guidelines for Temporary Traffic Control Plan: Clarified UPO requirements. Added night work requirements.
- 6 Revise Policy R-30 Street Light Installation Policy: Added street light petition 3 for upgrading from HPS to LED.

**Plans (8 Changes)**

- 1 Revise Plan CK-R.35B - Revise title to add the words "on-street".
- 2 **DELETE Plan** CK-R-37 – please delete this detail, we don't want new installations of this type.
- 3 Revise Plan CK-R.43 - Add note #4 for anti-graffiti coating requirement.
- 4 Revise Plan CK-R.44 - Minor text changes to notes, add note #2 for anti-graffiti coating requirement.
- 5 Revise Plan CK-R.47A - Revise title to add the words "Pedestrian Light". Change diameter from 18" to 24" as shown on redline revision.
- 6 Revise Plan CK-R.47B - Add new notes and revise existing notes as shown in redline revision PDF.
- 7 Revise Plan CK- R-51A – revise notes as shown on redline revisions.
- 8 Revise Plan CK-R.67B - Change "edge of pavement" to "edge of traveled way" in two places as shown in the redline revision PDF.

## **Erosion Control**

**Index and Policy (0 Changes)**

**Plans (0 Changes)**

## **Traffic Signal**

**Index and Policy (0 Changes)**

**Plans (0 Changes)**