



2016 annual waterQuality report

THE CITY OF KIRKLAND, WA · MAY 2016

Your
Drinking
Water Is
Safe!

As your Water Division, we are pleased to take this opportunity to inform you about your drinking water. We are here to ensure that you receive safe drinking water every time you turn on the tap. Ongoing testing in 2015 showed that your drinking water met or exceeded all state and federal drinking water standards. In compliance with the federal Safe Drinking Water Act and Washington State Department of Health requirements, we are sending this annual report, including testing results from 2015, to every water customer Kirkland serves. You have a right to know what is in your drinking water and where it comes from. In this report, you will find news about water sources, quality, and programs and projects intended to help you make well-educated decisions regarding the water you drink and to encourage you to consider the challenges of delivering safe drinking water. An extensive amount of information is provided in this report. We hope we have presented it in a user-friendly format, and that the topics are of interest to you. Please contact us if you would like help understanding the information provided, would like more information about your drinking water, or have suggestions for future reports. Our contact information is located at the end of this report. Definitions of terms used can be found beneath the table on page 5.



Councilmember, Penny Sweet




Councilmember, Doreen Marchione

Cascade Water Alliance

The City of Kirkland is a member of the Cascade Water Alliance (Cascade) along with Bellevue, Issaquah, Redmond, Sammamish Plateau Water and Sewer District, Skyway Water and Sewer District, and Tukwila. Cascade provides its members with safe, clean and reliable water in a cost effective and environmentally responsible manner. Cascade was formed in 1999 to provide you with water today... and tomorrow. Each member has a voice in determining its own community's future by ensuring the availability of water. City of Kirkland Councilmembers Penny Sweet and Doreen Marchione represent Kirkland on the Cascade board. As an organization, Cascade also works closely with all water providers in the Central Puget Sound region ensuring every drop of available water is used BEFORE another drop is developed. For more information, visit www.cascadewater.org.

As a member of Cascade, Kirkland purchases its water from Seattle Public Utilities (SPU). The water is then distributed to Kirkland residents through Kirkland's water distribution system. SPU performs most of the sampling and treatment for Kirkland's drinking water. The Kirkland Water Division operates and maintains the system's water distribution lines, pump stations and storage reservoirs. ("Kirkland" and "SPU" will both be used in this report when referring to the water supply.)



Our Water Sources



Tolt Reservoir - photo courtesy of Seattle Public Utilities

Two watersheds, the South Fork Tolt River Watershed (13,390 acres) and the Cedar River Watershed (90,495 acres), supply all of Kirkland's water. These two surface water sources are located in remote, uninhabited areas of the Cascade Mountains. To protect the quality of our water SPU enforces an aggressive watershed protection plan. Kirkland's water usually comes from the Tolt River Watershed. On rare occasions, such as during summers with high water demands and low precipitation, the Tolt water is supplemented with water from the Cedar River Watershed. In 2015, Kirkland did not receive water from the Cedar River Watershed.

The Washington State Department of Health (DOH) conducted a source water assessment to determine potential contaminant sources and has determined that all surface water systems are considered highly susceptible to contamination. You can access the full report on Washington's Source Water Assessment Program (SWAP) at the Department of Health's website: www.doh.wa.gov/ehp/dw. Scroll down and click on Source Water Assessment.

Capital Improvement Program (CIP)

The City of Kirkland is constantly reviewing system hydraulics and statistics to determine long-term budgeting for replacement of old piping and to increase water capacity throughout the system. As an example, the City of Kirkland has a comprehensive meter change out program. This program is scheduled to replace an average of 10% of the City's water meters each year, based on the meter's age and usage. In addition, the City's Water System Comprehensive Plan, which includes capital improvement projects to replace aging and undersized water main pipes, fire hydrants, services and valves, has been finalized, with projects identified through the year 2020. In 2015, the City replaced or repaired 36 substandard fire hydrants and responded to 116 service requests to investigate "leaks" on the customer's side of the water meter. As part of our efforts on leak detection, in 2015, approximately 3,296 lineal feet of asbestos-cement water main was replaced with ductile iron pipe as well as valves, hydrants, and services. These projects are an integral piece of Kirkland's long-standing commitment to customer satisfaction and service. For the most up-to-date CIP information, please visit our web page at www.kirklandwa.gov or contact the Water Division at (425) 587-3910.



Water Quality Monitoring

SPU staff monitors water quality in the source water, treatment processes, and distribution system 365 days a year. Various compounds are monitored at specific frequencies (continuously, daily, monthly, quarterly, or annually) and locations (prior to treatment, entering the distribution system, and throughout the distribution system) in accordance with federal and state regulations. Many of these tests confirm the absence of various contaminants. Water quality monitoring conducted between January 1 and December 31, 2015 confirmed that there were no contaminants at or above established levels of concern for the general public. Please refer to the data tables in this report for more detailed information on water quality monitoring results.

The table titled 'Water Quality Monitoring Results' lists the contaminants detected in 2015 together with their concentrations and possible sources. The following paragraphs describe the significance of a few of these contaminants. Some tests are not required every year; for these tests, the concentrations listed are the results of the most recent testing. If you would like a copy of the list of contaminants that are monitored but were not detected in Kirkland's water, please call (425) 587-3910



Information on the Potential for Health Concerns Relating to Drinking Water

The sources of all drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and can pick up substances resulting from the presence of animals or human activity.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA's) Safe Drinking Water Hotline (800) 426-4791, or from EPA's Office of Ground Water and Drinking Water web site at www.epa.gov/your-drinking-water/safe-drinking-water-hotline.

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated constituents, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect. Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk

for infections. These people should seek advice about drinking water from their health care providers. EPA/CDC (Environmental Protection Agency/Center for Disease Control) guidelines on appropriate ways to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (800) 426-4791, and on EPA's web site.

In Kirkland's water supplies, these potential contaminants and their sources include:

POTENTIAL CONTAMINANT	SOURCE
Microbial	Viruses and bacteria from wildlife
Inorganic	Salts and metals which are naturally occurring
Pesticides and herbicides	Agriculture, urban stormwater runoff, residential
Organic	By-products of disinfection processes
Radioactive	Naturally occurring

To ensure that tap water is safe to drink, EPA adopts regulations setting the water quality standards for public water systems. The federal Food and Drug Administration regulates contaminants in bottled water and is responsible for providing the same level of public health protection.

Residential Tap Monitoring for Lead and Copper

Our source waters do NOT contain lead or copper. However, lead and copper can leach into residential water from building plumbing systems containing copper plumbing, lead-based solder, brass fixtures, or some types of zinc coatings used on galvanized pipes and fittings (individual water services, not water mains). Homes built or plumbed with copper pipe prior to the 1985 King County lead solder ban would have likely used lead-based solder, and are considered "high risk" under EPA's criteria. Brass fixtures, regardless of age, generally contain some lead. Metals can leach into building plumbing systems when the water is stagnant in the pipes for extended periods of time (six hours or greater).

By regulation, lead and copper monitoring is conducted at "high risk" homes. Samples are collected from these homes after the water is allowed to stand in the pipes overnight. We are required to report the "90th percentile" result of the testing. This means that 90 percent of the high-risk homes have concentrations less than the reported value and 10 percent have concentrations higher than the reported value. Lead and copper monitoring was conducted most recently in 2014 and were both at or below the action levels. The next sampling round will be in 2017. Compliance is determined on a regional basis.

LEAD AND COPPER MONITORING RESULTS (TOLT)

City of Kirkland – Tolt Water					
Parameter & Units	MCLG	Action Level+	2014 Results*	# homes exceeding action level	Source
Lead, ppb	0	15	2.9	0 of 50	Corrosion of household plumbing systems
Copper, ppm	1.3	1.3	0.16	0 of 50	

*90th Percentile: i.e. 90 percent of the samples were less than the values shown.
 +The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead levels in your home's water, you may wish to have your water tested and flush your tap for 30 seconds to 2 minutes before using tap water. Additional information is available from the Safe Drinking Water Hotline (800) 426-4791.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Kirkland is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/your-drinking-water/safe-drinking-water-hotline.



SPU monitors several parameters in the interest of our customers. The following table lists the water quality information most frequently requested.

PARAMETER & UNITS	TOLT SUPPLY
Alkalinity, Total (as CaCO ₃), ppm	19.1
Calcium, (as CaCO ₃), ppm	24.7
Hardness, (as CaCO ₃), ppm	26.2
Hardness, (as CaCO ₃), grains/gal.	1.5
Iron, ppb	36.8
Manganese, ppb	1.16
pH, range (January–December 2013, 10-90th percentile)	8.11-8.45
Potassium, ppm	112
Sodium, ppm	875
Sulfate, ppm	1.56
Temperature, 2015 annual range, C°	6.0-26.0

Note: abbreviation definitions available on page 7

Water Treatment

The Tolt and Cedar water supplies are disinfected with chlorine, which destroys Giardia, bacteria, and viruses that may be present in the source water. Because our waters are naturally very soft, minerals (calcium oxide and sodium carbonate) are added to help inhibit corrosion in building plumbing systems. In accordance with a Seattle public vote held in November 1968, SPU also adds fluoride to the drinking water at appropriate levels to prevent tooth decay.

The Tolt supply is treated at a filtration and ozonation facility. Tolt filtration improves water quality to a level beyond what is required by current standards as well as satisfying increases in standards proposed for the future. It also allows the reservoir to be operated in all weather conditions (certain conditions used to render the river too muddy to be used at times) and produces additional water supply from the Tolt reservoir. The Cedar Treatment Facility is the largest facility in the United States to use ultra-violet light technology to disinfect drinking water. Details about SPU's planned capital improvements are available on their web site at www.seattle.gov and search for water system projects.

Water Clarity


Turbidity, a measure of water's clarity, has no direct health effect but indicates the overall quality of the water. High turbidity can reduce the effectiveness of disinfection. Turbidity may indicate the presence of disease-causing organisms. These organisms include bacteria, viruses, and parasites that can cause symptoms such as nausea, cramps, diarrhea, and associated headaches. SPU's source waters have very low turbidity. The unit of measurement for turbidity is the NTU (nephelometric turbidity unit). SPU monitors source water turbidity continuously on both the Tolt and the Cedar supply. For each month in 2015, 100% of the treated samples from the Tolt Treatment Facility were below 0.3 NTU.



Ozone bubbles used for water purification.

The Purpose of Disinfection, and the Resulting Disinfection By-products

Drinking water is disinfected to destroy bacteria, viruses, and Giardia. (Inadequate disinfection may lead to acute gastrointestinal illnesses.) However, as the disinfectant reacts with naturally occurring organic matter in the water, disinfection by-products are formed. Disinfection by-products have been linked to increased cancer risks from drinking water containing high levels (greater than the MCLs) over many years. New drinking water regulations provide a balance between required levels of disinfection and the resulting disinfection by-products. SPU's Tolt Filtration Plant improves Kirkland's ability to provide a higher level of microbial protection while maintaining or reducing disinfection by-product levels.



Tolt Pipeline - photo courtesy of Seattle Public Utilities

Frequently Asked Questions

HOW CAN I GET MORE INVOLVED IN DECISIONS AFFECTING MY DRINKING WATER?

Please contact the Water Division at the telephone number or e-mail address listed at the end of this report with any questions, suggestions or concerns. Water-related issues are often presented to Kirkland City Council; the public is welcome to attend council meetings. To determine the Kirkland City Council's meeting schedule and/or topics to be discussed, call (425) 587-3197. Information regarding Washington State legislation is available at www.leg.wa.gov/legislature.

WHAT CAUSES TASTES AND ODORS, AND WHAT ARE SOME REMEDIES?

Most of the taste and odor complaints that SPU receives are about chlorine or the earthy, musty taste caused by blue-green algae that grow naturally in SPU's source waters. This algae is not harmful to your health. Chilling the water or adding lemon to the water can reduce taste and odor problems. The filtration and ozonation facilities on the Tolt supply eliminated taste and odor problems from that source.

HOW CAN I LEARN WAYS TO CONSERVE WATER?

In partnership with the Cascade Water Alliance, Kirkland has a variety of programs to conserve this vital natural resource and stabilize or reduce your water bill. For more information, please contact the Water Division (425) 587-3907.

WHO CAN I CONTACT REGARDING MY UTILITY BILL, PERMITS, EMERGENCIES, ETC.?

- Billing or Consumption Records/Questions - Customer Accounts (425) 587-3150
- General Drinking Water Questions - Water Division (425) 587-3910
- WATER EMERGENCIES
 - Monday – Friday, normal business hours – Water Division (425) 587-3910
 - After-hours/Holidays – Maintenance Center (425) 587-3900
- To Report Illegal Fire Hydrant Use – Water Division (425) 587-3910
- Plumbing Permits – Building Department (425) 587-3600
- Capital Improvement Projects – Capital Projects Manager (425) 587-3833

HOW CAN I GET MORE WATER QUALITY INFORMATION?

City of Kirkland web site	www.kirklandwa.gov
City of Kirkland Water Division e-mail..... (Greg Neumann, Water Division Manager)	gneumann@kirklandwa.gov
City of Kirkland telephone number	(425) 587-3900
City of Kirkland address.....	123 Fifth Avenue Kirkland, WA 98033

Washington Department of Health -

Drinking Water web site

U.S. Environmental Protection Agency web site

EPA Safe Drinking Water Hotline

This material can be made available to accommodate people with disabilities at the TTY relay number 711.

*Kirkland's Water System Facts

* Please note that certain portions of north Kirkland are served by the Northshore and Woodinville Utility Districts. These statistics do not include areas served by the districts.

- Square miles served = 9.8
- Population served = 47,928
- City of Kirkland Connections = 12,574
 - Single-family Residential = 10,567
 - Multi-family = 796
 - Commercial = 734
 - Irrigation systems = 477
- Average Water Usage (2015 data)
 - Entire System = 6.01 million gallons per day

Record Water Usage = 16.2 million gallons (July 20, 1994)

KIRKLAND'S WATER FACILITIES

- Water Storage Capacity
 - North Reservoir (Mark Twain Park) = 14.3 million gallons
 - South Reservoir (Bridle Trails) = 11.5 million gallons
- Miles of Water Main (pipe) = 174.6
- Number of Fire Hydrants = 1,884
- Number of Pump Stations = 3
- Number of Pressure Control Stations = 36

UPGRADED: During 2015, Kirkland Water crews replaced or repaired 77 water service lines.

2015 Water Quality Monitoring Results: THIS IS WHAT IS IN YOUR TAP WATER

DETECTED COMPOUNDS	Tolt Supply		This level or less is ideal	This much is allowed	Is your water safe?	Typical Sources
	AVERAGE	RANGE	MCLG*	MCL*	Compliant?	
Total Organic Carbon, ppm	1.5	1.2 – 1.8	NA	TT	YES	Naturally present in the environment
Cryptosporidium, #/100L	ND	ND	NA	NA	YES	Naturally present in the environment
Total Coliform, # of positive samples	Highest Month = 1 of 39 samples Annual Number = 2 of 437 samples		0	5%	YES	Naturally present in the environment
CLARITY (Measured After Treatment)						
Turbidity, NTU	0.07	0.04 – 1.4 ^	NA	TT	YES	Soil runoff
INORGANIC AND ORGANIC PARAMETERS (Measured After Treatment)						
Arsenic, ppb	0.6	0.4 – 0.7	0	10	YES	Erosion of natural deposits
Barium, ppb	1.3	(one sample)	2000	2000	YES	Erosion of natural deposits
Bromate, ppb	0.4	ND – 2	0	10	YES	By-product of drinking water disinfection
Chromium, ppb	0.2	ND – 0.24	100	100	YES	Erosion of natural deposits
Fluoride	0.8	0.7 – 0.9	4	4	YES	Water additive that promotes strong teeth (our target is 0.8 ppm)
Nitrate, ppm	0.10	(one sample)	10	10	YES	Erosion of natural deposits
Selenium, ppb	ND	ND	50	50	YES	Erosion of natural deposits
Uranium, ppb	ND	ND	0	30	YES	Erosion of natural deposits
DISINFECTANTS and DISINFECTION BY-PRODUCTS (Measured in the Distribution System)						
Total Trihalomethanes, ppb	39.35	37.0 – 41.7	NA	80	YES	By-product of drinking water chlorination
Haloacetic Acids (HAA), ppb	24	23.1 – 27.0	NA	60	YES	By-product of drinking water chlorination
Chlorine, ppm	Highest monthly average = 1.03	0.16 – 1.58	MRDLG = 4	MRDL = 4	YES	Water additive used to control microbes

^ On December 29, 2015, turbidity for the Tolt supply exceeded 1.0 NTU for about 17 minutes. Turbidity has no health effects, however, it can interfere with disinfection and provide a medium of microbial growth. Turbidity may indicate the presence of disease-causing organisms. These organisms include bacteria, viruses, and parasites that can cause symptoms such as nausea, cramps, diarrhea, and associated headaches. Customers did not need to take any action at the time, as mentioned in the previous mailing. Your water was and continues to be safe to drink.

Definitions

The following definitions are provided to help you better understand any unfamiliar terms and abbreviations included in the above table:

- **Maximum Contaminant Level (MCL):** The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- **Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- **Maximum Residual Disinfectant Level (MRDL):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.


- **Maximum Residual Disinfectant Level Goal (MRDLG):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- **Treatment Technique (TT):** A required process intended to reduce the level of a contaminant in drinking water.
- **Nephelometric Turbidity Unit (NTU):** Turbidity is a measure of how clear the water looks. The turbidity MCL that applied to the Tolt was 0.3 NTU for at least 95% of the samples in a month. 99.96% of the samples from the Tolt in December, 2015 were below 0.3 NTU. 100% of the samples for the remainder of the year were below 0.3 NTU.

- **Action Level (AL):** The concentration of a contaminant, which, if exceeded, triggers treatment, or other requirements, which a water system must follow.
- **NA:** Not Applicable
- **ND:** Not Detected at or above the minimum reporting level - laboratory analysis indicates that the constituent is not present.

• 1 mg/L = 1000 µg/L

For water samples:

- **1 part per million (ppm)** = 1 mg/L (corresponds to one minute in two years or a single penny in \$10,000)
- **1 part per billion (ppb)** = 1 µg/L (corresponds to one minute in 2,000 years, or a single penny in \$10,000,000)
- **1 ppm = 1000 ppb**



Tolt River - photo courtesy of Seattle Public Utilities

Cryptosporidium

Cryptosporidium parvum is a protozoan pathogen (disease-causing organism) commonly found in the natural environment. Most rivers and streams across the country have detectable concentrations of this pathogen. In SPU's surface water sources *Cryptosporidium* sources include deer, elk, and voles in the watersheds. The ozonation disinfection method at the Tolt Filtration Plant is very effective at destroying *Cryptosporidium* and other microbial organisms. SPU monitored for *Cryptosporidium* in the source water (prior to treatment). *Cryptosporidium* samples are not required to be collected from the Tolt supply due to removal and inactivation of *Cryptosporidium* by the Tolt Filtration Plant; however, SPU began collecting samples in 2005. *Cryptosporidium* was detected in none of the 10 samples collected in 2015 for the Tolt.

2016 annual waterQuality report

The City of Kirkland Public Works Dept.
123 5th Avenue · Kirkland, WA 98033



Printed on Recycled Paper

PRESORT
STANDARD
PAID
Permit No. 268
Kirkland, WA



Water Division Crewmember
Repairing Water Main Line

**Water Use
Efficiency
(WUE) Rule**

Report to Customers

The 2003 Municipal Water Law (HB1338) aimed at addressing the increasing demand on our state's water resources, set planning requirements, leakage standards and water conservation goal setting and reporting requirements. In 2013, rather than each member setting its own goals, Cascade led the public process of goal setting for all its members and a common regional goal was achieved. Cascade's adopted water use efficiency goal is to save 0.6 million gallons per day on an average annual basis and one million gallons per day on a peak season basis of cumulative savings from 2014 – 2019.

Cascade Water Alliance provides water efficiency programs and services on behalf of its members. In 2015 Cascade administered 15 distinct activities including showerhead and aerator installation at commercial accounts, residential gardening classes, irrigation system upgrade rebates, classroom presentations on water topics, free online ordering of shower timers, rain gauges, and other conservation items through Cascade's website, water audits at King County Housing Authority properties, free conservation items shipped to multifamily properties, training for landscape contractors, parks and school district staff, students, and others on the fundamentals of efficient irrigation management, and implementation of a WaterSense Labeled New Homes program for builders. These programs and services resulted in approximately 20,000 direct customer interactions promoting water efficiency and a savings of an estimated 79,205 gallons of water per day, or 13% of Cascade's 2014 – 19 WUE goal.